



भारतीय मानक ब्यूरो

BUREAU OF INDIAN STANDARDS

अहमदाबाद शाखा कार्यालय : 'पुष्पक' तीसरी मंजिल, खानपुर,
अहमदाबाद - 380 001.

Ahmedabad Branch Office : 'PUSHPAK' 3rd Floor, Khanpur,
Ahmedabad - 380 001.

URL : <http://www.bis.org.in>
Email : abo@bis.org.in

दूरभाष } 2560 1431, 2560 1909
Phone } 2560 1348, 2560 1349
2560 1265, 2560 1607

फेक्स } 079-25601440
Fax }

प्रेस विज्ञप्ति

21.08.2017

भारतीय मानक ब्यूरो के अधिकारियों ने दिनांक 17 अगस्त 2017 को मैसर्स तिरुपति फूड एवं बेवरेजेज, सर्वे नं. ३०६५/२, सरसिया सवार फलिया, गुजराती स्कूल के पास, गांव - खेरगाम, जिला - नवसारी (गुजरात) जो कि पैकेजबंद पेयजल का उत्पादन, पैकिंग तथा मार्किंग कर रहे थे, के परिसर में रेड की। यह कार्यवाई उपरोक्त परिसर द्वारा भारतीय मानक ब्यूरो से बिना वैध लाइसेंस लिये, आई एस आई मार्क वाले पैकेजबंद पेयजल बनाने की सूचना प्राप्त होने पर की गई। रेड के दौरान ६४ बैग (४० पाउच प्रत्येक) और पाउच बनाने में प्रयुक्त होने वाली पी ई फिल्म के 15 रोल, जिन पर आई एस नंबर, आई एस आई मार्क तथा लाइसेंस नंबर लगाया हुआ था, जब्त किये गये।

फर्म ने बी आई एस अधिनियम 1986 की धारा 11(1) का उल्लंघन किया है। आरोपी के विरुद्ध भारतीय मानक ब्यूरो अधिनियम 1986 के तहत कार्यवाही की जा रही है। इसमें एक वर्ष की सजा या 50000 रुपये जुर्माना या दोनों की सजा का प्रावधान है।

“कुछ धोखेबाज़ उत्पादकों द्वारा सामान्य जनता को गुमराह करने के लिए बिना वैध लाइसेंस के आई एस मार्क का उपयोग किया जाता है। उपभोक्ताओं को इस प्रकार के धोखे एवं संभावित सुरक्षा संबंधित खतरों से बचाने के लिए भारतीय मानक ब्यूरो द्वारा सूचना प्राप्त होने पर, समय समय पर इस प्रकार की कार्यवाही की जाती है। अगर किसी के पास आई एस मार्क के दुरुपयोग की कोई भी सूचना हो तो वह यह सूचना, प्रमुख, भारतीय मानक ब्यूरो, अहमदाबाद शाखा कार्यालय, तीसरी मंजिल, नवजीवन अमृत जयंती भवन, गुजरात विद्यापीठ के पीछे, ओफ़ आश्रम रोड अहमदाबाद 380 001 (फोन नंबर 25601431) को दे सकता है। ऐसी शिकायत हमारे ई मेल पते abo@bis.org.in अथवा enf@bis.org.in पर भी की जा सकती है। सूचना देने वाले का परिचय पूरी तरह गोपनीय रखा जाता है।

आलोक सिंह
(वैज्ञानिक - ई एवं प्रमुख)

मुख्यालय : मानक भवन, ९ बाहदुर शाह जफर मार्ग, न्यू दिल्ली - 110002.

HEAD OFFICE : MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG, NEW DELHI - 110002.

"For Training needs, please contact National Institute of Training for Standardization, A-20 & 21 Institutional Area, Sector 62 Noida-201307 at Telephone(s) 0120-24-2201 to 05, 467023, Tel/Fax No. 0120-24-22-2-03, or e-mail : hnits@bis.org.in, nits@bis.org.in"



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

अहमदाबाद शाखा कार्यालय : तीसरा तल, नवजीवन अमृत जयंती भवन,
गुजरात विद्यापीठ के पीछे, ऑफ आश्रम रोड,
अहमदाबाद - 380 014.

Ahmedabad Branch Office : III Floor, Navjivan Amrut Jayanti Bhavan,
Behind Gujarat Vidyapith, Off Ashram
Road, Ahmedabad - 380 014.

URL : <http://www.bis.org.in>
Email : ahbo@bis.gov.in

दूरभाष } 27540317, 27540318
Phone } 27540319, 27540320

फेक्स } 079-27540636
Fax }

PRESS RELEASE

Our Ref: AHBO/Press Note/20170817

21 Aug 2017

BIS Raid On Manufacturing Unit Of Packaged Drinking Water

An enforcement raid was carried out by team of officers of Bureau of Indian Standards, at the premises of M/s. Tirupati Food & Beverages, Survey No.3065/2, Sarsiya Sarar Falia, Near Gujarati School, vill: Khergam, Dist Navsari, manufacturer of Packaged Drinking Water on 17/08/2017 based on an input that the unit indulged in manufacturing and marking packaged drinking water with ISI Mark without having valid licence from BIS. During the operation large scale misuse of BIS Standard Mark (ISI Mark) was found. 65 bags having 40 pouch each of packaged drinking water and 15 rolls of PE film for packing bearing imitation of ISI Mark were seized as evidence.

Firm has violated Section 11(1) of BIS Act 1986. Action is being initiated against the offenders under Bureau of Indian Standards Act 1986. The offence is punishable by imprisonment of upto one year or a fine of Rs.50,000.00 or both.

Unscrupulous manufacturers use BIS Standard Mark (ISI Mark) without valid licence to deceive the public in general, BIS, Ahmedabad has been carrying out series of raids (search and seizure operations), as and when information about misuse of Standard Mark is received/collected, to protect the consumer from such deception and possible safety hazards which emanate from usage of such substandard material. Anybody who has information about the misuse of Standard Mark may write to Head,, Bureau of Indian Standards, Ahmedabad Branch Office, 3rd floor, Navajivan Amrut Jayanti Bhavan, Behind Gujarat Vidyapith, Off.Ashram Road, Ahmedabad-380014 (phone No.079-27540317). A complaint can also be made by email at ahbo@bis.gov.in or enf@bis.gov.in. **The identity of the informant would be kept strictly confidential.**

(Alok Singh)
Scientist-E & Head
(Ahmedabad Branch Office)

मुख्यालय : मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002.
HEAD OFFICE : MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG, NEW DELHI - 110002.

"For Training Needs, please contact National Institute of Training for Standardization, A-20 & 21 Institutional Area, Sector 60 Noida-201307 at Telephone(s) 0120-24-2201 to 05, 467023, Tel/Fax No. 0120-24-22-2-03, or e-mail : hnits@bis.org.in, nits@bis.org.in."