



# भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS

अहमदाबाद शाखा कार्यालय : तीसरा तल, नवजीवन अमृत जयंती भवन,  
गुजरात विद्यापीठ के पीछे, ऑफ आश्रम रोड,  
अहमदाबाद - 380 014.

Ahmedabad Branch Office : III Floor, Navjivan Amrut Jayanti Bhavan,  
Behind Gujarat Vidyapith, Off Ashram  
Road, Ahmedabad - 380 014.

URL : <http://www.bis.org.in>  
Email : [ahbo@bis.gov.in](mailto:ahbo@bis.gov.in)

दूरभाष } 27540317, 27540318  
Phone } 27540319, 27540320

फेक्स } 079-27540636  
Fax }

11 October 2017

## PRESS RELEASE

A Search & Seizure was carried out at M/s Raza Food And Beverages, Plot No. 162/A, Opp. BJP Office, B/h Al-Burooj, Nr. Sarkhej Roza, Makarba, Sarkhej, Ahmedabad on 10/10/2017, on receipt of information that the unit was indulged in manufacturing, packing and marking Packaged Drinking Water with ISI Mark without having valid licence from Bureau of Indian Standards for that premises. During the search & seizure, a large quantity of 250 ml pouches and few Film rolls with brand name 'Rano Aqua' and ISI Mark were seized.

Firm has violated Section 11(1) and 12 of BIS Act 1986. Action is being initiated against the offenders under Bureau of Indian Standards Act 1986. The offence is punishable by imprisonment of up to one year or a fine of Rs.50000.00 or both.

"Unscrupulous manufacturers use BIS standard mark (ISI Mark) without valid licence, to deceive the public in general. Bureau of Indian Standards has been carrying out a series of raids, as and when information about misuse is received, to protect the common consumer from such deception and possible safety hazards which results from the usage of such material. Anybody who has information about misuse of BIS Standard Mark may write to the Head, Bureau of Indian Standards, Ahmedabad Branch Office, at above mentioned address. A complaint can also be made by e-mail at the address [ahbo@bis.gov.in](mailto:ahbo@bis.gov.in) or [enf@bis.gov.in](mailto:enf@bis.gov.in)." *The identity of the information provider would be kept strictly confidential.*

( Dr Rajiv Kishore Jha )  
Scientist-F & Head

मुख्यालय : मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002.  
HEAD OFFICE : MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG, NEW DELHI - 110002.

"For Training Needs, please contact National Institute of Training for Standardization, A-20 & 21 Institutional Area, Sector 60 Noida-201307 at Telephone(s) 0120-24-2201 to 05, 467023, Tel/Fax No. 0120-24-22-2-03, or e-mail : [hnits@bis.org.in](mailto:hnits@bis.org.in), [nits@bis.org.in](mailto:nits@bis.org.in)."



# भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS

अहमदाबाद शाखा कार्यालय : तीसरा तल, नवजीवन अमृत जयंती भवन,  
गुजरात विद्यापीठ के पीछे, ऑफ आश्रम रोड,  
अहमदाबाद - 380 014.

Ahmedabad Branch Office : III Floor, Navjivan Amrut Jayanti Bhavan,  
Behind Gujarat Vidyapith, Off Ashram  
Road, Ahmedabad - 380 014.

URL : <http://www.bis.org.in>  
Email : [ahbo@bis.gov.in](mailto:ahbo@bis.gov.in)

दूरभाष } 27540317, 27540318  
Phone } 27540319, 27540320

फैक्स } 079-27540636  
Fax }

11 अक्टूबर 2017

## प्रेस विज्ञप्ति

भारतीय मानक ब्यूरो के अधिकारियों ने दिनांक 10 अक्टूबर 2017 को मेसर्स रज़ा फूड एंड बेवरेजेज़, प्लाट न. 162/ए, बीजेपी कार्यालय के सामने, अल-बुरूज के पीछे, सरखेज रोज़ा के पास, मकबा, सरखेज, अहमदाबाद जो कि पैकेजबंद पेयजल का उत्पादन, पैकिंग तथा मार्किंग कर रहे थे, के परिसर में रेड की। यह कार्यवाई उपरोक्त परिसर द्वारा भारतीय मानक ब्यूरो से बिना वैध लाइसेंस लिये, आई एस आई मार्क वाले पैकेजबंद पेयजल बनाने की सूचना प्राप्त होने पर की गई। रेड के दौरान बड़ी मात्रा में 250 मिली पाउच और कुछ पाउच बनाने में प्रयुक्त होने वाली फिल्म के रोल, रेनो एक्का ब्रांड चिह्नित, जिन पर आई एस आई मार्क लगाया हुआ था, जब्त किये गये।

फर्म ने बी आई एस अधिनियम 1986 की धारा 11(1) और 12 का उल्लंघन किया है। आरोपी के विरुद्ध भारतीय मानक ब्यूरो अधिनियम 1986 के तहत कार्यवाही की जा रही है। इसमें एक वर्ष की सजा या 50000 रूपये जुर्माना या दोनों की सजा का प्रावधान है।

“कुछ धोखेबाज़ उत्पादकों द्वारा सामान्य जनता को गुमराह करने के लिए बिना वैध लाइसेंस के आई एस मार्क का उपयोग किया जाता है। उपभोक्ताओं को इस प्रकार के धोखे एवं संभावित सुरक्षा संबंधित खतरों से बचाने के लिए भारतीय मानक ब्यूरो द्वारा सूचना प्राप्त होने पर, समय समय पर इस प्रकार की कार्यवाही की जाती है। अगर किसी के पास आई एस मार्क के दुरुपयोग की कोई भी सूचना हो तो वह यह सूचना, प्रमुख, भारतीय मानक ब्यूरो, अहमदाबाद शाखा कार्यालय, को उपरोक्त दिए गए पते पर दे सकता है। ऐसी शिकायत हमारे ई मेल पते [ahbo@bis.gov.in](mailto:ahbo@bis.gov.in) अथवा [enf@bis.gov.in](mailto:enf@bis.gov.in) पर भी की जा सकती है।”  
सूचना देने वाले का परिचय पूरी तरह गोपनीय रखा जाता है।

(डॉ. राजीव किशोर झा)  
वैज्ञानिक एफ एवं प्रमुख

मुख्यालय : मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002.  
HEAD OFFICE : MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG, NEW DELHI - 110002.

"For Training Needs, please contact National Institute of Training for Standardization, A-20 & 21 Institutional Area, Sector 60 Noida-201307 at Telephone(s) 0120-24-2201 to 05, 467023, Tel/Fax No. 0120-24-22-2-03, or e-mail : [hnits@bis.org.in](mailto:hnits@bis.org.in), [nits@bis.org.in](mailto:nits@bis.org.in)."