Ref: CL/PP/BID-01(13-14) Date: 31/05/13

Subject: SUPPLY OF 75 kVA DG Set

Dear Sirs,

Technical & Commercial Bids are invited for the supply of 75 kVA DG Set in separate SEALED covers, which should reach the undersigned latest by 1500 h, on 24/06/13, at the following address.

Director & Head (Planning & Purchase) BUREAU OF INDIAN STANDARDS Central Laboratory Plot No.20/9, Site-IV, Sahibabad Industrial Area, Sahibabad, Distt. Ghaziabad-201010 (U.P.)

- 2. The detailed specification of the above mentioned equipment(s)/item(s) are given in Annex- I
- 3. Terms and conditions of supply are given in Annex-II
- 4. The technical Bids shall be opened in the **Conference Hall**, of the Central Lab, at the address mentioned above at <u>1530h on 24/06/13</u> in the presence of such tenderers or their duly authorized representatives, who may like to attend.
- 5. Please note that the envelopes containing Technical & Commercials Bids are sealed properly i.e. either wax sealed or with adhesive cello tape on both ends. **Unsigned Bids**, **Unsealed /stapled envelopes** and bids **without EMD** shall be summarily rejected. **No exemption** whatsoever for payment of EMD shall be accorded. The envelope containing EMD shall be stapled separately with the envelope containing the commercial Bids. The value of EMD should not be disclosed in technical bid.
- 6. The specifications and Terms & Conditions can also be downloaded from Central Public Procurement portal www.eprocure.gov.in and also from BIS Website www.bis.org.in.

Thanking you,

Encls.: as above Yours faithfully,

(U.K. Kher)

Head (Planning & Purchase) Ph: 0120-4177110 fax: 0120277 Email: clpp@bis.org.in

Annex –I

<u>Technical Specification for:</u> 75 kVA DG Set

......

NAME OF THE EQUIPMENT : 75 kVA DG Set

ROPOSED FOR BIS LAB : Central Lab.

TOTAL QUANTITY REQUIRED : One

Items	Feature	Requirement	Response of bidder. Indicate only Yes /No.
DG Set & Engine	Rating(kVA)	75 kVA	
	Rated kW	60 kW	
	Voltage	415 V	
	Voltage Regulation	±1%	
	Nos of Phase	Three	
	Power factor	Not less than 0.8	
	Speed	1450 - 1500 rpm	
	frequency	50 Hz	
	Enclosure	SDPD	
	SFC(g/BHP/h) Fuel (at 75% Load)	Not More Than 150	
	Fuel	HSD	
	Fuel Tank Capacity	150 Lt Min with arrangement for measurement	
	Exhaust System	i) Silence Type	
		ii) Location at top iii) Radiator inside	
		the Canopy	
Alternator	Rating (kVA)	75kVA	
	No of Phases	3	
	Power Factor	0.8	
	Battery	32AH/12 V(Make Exide/ Amaron/Luminous/Microteh etc)	
	Quantity of Battery	2 nos. and/or more with charging alternator facility	
	Exhaust System	Silent as per specification Radiator inside canopy	
	Cooling	Radiator/Forced Cooling	
	Insulation Class	Н	

Chemical	No of Chemical	3 No.	
Earthing	Earthing Electrode	3110.	
Electrode	Required including		
Licenode	installation &		
	commissioning.		
	commissioning.		
Cables &	Size of Cable	3 ½ Core, 240 sq mm,	
Thimbles	Size of Cable	Stranded Compacted	
1 mmo les		Aluminum Conductor	
		A2XYFY	
	Type of Cable	XLPE Cable	
	Length of Cable	50 m	
	IS No.	ISI Marked, IS 7098(Pt-1)	
	Thimbles		
	1 IIIIII ICS	Suitable Thimbling etc	
Control D 1	Control Panel &	complete.	
Control Panel		Provision of all Engine	
& Other Items	Display	parameter display such as oil	
Other Items		Pressure, Coolant pump,	
		battery Voltage, Charging	
		status, engine speed, Engine	
		temperature, Time recorder	
		for running of DG set in Hrs and minutes	
	T. C		
	Functions	Automatic online start while	
		power cut and automatic stop	
		while power resumption with	
		manual operation provisions,	
	In stallation	EMF panel	
	Installation	Complete installation	
		including cabling and other	
		accessories complete up to	
	xxxama ntxx	changeover	
	warranty	Minimum 2 years after Installation &	
	Emanganay Stan	commissioning Drawisian of amanagement stan	
	Emergency Stop /Alarm	Provision of emergency stop	
		and emergency alarm CRCA steel sheet with noise	
	Canopy	level of 75 DB at one meter	
	Cofoty davises	distance as per CPCB norms	
	Safety devices	Display/ alert/ audio alarm	
		for low lubricating oil, low	
		battery, overheating,	
		overloading Faults, Fire,	
		Short circuit, MCCB shunt	
		etc.	

ANNEX-II

BUREAU OF INDIAN STANDARDS (CENTRAL LABORATORY)

TERMS & CONDITIONS for Limited Tender Enquiry

- 1. The Tenderers are requested to give detailed tender in the forms of two bids i.e.
 - Part A Technical Bid.
 - Part B Financial Bid.
- 2. The Technical & Financial Bids should be sealed and sent separately in sealed envelopes & duly super-scribed (giving Equipment name, technical/financial bid, due date of opening & Ref. No. on the top of the envelope). Such Bids shall remain valid for a period of 120 days from the date of opening.
- 3. The technical bid has to be filled in the format given above (Annex-I) compulsorily. Various Technical features may also be elaborated separately if so desired by the bidder. Original catalogues with relevant features should be supplied along with the bids. Every page of the technical & financial bid must be signed by the authorized signatory of the bidder along with their stamp.
- 4. Bidders may be required to arrange practical demonstration of equipment/model quoted by them before finalization of order.
- 5. The Technical Bid [Part A] should accompany complete specification, Manufacturer's name, address and following details:
 - a. Expected life span of equipment and accessories.
 - b. List of pre-installation facilities required for installation and commissioning of equipment and also consumables to be arranged by the Bureau,
 - c. List of the Users in India especially Govt. Labs. /Institutes with complete postal address to whom the similar equipment has been supplied,
 - d. Near locations in India from where after sales services shall be provided along with the name of Servicing Agent,
 - e. The optional and any other essential items/accessories required for the maintenance of the equipment for the next three years.
 - f. Technical Literature of the equipment along with necessary clause wise photograph/drawings, if any
 - g. Compliance statement vis-à-vis specification clauses, including statement of deviation, if any (Annex-III).
 - h. **Delivery Period**: The delivery of the equipment is required to be made within 90 days of the date of order. If, it is not possible for you to affect delivery within the period, you are required to specify the date by which you can guarantee delivery of the stores.
 - i. Warranty: The equipment is to be guaranteed for trouble free performance for a minimum period of two years after commissioning. The defects, if any, during the warranty period are to be rectified free of charge by arranging free replacement where ver necessary.
 - j. The Tenderer is required to furnish the Permanent Account Number (PAN)/TIN of the firm Allotted by the Income Tax Department.

- 6. Each tender document shall be accompanied with EMD of 3% of total cost of the equipment (excluding taxes). The demand draft for the EMD amount shall be drawn in favour of BUREAU OF INDIAN STANDARDS payable at Sahibabad/Ghaziabad. The sealed envelope containing EMD should be super scribed "EMD" and stapled separately with the envelope containing the financial Bid. No disclosure of amount of EMD in Technical Bid should be done. Cost of the items should be mentioned clearly in the Financial Bid [Part-B] only. The following details need to be included:
 - a. Price break-up of main equipment and accessories and consumables to be supplied by the party,
 - b. The rates quoted should separately indicate Basic Cost, Excise Duty, Sales Tax, Packing & Forwarding charges, Freight, Insurance, VAT etc. Rates quoted should specifically state Sales Tax, Excise Duty or any other taxes/charges. In absence of any such stipulation, it will be presumed that the prices include all such charges and no claim for the same shall be entertained. Form C/D shall not be provided by BIS. In case of foreign supplier BIS shall pay Custom Duty.
 - c. Rebate on the quoted price, if additional equipment is procured for any other BIS Lab, and
 - d. The Annual Maintenance Contract charges for next three years after the expiry of warranty period.
 - e. CIF (Carriage Inward & Freight), Sahibabad value both by Airfreight and Ocean freight, where applicable.
- 7. BIS shall pay 90% of the cost after satisfactory installation & commissioning and the Balance of 10% as contract performance security would be paid after expiry of warranty period. In case of foreign suppliers 100% payment shall be made by an Irrevocable Letter of Credit established in favour of the supplier through the Canara Bank, DDU Marg, New Delhi, for the order value provided an unconditional Performance Bank Guarantee valid till 60 days after the warranty period from a Nationalized Bank for 10% of the order value within 15 days of placement of the order is given to us. The Agency Commission to the Indian Clearing Agent will not be paid by the Bureau. The firm has to arrange for it. BIS shall provide Custom Duty Exemption Certificate at the time of Custom Clearance as well as any applicable Custom Duty.
- 8. Place of Delivery: The DG set shall be delivered at our Lab:

Director & Head (Central Lab) BUREAU OF INDIAN STANDARDS, Plot No 20/9, Site IV, Sahibabad Industrial Area, Sahibabad, Distt Ghaziabad, UP -201010

- 9. Quotations/bids qualified by indefinite expressions such as "Subject to immediate acceptance" etc. and incomplete quotations are liable to be summarily rejected.
- 10. In case of foreign quotation, the address of Principal / Manufacturer and their Banker's details should be furnished. The supplier is required to have an import license for the equipment quoted where applicable as per GOI guidelines.

- 11. All goods shall be inspected by BIS preferably in the presence of supplier or his authorized representative, when the packages are opened in Labs prior to installation. The decision of BIS shall be binding. Rejected items/goods/stores shall be removed by the supplier at his own cost and risk, within 30 days of receipt of notice for the
- 12. Removal of such goods, and no liability, whatsoever, on the Bureau shall be attached for the rejected/disapproved goods/items/stores.
- 13. INSTALLATION: Bidder shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty and thereafter. If the supplier fails to supply, install and commission the system as per specifications mentioned in the order within the due date, the Supplier is liable to pay Penalty of one percent of the value of Purchase Order awarded per every seven days delay, subject to a maximum of 10% of the total value of the order and such money will be deducted from any money due or which may become due to the supplier.
- 14. The supply of spare parts is to be guaranteed at least for a period of 10 years after the supply of the equipment.
- 15. The Bureau reserves the right to accept or reject summarily and/or all tenders in whole or part without assigning any reason whatsoever.
- 16. The Date and Time of opening for Part B (Financial Bid) will be intimated only to technically acceptable/qualified tenderers at a later date.
- 17. In case of any dispute arising out of this agreement then DG BIS shall nominate any officer of the BIS a sole arbitrator to adjudicate upon the issue involved in the dispute and the provisions of the Arbitration Act shall be applicable.
- 18. All question, disputes or differences arising under, out of or in connection with this Bid document shall be subject to the exclusive jurisdiction of Delhi/Ghaziabad Court.

Annex-III

DEVIATION STATEMENT FORM

1) The following are the particulars of deviations from the requirements of the tender document and specifications:

SPECIFICATION CLAUSE	DEVIATION	REMARKS (INCLUDING JUSTIFICATION)

PLACE:	
DATE:	SEAL & SIGNATURE OF BIDDER

NOTE: 1. Where there is no deviation; the statement should be returned duly signed an endorsement indicating "No Deviations".

ANNEXURE-IV

PERFORMANCE SECURITY FORM

To (Name of	Purchaser)
WHEREAS	n, in pursuance of Contract No dated (Description of Goods
	in the said Contract that the Supplier shall furnish Bank for the sum specified therein as security for gations in accordance with the Contract.
Supplier, up to a total ofGuarantee in Words and Figures) and we under declaring the Supplier to be in default under the sums within the limit of without your needing to prove or to show ground therein.	Guarantors and responsible to you, on behalf of the
This guarantee is valid until the day of _	Signature and Seal of Guarantors
	DateMonth 2013 Address