



भारतीयमानकब्यूरो
BUREAU OF INDIAN STANDARDS

Tender Document for Supply, Installation and Commissioning of Abrasion Resistance test machine (with Abrasive Powder) for abrasion resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006
IS 15658:2006 के अनुसार पहले से तैयार कांक्रीट ब्लॉकों के घर्षण प्रतिरोध परीक्षण के लिए घर्षण प्रतिरोध परीक्षण मशीन (घर्षण पाउडर के साथ) की आपूर्ति, स्थापना और कमीशनिंग हेतु निविदा दस्तावेज़
(निविदा सन्दर्भ सं० Tender Reference No. : BIS/ NROL/ DEC 2016/ARTM)

द्वारा आमंत्रित INVITED BY

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला,
Northern Regional Office Laboratory, (NROL)
बी-69, फेज सात, एसएसएस नगर
B-69, Phase VII, SAS Nagar
औद्योगिक फोकल प्वाइंट, मोहाली 160051
Industrial Focal Point, Mohali-160051
फोन /Ph: 9023246935
मेलआईडी/mail id : nrol@bis.org.in

सूचकांक/INDEX

	सामग्रीCONTENT	PAGE No.	पृष्ठ
	निविदासूचना/ Tender Notice	3-5	3-5
	निविदादस्तावेज़/ TENDER DOCUMENT		
भाग -1 PART-I	तकनीकीबोली/ TECHNICAL BID	6	30
क A	पूर्वयोग्यतामानदंड Pre-Qualification Criteria	6	30
	पीक्यूसीकेलिएचेकसूची Check list for PQC	7-8	31-32
ख B	बोलीदाताओंकेलिएनिर्देश Instructions to bidders	9-11	33-35
ग C	खरीदारऔरबोलीदाताओंद्वाराउपयोगकरनेकेलिएअन्यमानकफार्म (तकनीकीबोलीकेसाथप्रस्तुतकियाजाना) Other standard forms to be utilized by the purchaser and the bidders (to be submitted along with the Technical Bid)	12	36
अनुबंध- 1 Annexure-1	बोलीदाताओंद्वाराप्रस्तुतविवरण Details to be furnished by Bidders	13	37
अनुबंध-2 Annexure-2	निविदादस्तावेजकेअनुच्छेदसेविचलनकेबारेमेंबयान Statement regarding the deviations from the clauses of the tender document	14	38
अनुबंध-3 Annexure-3	तकनीकीविशिष्टता Technical Specification	15-16	39-40
अनुबंध- 4 Annexure-4	तकनीकीअनुपालनवक्तव्य Technical Compliance Statement by the bidder	17-19	41-43
भाग -II PART-II	वित्तीयबोली(अलगमुहरबंदलिफाफेमेंप्रस्तुतकियाजाना)(Financial Bid (to be submitted in separate sealed cover)	20	44
भाग -III Part-III	अनुबंधकीशर्तें Conditions of Contract	21-26	45-51
अनुबंध- 5 Annexure-5	बैंकगारंटीबांडकाफार्म Form of Bank Guarantee Bond	27-28	52-53
अनुबंध-6 Annexure-6	अनुबंधप्रपत्र / करार Contract Form/ Agreement	29	54

बोली शुरू होगी : 19 दिसम्बर 2016 को 1100 बजे
Bid opens on 19 Dec 2016 at 1100h
 बोली समाप्त होगी : 18 जनवरी 2017 को 1500 बजे
Bid closes on 18 Jan 2017 at 1500h

TENDER NOTICE

भारतीयमानकब्यूरो, उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला, मोहाली इस निविदा में परिभाषितकार्यकेलिएवास्तविकअनुभवीनिर्माताओं / आपूर्तिकर्ताओंसेदोबोलीप्रणाली (तकनीकीबोलीऔरवित्तीयबोली) केतहत, सील कवर में बोलियांआमंत्रितकरताहै।निविदाकाविवरणनीचेदियागयाहै।

Bureau of Indian Standards, Northern Regional Office Laboratory (NROL), Mohali invites sealed bids, under **two bid system (Technical bid and Financial bid)** from bonafide experienced Manufacturers/Suppliers/ Dealers / Agencies/ Direct Importers for the job defined in this tender, as per details given below:

DESCRIPTION	IS 15658:2006 के अनुसार पहले से तैयार कांक्रीट ब्लॉकों के घर्षण प्रतिरोध परीक्षण के लिए घर्षण प्रतिरोध परीक्षण मशीन (घर्षण पाउडर के साथ) की आपूर्ति, स्थापना और कमीशनिंग SUPPLY, INSTALLATION AND COMMISSIONING OF Abrasion Resistance test machine (with Abrasive Powder) for abrasion resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006 उपकरणों के तकनीकी विनिर्देश के लिए कृपया अनुलग्नक 3- देखें (Please refer Annex-3 for Technical Specifications of the equipment)
Type of Tender	खुला / Open
EMD Amount (in INR)	8500/-
<p>1. ईएमडी, डिमांड ड्राफ्ट या भुगतान आदेश के रूप में 'भारतीय मानक ब्यूरो' के पक्ष में चंडीगढ़ में देय प्रस्तुत की जानी चाहिए/ EMD should be submitted in the form of Demand Draft or Pay Order drawn in favour of 'Bureau of Indian Standards' payable at Chandigarh.</p> <p>2. ईएमडी छूट श्रेणियों /EMD exempted categories: केंद्रीय क्रय संगठन, राष्ट्रीय लघु उद्योग निगम (एनएसआईसी) या संबंधित मंत्रालय या विभाग द्वारा जारी छूट का वैध प्रमाण पत्र वाले निर्माताओं / आपूर्तिकर्ताओं के लिए. स्वअभिप्रमाणित छूट का प्रमाण पत्र बोली के साथसंलग्न किया जाना चाहिए।Manufacturers/ Suppliers having valid certificate of exemption issued by the Central Purchase Organization, National Small Industries Corporation (NSIC) or the concerned Ministry or Department. Self attested Certificate of Exemption should be attached with the bid.</p> <p>3 कृपया निविदा जमा करने से पहले भाग -1 (तकनीकी बोली) के ख में दिए गए "बोलीदाताओं के लिए निर्देश" पढ़ें।Please read "Instruction to Bidders" given in B of Part-1(Technical bid)before submission of tender.</p>	

जारी करने वाले प्राधिकारी का पता Address of the issuing Authority	प्रमुख /Head भारतीय मानक ब्यूरो BUREAU OF INDIAN STANDARDS, उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला Northern Regional Office Laboratory, बी-69, फेज सातवीं, एसएस नगर, औद्योगिक फोकल प्वाइंट, मोहाली B-69, Phase VII, SAS Nagar, Industrial Focal Point, Mohali-160051 फोन Ph: 9023246935, मेल आईडी mail id : nrol@bis.org.in
डाउनलोड प्रारंभ और बोली प्रस्तुत प्रारंभ तिथि व समय Download Start & Bid Submission Start Date & Time	19 दिसंबर /December 2016 11:00 बजे Hours
डाउन लोड का अंत और बोली प्रस्तुत समाप्ति तिथि व समय Download End & Bid Submission End Date & Time	18 जनवरी /January 2017 15:00 बजे Hours
तकनीकी बोली खोलने की तिथि व समय Technical Bid opening date & Time	18 जनवरी /January 2017 15:30 बजे Hours

- इच्छुक पार्टियां उनकी विधिवत सील निविदा बोली अन्य आवश्यक दस्तावेजों एवं ईएमडी के साथ अधोहस्ताक्षरी को विधिवत रूप में 'निविदा संBIS/ NROL/ DEC 2016/ARTM की बोली और निविदा की अंतिम तारीख 1500 h on 18 जनवरी 2017' के साथ निविदा की नियत तारीख या उससे पहले भेज सकते हैं। इस समय सीमा के बाद प्राप्त बोलियों पर किसी भी स्थिति में विचार नहीं किया जाएगा। बीआईएस किसी भी डाक देरी या हानि के लिए जिम्मेदार नहीं होगा।
Interested parties may send their sealed bid complete in all respect with EMD along with other requisite documents to the undersigned duly superscribed as 'Bid for Tender no. BIS/ NROL/ DEC 2016/ARTM and due date of the tender' on or before 1500 h on 18 Jan 2017. The bids received after this deadline shall not be entertained under any circumstances whatsoever. BIS shall not be responsible for any postal delay/ loss.
- निविदा दस्तावेज (गैर हस्तांतरणीय) भारतीय मानक ब्यूरो वेबसाइट: www.bis.org.in से निशुल्क डाउनलोड किया जा सकता है। Tender document (Non-Transferable) can be downloaded free of cost from BIS web site: www.bis.org.in.
- केवल स्पीड पोस्ट, रजिस्टर्ड पोस्ट के माध्यम से और बॉक्स में व्यक्तिगत जमा के माध्यम से भेजी बोलियां स्वीकार की जाएगी। Bids sent through speed post, registered post and through personal deposit in the box will only be accepted.
- ई-मेल / फैंक्स / कूरियर के माध्यम से भेजी बोलियां स्वीकार नहीं किया जाएगा Bids sent through e-mail/ fax/ courier will not be accepted.

- कोई शुद्धि पत्र / समयविस्तार / परिशिष्ट केवल बीआईएस वेबसाइट www.bis.org.in पर प्रकाशित किया जाएगा: Any corrigendum/time extension/addendum shall be published only on BIS website: www.bis.org.in
- कोई शुद्धि पत्र / समय विस्तार / परिशिष्ट केवल बीआईएस वेबसाइट www.bis.org.in पर प्रकाशित किया जाएगा: Any corrigendum/time extension/addendum shall be published only on BIS website: www.bis.org.in
- ईएमडी तकनीकी बोली वाले लिफाफे में रखा जाना चाहिए अन्यथा बोली अस्वीकार कर दी जाएगी **EMD should be put in the envelope containing Technical Bid failing which the bid shall be rejected.**
- मुहरबंद लिफाफे में दो अलग-अलग लिफाफे में तकनीकी और वित्तीय बोली (कृपया निर्देश भाग ख पेज 33 पर देखें) उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला के स्वागत कक्ष में रखे निविदा बॉक्स में डाली जा सकती है, या पंजीकृत डाक/ स्पीड पोस्ट के माध्यम से निम्न पते पर भेजी जा सकती है:
प्रमुख भारतीय मानक ब्यूरो, उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला, बी-69, फेज सात, एसएसनगर, औद्योगिक फोकल प्वाइंट, मोहाली-160051
The sealed envelope containing technical and financial bids in two separate sealed envelopes (please see instructions at **B(1) at page 9**) are to be put in the tender box placed at reception of the Northern Regional Office Laboratory or may be sent through registered post/ speed post addressed to (Head Northern Regional Office Laboratory), Bureau of Indian Standards, B-69, Phase VII, SAS Nagar, Industrial Focal Point, Mohali-160051
- बीआईएस बिना कोई नोटिस दे कर या कारण बताए निविदा दस्तावेज में संशोधन या किसी भी नियमों और शर्तों को निकालने का या किसी एक या सभी बोलियों को अस्वीकार करने का अधिकार सुरक्षित रखता है। इस संबंध में जारी करने वाले प्राधिकारी के निर्णय अंतिम होगा। BIS reserves the right to amend or withdraw any terms and conditions contained in the tender document or to reject any or all bids without giving any notice or assigning any reason. The decision of issuing authority in this regard shall be final.
- किसी भी प्रकार की विवाद/ त्रुटि की स्थिति में अंग्रेजी वाले अंश को ही सही माना जाएगा।
In case of any kind of dispute/ error text in English shall be taken as correct.

-Sd-

प्रमुख (उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला)

Head, (Northern Regional Office Laboratory)

TENDER DOCUMENT

PART-I: TECHNICAL BID

A: PRE-QUALIFICATION CRITERIA (PQC)

1. The bidder shall be PSU/ autonomous / public /private limited / Partnership/ Proprietorship / any other firm having been in business in India for the last three calendar years for supply of the same/similar equipment. The documents authenticating the establishment of the firm shall be submitted.
2. The bidder shall have supplied, installed and commissioned at least three such same/ similar equipment in India and one of them should be in the last three years. Additionally, the list of customers shall also be enclosed.
3. The bidder shall enclose copies of purchase orders/letters of satisfaction from buyers or any other document as a proof of supply of same / similar equipment to Govt. or private customers.
4. The bidder shall submit copies of audited balance sheets of last three years.
5. The bidder shall enclose valid proof of tax registrations as applicable to them such as VAT/Sales Tax/ PAN /Service tax / or any other registration for taxation purpose (for Indian Bidders). In case of foreign companies, bidders shall enclose valid proof of tax registrations from their own country.
6. The bidder should not have been blacklisted.
7. The bidder should not have earlier withdrawn from any tendering process of BIS.
8. The Bidder shall be willing to provide after sales support through a combination of warranty and comprehensive annual maintenance contract for a period of 6 years as per mutually worked out terms and conditions

Note: The bidder shall enclose all requisite documents self attested as specified in the **checklist**. The bidder must fill the checklist enclosed.

Checklist for Pre-Qualification Criteria (PQC)

Bidders must fill this check list with a **tick (√)** in the boxes in the right hand column. Relevant document, as per the checklist, shall also be enclosed with the technical bid.

S No.	Requirement	Document submitted	Check box
1.	Bidder is	1. Original Equipment Manufacturer 2. Dealer/ agency/ supplier/ Direct Importer	1. <input type="checkbox"/> 2. <input type="checkbox"/>
2.	Bidder is based in	1. India 2. Abroad	1. <input type="checkbox"/> 2. <input type="checkbox"/>
3.	The bidder is a public undertaking/ autonomous body/ public limited / private limited / Proprietorship Company / firm	1. PSU/Autonomous 2. Limited/ Private Limited 3. Proprietary / Partnership firm/LLP 4. Others (specify)	1. <input type="checkbox"/> 2. <input type="checkbox"/> 3. <input type="checkbox"/> 4. <input type="checkbox"/>
4.	Enclose applicable documents of establishment of firm - Certificate of Incorporation - Authorization letter from Principals - Partnership Deed/LLP - Proprietary Details - Others (specify)	1. Yes, details enclosed 2. No, details not enclosed	1. <input type="checkbox"/> 2. <input type="checkbox"/>
5.#	Enclose applicable documents of Tax Registration: - Service Tax - VAT - Sales Tax - PAN - Others (specify)	1. Yes, details enclosed 2. No, details not enclosed	1. <input type="checkbox"/> 2. <input type="checkbox"/>
6	Enclosed statements of turnover per year for last three successive years.	1. Yes, details enclosed 2. No, details not enclosed	1. <input type="checkbox"/> 2. <input type="checkbox"/>
7.	Enclose copies of audited Balance Sheet for last three years	1. Yes, details enclosed 2. No, details not enclosed	1. <input type="checkbox"/> 2. <input type="checkbox"/>
8.	List of customers attached	1. Yes, details enclosed 2. No, details not enclosed	1. <input type="checkbox"/> 2. <input type="checkbox"/>
9.	Enclosed letter of satisfaction from buyers or purchase orders or any other document from customers whom same / similar equipment was supplied.	1. Yes, details enclosed 2. No, details not enclosed	1. <input type="checkbox"/> 2. <input type="checkbox"/>

10	Whether Bidder is willing to provide after sales support through a combination of warranty and comprehensive annual maintenance contract for a period of 6 years as per mutually worked out terms and conditions	1. Yes, willing to provide 2. No, not willing to provide	1. <input type="checkbox"/> 2. <input type="checkbox"/>
11	Whether withdrawn from tendering process of BIS on an earlier occasion	1. Yes 2. No	1. <input type="checkbox"/> 2. <input type="checkbox"/>
12	Whether blacklisted	1. Yes 2. No	1. <input type="checkbox"/> 2. <input type="checkbox"/>
13.##	Had earlier supplied equipment/ service to BIS	1. Yes 2. No	1. <input type="checkbox"/> 2. <input type="checkbox"/>

- This is for Indian bidders. In case of foreign companies, bidders shall enclose valid proof of tax registrations from their own country.

##- This is an additional information.

B: INSTRUCTIONS TO BIDDERS (FOR STRICT COMPLIANCE)

The bidder must go through all the points of Pre-qualification Criteria (PQC), Check-list, Technical Specification (Annexure-3) and Conditions of the Contract (Part 3) and submit the bid **complete in all respect with regard to specifications, delivery date, financial and all other particulars.**

1. The Tender is to be submitted under **“TWO BID” system**. Viz. **two separate sealed envelopes** out of which one should contain **Technical bid** and other should contain **Financial bid**. Both the envelopes are to be superscribed separately as “Technical bid” and “Financial bid” and packed in another sealed envelope. **The bid not received on “Two Bids” basis will be summarily rejected.**

Contents of Bid Document: The envelopes shall contain the following:

Envelope No.1 (Technical Bid):

- (i) This Envelope shall be super-scribed as **“Envelope-1 – Technical Bid”** and should be sealed.
- (ii) This should contain check-list, technical specifications, EMD, along with other prescribed documents as per checklist, each page to be duly **filled and signed by the bidder.**

Envelope No.2 (Financial Bid):

- (i) This Envelope shall be super-scribed as **“Envelope-2 – Financial Bid”**.
- (ii) This envelope shall contain price for the goods to be supplied as per details in Part 2 (Financial Bid). It should be duly **filled and signed on each page by the Bidder.**

Covering Envelope: Both the sealed envelopes 1 and 2 should be put together in another envelope, sealed and super-scribed as **‘Bid for Tender no. BIS/ NROL/ DEC 2016/ARTM and due date of the tender’**. **Envelopes not super-scribed as mentioned above, are liable to be ignored.**

2. **Earnest Money Deposit (EMD)** amount in the form of Demand Draft / Pay order is to be **furnished with Technical bid only**, failing which the offer will be summarily rejected. No interest shall be paid by BIS on the Earnest Money.

The EMD amount will be returned to the unsuccessful Bidders as per the provisions of GFR. It will be returned to the successful Bidder after receipt of the Performance Security.

Forfeiture of EMD: The Bid Security / Earnest Money deposited is liable to be forfeited if the tenderer withdraws or amends or impairs or derogates the offer in any respect within the period of validity of the tender or if the successful Bidder does not pay the Performance Security in the prescribed time limit or fails to sign the Agreement after the award of Contract.

3. The bid can be put in the Tender Box kept at the reception of **Northern Regional Office Laboratory, Bureau of Indian Standards, B-69, Phase VII, SAS Nagar, Industrial Focal Point, Mohali-160051** or can be sent by Speed Post / Registered Post at the same address. **Bids sent through email/fax/courier shall not be accepted.**
4. It is the responsibility of the bidders to ensure that their tenders reach **Northern Regional Office Laboratory, BIS** at the above address by due date and time. BIS shall not be responsible in case of any postal delay / loss. **Bids received after the due date and time shall not be accepted.**
5. **Technical Bids will be opened** on the last date of receipt of tender on the time and date mentioned in tender notice. Authorized representative of the bidder may remain present at the time of opening of tender.
6. The **Financial bid will be opened** on a date, to be fixed later, for the successful bidders in the technical bid. Authorized representative of the bidder with an authority letter may remain present on the scheduled date and time.
7. **Validity of Bid:** The offer shall remain valid for **180 days from the date of opening of tender.**

8. The bid along-with all requisite documents must **be signed and stamped by the authorized person**, failing which the bid shall be liable for rejection.
9. The **Head(Northern Regional OfficeLaboratory)**, BIS reserves the right to accept or reject any bid/ all the bids without assigning any reason thereof.

10. Process to be confidential:

Information relating to the examination, evaluation and comparison of Bids and the award of a Contract shall not be disclosed to Bidders or any other person not officially concerned with such process until the award to the successful Bidder has been announced.

11. Any kind of canvassing in regard to the offered equipment after submitting bid shall be treated as disqualification.
12. Any correction of error on the quotation should be duly authenticated by the person signing the quotation. **There shall be no overwriting.**
13. **Special Conditions:** The Indian Agent, if submitting the quotation on behalf of their Principal (i.e. Foreign Supplier), shall ensure and submit the following:

i) Copy of the Agency Agreement with the foreign Principal.

ii) The firm shall take care of after sales service and requisite spares made available during the lifetime of the equipment, after expiry of the Guarantee / Warranty period, also.

iii) The bank charges for opening of the Letter of Credit out side India are to be borne by the supplier.

14. Rates how to be quoted:

14.1 Cost of the items should be mentioned clearly in the **Part-II: Financial Bid** only. The following details need to be included:

a. Price break-up of main equipment, accessories, Consumables, spares, fixtures (whichever is applicable) to be supplied by the bidder. Please quote unit rate for each item in Indian Rupees/ USD/ EURO (whichever is applicable). The rates quoted shall be on CIF basis (cost insurance and freight) on door delivery basis.

b. Rates quoted should specifically state Sales Tax, Excise Duty or any other taxes/charges, as applicable. In absence of any such stipulation, it will be presumed that the prices include all such taxes/charges and no claim for the same shall be entertained.

c. Please quote your rates, other charges, applicable taxes and duties in the format prescribed in **Part-II: Financial Bid** (Please refer [page 20](#))

d. The equipment is required to be supported for performance for six years, i.e., three years of warranty plus three years of CAMC (Comprehensive Annual Maintenance Contract). If the warranty offered by the bidder is less than three years, then the bidder shall quote the CAMC charges, year wise, for the remaining period of warranty, plus for fourth, fifth and sixth years. Please refer (B) of **Part-II: Financial Bid**

Financial bid shall be evaluated on the total price quoted, which is a combination of unit price of the equipment and CAMC charges upto six years of operation of equipment. The payment will be made for unit price of the equipment which will cover the warranty period also. The CAMC charges as quoted in the financial bid at (B) of Part –II shall be payable on yearly basis after CAMC starts.

e. Prices shall be quoted in Indian Rupees (INR)/ USD/ EURO (whichever is applicable). In case the rates are quoted in the foreign currency, **the conversion rate to INR (Reserve Bank of India rate) shall be applicable as on the last date of submission of tender.** Evaluation of the financial bid shall be done on the basis of price in INR.

f. BIS pays full CST and neither Form C nor Form D will be provided.

g. The rates quoted shall be **valid for a period of one year from the date of opening of the financial bid of the tender.**

h. The successful bidder is responsible for Packing, Forwarding, Freight & Insurance, Customs Clearance, Delivery at site and Installation, Commissioning and Training of BIS personnel in a satisfactory manner.

i. The Agency Commission to the Indian Clearing Agent will not be paid by the BIS and the same would be borne by the supplier. BIS shall provide Custom Duty Exemption Certificate at the time of Custom Clearance and the supplier has to obtain customs clearance and deliver the goods at specified location (s).

14.2 The bidder is expected to work out his rates keeping in view the technical specifications as per Annexure-3 of Technical bid & conditions mentioned clearly and arrive at the amount to be quoted. The bidder shall be deemed to have satisfied itself before bidding as to the correctness and sufficiency of its bid and of the rates and prices quoted in the attached form for financial bid (Part-II), which rates and prices shall, except as otherwise provided, cover all its obligations under the Tender and all matters and things necessary for proper fulfilling his obligations under the Tender. The financial bid shall clearly indicate all taxes including local taxes, etc. to be paid by the bidder for the goods to be supplied at specified places and any claim for extra payment on any such account shall not be entertained.

14.3 The price quoted by the bidder shall be applicable for the repeat order(s), if repeat orders are placed with the supplier.

However, BIS reserves the right, not to place the repeat order.

15. Execution of Agreement: It shall be incumbent on the successful bidder to execute the Agreement, as per Annexure 6, on a non-judicial stamp paper of Rs. 100.00 at the time of award of contract and pay stamp duty, legal and statutory charges for the Agreement, if any, as applicable on the date of the execution. Please read carefully, the conditions of contract as given in **Part-III: Conditions of contract.**

16. The Tender Notice and Instructions to Bidders shall form part of the Contract.

**C: STANDARD FORMS TO BE UTILIZED BY THE BISAND
THE BIDDERS.**

- | | |
|----------------------|-----------------------------------------------------------------------------------|
| 1. Annexure-1 | Details to be furnished by the bidders |
| 2. Annexure-2 | Statement regarding the deviations from the clauses of the tender document |
| 3. Annexure-3 | Technical Specification |
| 4. Annexure-4 | Technical compliance statement by the bidder |

Annexure-1

Details to be furnished by the bidders

1. Name of the bidder:
2. Details Registration/Import licence if any with validity date:
3. Address for Communication:
4. Telephone No.:
Landline:..... Mobile:.....
5. E-mail:
6. Manufacturers Name and Address (if different);
7. Bank Account Details:
Name of the bank:.....A/c no.
IFSC code Type of A/c.....
6. Name and designation of the person authorized to sign the documents:
7. PAN, TIN Number of the bidder:
8. Service Tax Registration No.:
9. Details of EMD
Draft Number :.....Date:.....
Name of the Bank: Payable at:

This is to certify that the above facts are true to the best of my/our knowledge and belief. I/We have read and understood the terms and conditions of the Tender document.

I/We give an undertaking to abide by these terms and conditions of the tender document.

Name and Signature of the bidder

Seal of the Bidder

Date

Annexure-2

**Statement regarding the deviations from the clauses
of the tender document:**

S No.	Tender clause no.	Details of deviation	Justification, if any

Annexure-3

Technical Specification of Abrasion Resistance test machine (with Abrasive Powder) for abrasion resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006

Equipment Details& Purpose: Test equipment for Abrasion Resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006 as described in Annexure-E of IS 15658:2006 and Annex G of IS 1237:2012 (see Fig. 4 of IS 15658), complete with abrasive powder, all required fixtures, tools, accessories etc. and as per details given below:

S.No.	Parameter, Components/ Fixtures/ Accessories/ Spare parts/ CRMs etc.	Requirement
(1)	(2)	(3)
1.	Equipment Description	Abrasion test equipment as described in Annexure-E of IS 15658:2006 and Annex G of IS 1237:2012 (see Fig. 4 of IS 15658:2006). The testing apparatus shall be a grinding device consisting essentially of a horizontally fixed smooth grinding disc of about 750 mm diameter, rotating about a vertical axis and furnished with a replaceable grinding path. Arrangement to indicate/ measure, track wear shall also be provided. Machine shall be supplied with abrasive powder as per details given at S.No. 7 below. The essential features of the equipment shall be as stated below:
2.	Grinding Path (Clause G-2.2 of IS 1237:2012):	<p>Cast iron shall be used as the material for grinding path. Its scaleroscope hardness shall lie between 30 and 50. This hardness shall be ascertained at least 10 times on the rim and at several points in the grinding path by means of a Shore's scaleroscope with diamond hammer.</p> <p>Test certificate from NABL accredited / Govt. lab in this regard shall be supplied with equipment.</p> <p>The grinding path shall be a 200 mm wide annular space on the grinding disc between distances of 120 mm and 320 mm from the centre.</p> <p>The grinding path shall be repairable/ replaceable when it has worn out by more than 0.5 mm after use or when the furrows formed in it exceed 0.2 mm in depth.</p> <p>Supplier to provide the necessary support services in this regard.</p>
3.	Rotation Disc (Clause G-2.3 of IS 1237:2012):	<p>The disc shall be driven at 30 rev/min. There shall be automatic mechanisms for counting, indicating the revolutions of the disc and for stopping the disc after every 22 revolutions with digital display.</p> <p>Revolution Counter shall have range 0-99 (Digital Display)</p> <p>Calibration certificate with NABL Logo from NABL accredited lab in this regard shall be supplied with equipment.</p> <p>In addition to revolution counting and automatic stopping mechanism, Digital Test cycle counter having range 0-99, Least count 1 shall also be provided. (Please see E-3.6 of IS 15658)</p>
4.	Holding Device for Test Specimen (Clause G-2.4 of IS 1237:2012):	The holding device shall consist of a square frame, open on one side and made of cast iron or steel; it shall be of about 40 mm height, with its lower edge about 5 mm above the surface of the grinding disc and so positioned that its centre is at a distance of 220 mm from the centre of the disc. It shall necessarily, but loosely, hold the specimen.
5.	Loading Device (Clause G-2.5 of IS 1237:2012):	The loading device shall consist of a steel lever. A short arm of the lever shall be provided with a counter weight just to balance the weight of the long arm and of the weighing disc, so that the pressure stamp just touches the specimen prior to the loading.

		<p>The lever shall move freely about the fulcrum without appreciable friction. During test, the lever shall remain nearly parallel to the upper surface of the disc. The connection of the pressure stamp to the lever shall be through a self-aligning joint permitting free relative movement but at the same time ensuring a central load on the specimen being tested.</p> <p>Suitable loading weights shall be applied at the end of the long arm of the lever so that, as magnified by the leverage, a net load of 294 ± 3 N. is applied through the pressure stamp on to the specimen. The accuracy of the load shall be verified both by calculation and by measurement with suitable instruments for paving block specimen.</p> <p>Calculation sheet and Test certificate from NABL accredited / Govt.lab in this regard shall be supplied with equipment.</p>
6.	Clause E-3.5 of IS 15658:2006	Equipment shall be Fitted with arrangement for drip-wetting of the central portion of the track, about 30 mm from the specimen (opposite to the direction of motion the disc), by supplying water drops at the rate of 180 to 200drops (13ml) per minute. Abrasive powder continuously returns to the effective area of the track.
7.	Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012	<p>Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012 (REQUIREMENT FOR ABRASIVE POWDER TO BE USED IN THE ABRASION TEST) as detailed below:</p> <p>Clause G-3.1 Chemical Composition: The abrasive powder shall have an aluminium oxide content of not less than 95 percent by mass.</p> <p>Clause G-3.2 Shape and Size: The grains shall be of rounded shape. The size shall conform to the requirements given in Table 3 of IS 1237:2012.</p> <p>Clause G-3.3 Specific Gravity: The specific gravity of the grains shall be between 3.9 to 4.1.</p> <p>Clause G-3.4 Hardness: The grains shall generally have a hardness of 9 in Moh's scale.</p> <p>Test certificate from NABL accredited/Govt. lab in this regard shall be supplied with equipment.</p> <p>Approx. Quantity required 200kg</p>

Annexure-4

Technical compliance statement by the bidder for Abrasion Resistance test machine (with Abrasive Powder) for abrasion resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006

S.No.	Technical Specification (Annexure 3)		Quoted details by the bidder	Deviation from col (2), if any	Remarks
(1)	(2)		(3)	(4)	(5)
1.	Equipment Description	Abrasion test equipment as described in Annexure-E of IS 15658:2006 and Annex G of IS 1237:2012 (see Fig. 4 of IS 15658:2006). The testing apparatus shall be a grinding device consisting essentially of a horizontally fixed smooth grinding disc of about 750 mm diameter, rotating about a vertical axis and furnished with a replaceable grinding path. Arrangement to indicate/ measure, track wear shall also be provided. Machine shall be supplied with abrasive powder as per details given at S.No. 7 below. The essential features of the equipment shall be as stated below:			
2.	Grinding Path (Clause G-2.2 of IS 1237:2012):	Cast iron shall be used as the material for grinding path. Its scaleroscope hardness shall lie between 30 and 50. This hardness shall be ascertained at least 10 times on the rim and at several points in the grinding path by means of a Shore's scaleroscope with diamond hammer. Test certificate from NABL accredited / Govt. lab in this regard shall be supplied with equipment.			
		The grinding path shall be a 200 mm wide annular space on the grinding disc between distances of 120 mm and 320 mm from the centre.			
		The grinding path shall be repairable/replaceable when it has worn out by more than 0.5 mm after use or when the furrows formed in it exceed 0.2 mm in depth. Supplier to provide the necessary support services in this regard.			
3.	Rotation Disc (Clause G-2.3 of IS 1237:2012):	The disc shall be driven at 30 rev/min. There shall be automatic mechanisms for counting, indicating the revolutions of the disc and for stopping the disc after every 22 revolutions with digital display. Revolution Counter shall have range 0-99 (Digital Display) Calibration certificate with NABL Logo from NABL accredited lab in this regard shall be supplied with equipment.			
		In addition to revolution counting and automatic stopping mechanism, Digital Test cycle counter having range 0-99, Least count 1 shall also be provided. (Please see E-3.6 of IS 15658)			

4.	Holding Device for Test Specimen (Clause G-2.4 of IS 1237:2012):	The holding device shall consist of a square frame, open on one side and made of cast iron or steel; it shall be of about 40 mm height, with its lower edge about 5 mm above the surface of the grinding disc and so positioned that its centre is at a distance of 220 mm from the centre of the disc. It shall necessarily, but loosely, hold the specimen.			
5.	Loading Device (Clause G-2.5 of IS 1237:2012):	The loading device shall consist of a steel lever. A short arm of the lever shall be provided with a counter weight just to balance the weight of the long arm and of the weighing disc, so that the pressure stamp just touches the specimen prior to the loading.			
		The lever shall move freely about the fulcrum without appreciable friction. During test, the lever shall remain nearly parallel to the upper surface of the disc. The connection of the pressure stamp to the lever shall be through a self-aligning joint permitting free relative movement but at the same time ensuring a central load on the specimen being tested.			
		Suitable loading weights shall be applied at the end of the long arm of the lever so that, as magnified by the leverage, a net load of 294 ± 3 N. is applied through the pressure stamp on to the specimen. The accuracy of the load shall be verified both by calculation and by measurement with suitable instruments for paving block specimen . Calculation sheet and Test certificate from NABL accredited / Govt.lab in this regard shall be supplied with equipment.			
6.	Clause E-3.5 of IS 15658:2006	Equipment shall be Fitted with arrangement for drip-wetting of the central portion of the track, about 30 mm from the specimen (opposite to the direction of motion the disc), by supplying water drops at the rate of 180 to 200 drops (13ml) per minute. Abrasive powder continuously returns to the effective area of the track.			
7.	Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012	Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012 (REQUIREMENT FOR ABRASIVE POWDER TO BE USED IN THE ABRASION TEST) as detailed below:			
		Clause G-3.1 Chemical Composition: The abrasive powder shall have an aluminium oxide content of not less than 95 percent by mass.			
		Clause G-3.2 Shape and Size: The grains shall be of rounded shape. The size shall conform to the requirements given in Table 3 of IS 1237:2012.			
		Clause G-3.3 Specific Gravity: The specific gravity of the grains shall be between 3.9 to 4.1.			
		Clause G-3.4 Hardness: The grains shall generally have a hardness of 9 in Moh's scale.			

		Test certificate from NABL accredited/Govt. lab in this regard shall be supplied with equipment. Approx. Quantity required 200kg			
--	--	-------------------------------------------------------------------------------------------------------------------------------------	--	--	--

Note:

Do not mention “We Comply or Complied with or yes” in your response at col (3),

Quote the actual specifications of equipment to be supplied in col (3).

Deviations, if any, from col (2) be quoted in col (4).

FINANCIAL BID

1. The financial bid will be submitted in a sealed envelope (please refer to the instructions to bidders, given on page-9 to page-11 of tender document) superscribed –financial bid, rates to be quoted after referring to specification of each component.

2. Financial bid shall be evaluated on the total price quoted, which is a combination of unit price of the equipment and CAMC charges upto six years of operation of equipment. The payment will be made for unit price of the equipment which will cover the warranty period also. The CAMC charges as quoted in the financial bid at (B) of Part -II shall be payable on yearly basis after CAMC starts.

3. The format for submitting **Financial Bid** is given below:
(To be submitted in separate sealed envelope)

(A) UNIT PRICE

S No.	Component As per Technical Specification (Annexure –3) (i)	Unit Price (in INR/ USD/EURO) Exclusive of all Taxes at designated Delivery Point (ii)	Taxes as applicable with breakup (in INR/USD /EURO) (iii)	Total Unit Price inclusive of taxes (in INR/USD/EURO) (iv)	Period of Warranty (1/2/3 years) (v)
1.					
2					
3					

(B) Comprehensive Annual Maintenance Contract (CAMC) Charges (in INR):

S No.	Component	2 nd year	3 rd year	4 th year	5 th year	6 th year
1	CAMC*					
2.	Applicable Taxes					
3.	Total					

Total Price of Bid (A+B) (Inclusive of taxes) (In Words)

.....
.....

Signature of bidder
Name & Address
Date

Note:

- i) Discount or any other offers affecting the package price must be mentioned here only. Discount or any other offers affecting the package price mentioned at any other place of the bid will not be considered.
- ii) Bids shall be evaluated based on total price (in INR) with taxes as applicable on the date of closing of Bid.
- iii) * CAMC for 2nd and 3rd year to be quoted if the warranty period is for one year

PART-III: CONDITIONS OF CONTRACT

1. CONTRACTOR:

'Contractor' shall mean the individual or firm or company whether incorporated or not, has qualified in bidding process and undertaking the Contract and shall include legal representatives of such individual or persons composing such firm or unincorporated company or successors of such firm or company as the case may be and permitted assigns of such individual or firm or company.

2. PARTIES TO THE CONTRACT:

The parties to the contract shall be the Supplier/ Contractor (whose offer is accepted by BIS) and BIS.

The person signing the offer or any other document forming the part of Contract on behalf of other persons of a firm shall be deemed to have due authority to bind such (person/s) or the firm as the case may be, in all matters pertaining to the Contract. If it is found that the person concerned has no such authority, BIS may, without prejudice to any other Civil/Criminal remedies, terminate the Contract and hold the signatory and / or the firm liable for all costs and damages for such termination.

3. PERFORMANCE SECURITY

For Foreign Supplier: The successful bidder shall furnish within 15 days of placement of the order an unconditional Performance Bank Guarantee from a Nationalized/ scheduled Bank for 10% of the order value. Performance Security should remain valid for a period of 60 days beyond the date of completion of all contractual obligations of the supplier including warranty obligations. On acceptance of this condition and submission of Bank Guarantee, the Letter of Credit will be opened for 100% order value at BIS HQ/ by concerned lab. If the firm fails to submit the same, the Contract shall be deemed as terminated and the firm's EMD will be forfeited. Performance Security will be furnished in the form of DD/PO favouring BUREAU of INDIAN STANDARDS (payable at **Chandigarh**)/Performance Bank Guarantee as per format indicated in Annexure-5.

For Indian Supplier: The successful bidder shall submit, within 15 days of the placement of the order, an unconditional Performance Bank Guarantee from a Nationalized/ scheduled Bank for 10% of the order value, as per format indicated in Annexure-5. Performance Security will remain **valid for a period of sixty days beyond** the date of completion of all contractual obligations of the supplier including warranty obligations.

Any amount due/recoverable from the Supplier/ Contractor under the terms of this Contract or any other account, may be deducted from the amount of Performance Security. In case, the amount of Performance Security is reduced by reason of any such deduction, the Supplier/ Contractor shall, within fifteen (15) days of receipt of notice of demand from BIS, make good the deficit. In case, security is deposited by way of bank guarantee by the Supplier/ Contractor, then any penalty for damages liquidated or un-liquidated or for any breach or failure or determination of Contract, not previously paid to BIS, shall immediately on demand be paid by the said bankers to BIS under and in terms of the said guarantee.

If during the term of this Contract, the Contractor is in default of the due and faithful performance of its obligations under this Contract, or any other outstanding dues by the way of fines, penalties and recovery of any other amounts due from the Contractor, BIS shall, without prejudice to its other rights and remedies hereunder or at the Applicable Law, be entitled to call in, retain and appropriate the Performance Security.

Nothing herein mentioned shall debar BIS from recovering from Contractor by a suit or any other means any such losses, damages, costs, charges and expenses as aforesaid, in case the same shall exceed the amount of the Performance Security.

The Performance Security shall be retained until all disputes, if any, between both the parties have been settled to the entire satisfaction of BIS. The Performance Security shall be returned to the Contractor by BIS within sixty days following the Completion Date or Termination Date of this Contract provided that there are no outstanding claims of BIS on the Contractor.

4. CONTRACT DOCUMENTS:

The several Contract documents forming the Contract shall be taken as mutually explained to one party by the other, but in case of ambiguities or discrepancies the same shall be explained and harmonized by the Authorized Officer of BIS who shall issue to the Contractor necessary instruction thereon and in such event unless otherwise provided in the Contract the priority of the documents forming the contract shall be as follows:

- i) The Agreement
- ii) The terms and conditions of the Contract
- iii) Tender Notice and Tender Document
- iv) Purchase order/ Letter of Acceptance
- v) Any other correspondence exchanged between the parties in connection with the contract.
- vi) The Contractor's Offer

5. QUANTITY OF GOODS / PLACE OF SUPPLY / PERSONS WHO CAN PLACE ORDERS

One number of Abrasion Resistance test machine **with Abrasive Powder** for abrasion resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006 shall be supplied at Northern Regional Office Laboratory, BIS, at the address given below:

Head (Northern Regional Office Laboratory),
Bureau of Indian Standards,
B-69, Phase VII, SAS Nagar, Industrial Focal Point,
Mohali-160051

Goods for **Northern Regional Office** Laboratory can be ordered by Head of Northern Regional Office Laboratory only who is authorized by BIS to place orders against this Contract. **Repeat order(s), if any, by the other BIS labs will be given after satisfactory installation and commissioning of one number of Abrasion Resistance test machine with Abrasive Powder for abrasion resistance test of Precast Concrete Blocks for Paving as per IS 15658:2006 at above laboratory.** Goods can be repeat-ordered by Head of concerned BIS Laboratory who is authorized by BIS to place orders against this Contract. However, the Authorized Officer reserves right not to place repeat orders.

6. TRANSPORTATION:

The supplier is required to ensure having an import license for the equipment quoted where applicable as per GOI guidelines. The Goods shall be delivered at the destinations specified in Clause 8 below and shall include loading, unloading and transportation. **The Goods damaged during transportation shall have to be replaced at Contractor's cost.** BIS will provide Customs Duty Exemption Certificate for imported items as applicable and the successful bidder shall be responsible for necessary customs clearance.

7. QUALITY OF GOODS:

All Goods to be supplied by the Contractor shall be in conformity with the Technical specifications as laid down in Annexure-3 of this bid.

8. CONSIGNMENT DESTINATION:

a) For the destination mentioned in the purchase order :

i) Head (Northern Regional Office Laboratory),
Bureau of Indian Standards,
B-69, Phase VII, SAS Nagar, Industrial Focal Point,
Mohali-160051

b) For Repeat orders if placed: Not yet decided however if required, It may be for other BIS Labs located at Sahibabad, Mumbai, Chennai or Kolkatta

9. INSTALLATION AND COMMISSIONING: Installation and commissioning of the equipment will be done by the supplier **FREE OF CHARGE** at the consignee's premises. The supplier has to arrange for labour and others.

10. WARRANTY

10.1 The equipment along with all critical components/accessories is to be guaranteed for trouble free performance for a **minimum period of three years after installation**. If the warranty period is less than three years, the Comprehensive Annual Maintenance Contract Charges for the remaining period (three years – the actual warranty period quoted) shall be added to the cost of equipment for the purpose of evaluation of the financial bid.

10.2 The defects, if any, during the warranty period shall be rectified free of charge by arranging free replacement at site, wherever necessary. **The last six months of the warranty period shall be free of complaints, failing which the warranty period will get extended by another six months.**

11. FREE TRAINING

Training, free of cost will be provided by the supplier to at least two BIS officials for routine maintenance and smooth running of the equipment, after installation and commissioning at the location.

12. INSPECTION/ PRE-DELIVERY INSPECTION

BIS reserves the right to carry out predelivery inspection/inspection at the time of delivery. The obligation to supply goods conforming to specification and its successful installation and commissioning shall be on the supplier.

The Authorized Officer shall be entitled to inspect and examine goods intended to be supplied to BIS either at the factory, godown or at any place(s) where these are lying or from which these are being obtained and the supplier shall provide such facilities as may be required for such inspection and examination. If goods are not found as per specified requirements, purchase order will be revoked and thereafter BIS shall be free to purchase the goods from the open market. BIS will not make any payment for any such non-conforming goods.

All goods shall be inspected by BIS preferably in the presence of supplier or his authorized representative, when the packages are opened in BIS Labs on delivery and prior to installation. The decision of BIS shall be binding. Rejected items/goods/stores shall be removed by the supplier at his own cost and risk, within 30 days of receipt of notice for the removal of such goods, and no liability, whatsoever, on BIS shall be attached for the rejected/disapproved goods/items/stores. In case of default on the part of the supplier in removing the rejected goods, the Authorized Officer of BIS shall be at liberty to have them removed by other means. The Authorized Officer shall have full powers to procure other goods through other means for substituting the rejected goods. All costs, which may be incurred upon such removal and/or substitution, shall be borne by the supplier.

The Authorized Officer shall have full powers to decide about removal of any or all of the goods supplied which are not in accordance with the contract specifications or which do not conform to the samples, if any, approved by BIS.

13. TIME FOR SUPPLY, INSTALLATION AND COMMISSIONING.

13.1 The time allowed for delivery, successful installation and commissioning shall be 8 weeks from the date of purchase order (PO). In case of foreign suppliers, the date of delivery, successful installation and commissioning shall be within 8 weeks of opening of Letter of Credit (LOC).

13.2 Liquidated Damages For Delayed Supply: Time and date of delivery of goods as stipulated in the order shall be deemed to be the essence of the contract. In case of delay in execution of the order beyond the date of delivery as stipulated in the order or any extensions sanctioned by the Authorized Officer, BIS may at his option either:-

13.3.1 Accept delayed delivery at prices reduced by a sum equivalent to one percent (1%) of the value of any goods not delivered for every week of delay or part thereof limited to a maximum of 10% of the total order value.

13.3.2 Cancel the order in part or full and purchase such cancelled quantities from elsewhere on account and at the risk of the bidder, without prejudice to its rights in respect of goods delivered.

13.4 Liquidated Damages For Delayed Installation and Commissioning: In case of delay in installation and commissioning beyond the period stipulated in 13.1 above or any extensions sanctioned, BIS may at his option either:

13.4.1 Accept delayed installation and commissioning at prices reduced by a sum equivalent to one percent (1%) of the value of any goods not installation and commissioned for every week of delay or part thereof limited to a maximum of 10% of the total order value.

13.4.2 Cancel the order in part or full and purchase such cancelled quantities from elsewhere on account and at the risk of the bidder, without prejudice to its rights in respect of goods delivered.

14. RISK PURCHASE

In case the Contractor fails to deliver the quantity as stipulated in the delivery schedule, BIS reserves the right to procure the same or similar Goods from alternate sources at the risk, cost and responsibility of the Contractor.

15. IMPOSITION OF FINES / PENALTY

Subsequent to an order being placed against the quotation received in response to this enquiry if it is found that the goods supplied are not of the right quality or not according to specifications required by BIS or received in damaged or broken condition or otherwise not satisfactory owing to any reason of which BIS shall be the sole judge, BIS shall be entitled to reject the goods, cancel the contract and buy its requirements in the open market and recover the loss, if any, from supplier reserving to itself the right to forfeit the security deposit, if any, furnished by the supplier against the contract. The supplier will make his own arrangements to remove the rejected goods within 30 days of instruction to do so. Thereafter, they will lie entirely at the suppliers risk and responsibilities and storage charges along with any other charges applicable will be recoverable from the supplier.

16. TERMS OF PAYMENT:

A) The Terms of Payment are: The successful bidder shall furnish with in 15 days of placement of the order a Performance Security, from a Nationalized/ Scheduled Bank for 10% of the order value. **Performance Security should remain valid for a period of 60 days beyond the date of completion of all contractual obligations of the supplier including warranty obligations.** On acceptance of this condition and submission of Performance Security, as given in 3 of Part-III (Please see [page 21](#)), the Letter of Credit will be opened for 100% order value. If the firm fails to submit the same, the Contract shall be deemed as terminated and the firm's EMD will be forfeited. The Performance Security shall be furnished in the form a DD/PO favouring BUREAU of INDIAN STANDARDS (payable at Chandigarh)/ Performance Bank Guarantee as per format indicated in Annexure-5.

B) Payment to foreign suppliers:

(i) **Payment for imported items:** 80% payment shall be made by an Irrevocable Letter of Credit established in favour of the supplier at BIS HQ/ by concerned BIS laboratory, for the order value against the presentation of original shipping documents provided that the Performance Security for 10% of the order value within 15 days of placement of the order is given to BIS. 20% of the order value of goods received shall be paid within 30 days of receipt of the goods and successful installation, **commissioning & training** upon submission of claim supported by the acceptance certificate issued by the Purchaser along with the Performance Security.

ii) **Payment for indigenous items:** 100% payment shall be made against delivery, installation, commissioning, training at site and on acceptance as per Purchase Order provided, that the Performance Security for 10% of the order value, within 15 days of placement of the order is given to BIS.

C) Payment for Indian Suppliers:100% payment shall be made against delivery, installation, commissioning, training at site and on acceptance as per Purchase Order provided, that the Performance Security for 10% of the order value, within 15 days of placement of the order is given to BIS.

17. TAXES

Taxes will be deducted by BIS wherever applicable.

18. INDEMNITY:

The Contractor shall indemnify and keep indemnified BIS against all losses and claims for injuries or damage to any person or any property whatsoever which may arise out of or in consequence of the Contract and against all claims, demands, proceedings, damages, costs, charges and expenses whatsoever in respect of or in relation thereto under the provisions of various labour laws as amended from time to time.

The Contractor shall indemnify, protect and save BIS against all claims, losses, costs damages, expenses, action suits and other proceeding, resulting from infringement of any patent, trademarks, copyrights etc. or such other statutory infringements.

19. CORRUPT OR FRAUDULENT PRACTICES

BIS requires that the Bidders under this Bid observe the highest standards of ethics during the procurement and execution of such Contracts.

BIS will reject a proposal for award if it determines that the Contractor has engaged in corrupt or fraudulent practices before, during or after the period of contract; BIS will hold the Contractor ineligible to be awarded a contract, either indefinitely or for a period of 24 months from the date of declaring the contractor ineligible if it at any time determines that the Contractor has engaged in corrupt and fraudulent practices in competing for, or in executing the Contract.

20. BIS MAY TERMINATE THE ORDER, IF

- (a) The Contractor becomes insolvent;
- (b) A receiver, administrator, trustee or liquidator is appointed over a substantial part of its assets;
- (c) Any act is done or event occurs with respect to the Contractor or its assets, which, under any applicable law has substantially similar effect to any of the foregoing acts or events;
- (d) Serious discrepancy in the quality of the Goods is noticed during the inspection.
- (e) Delays in delivery beyond the scheduled date of delivery as stipulated in the order or any extensions sanctioned.
- (f) Delays in installation and commissioning beyond the period stipulated or any extensions sanctioned.
- (g) If the Contractor is in breach of any law or statute governing the supply of Goods/ Services;
- (h) The Contractor, in the judgement of the BIS, has engaged in corrupt or fraudulent practices in competing for or in carrying out the Services under the Contract.
- (i) The Contractor enters into voluntary or involuntary bankruptcy or liquidation.

It shall also be lawful for BIS to terminate the Agreement at any time without assigning any reason and without being liable for loss or damage which the Contractor may suffer by reason of such termination, by giving the Contractor 15 days notice in writing by BIS for such termination. Any such termination shall be without prejudice to any other right of the BIS under the Contract.

21. PUBLICITY

Any publicity by the Contractor in which the name of BIS is to be used, should be done only with the explicit written permission of BIS.

22. DISPUTES, ARBITRATION & LEGAL JURISDICTION

BIS and the Contractor shall make every effort to resolve amicably by direct informal negotiation, any disagreement or dispute arising between them under or in connection with the contract.

If a dispute(s) of any kind whatsoever that cannot be resolved the same shall be referred to the Arbitrator, appointed

by the Director General, BIS, New Delhi. The provisions of the Indian Arbitration and Conciliation Act, 1996 shall apply.

No suit or other proceedings relating to performance or breach of Contract shall be filed or taken by the Contractor in any Court of law except the competent Courts having jurisdiction in New Delhi, where headquarter of BIS is located.

23. MODE OF SERVING NOTICE

Communications between Parties which are referred to in the Contract are effective only when in writing. A notice shall be effective only when it is delivered. All notices shall be issued by the authorized officer of BIS unless otherwise provided in the Contract. In case, the notice is sent by registered post to the last known place or abode or business of the Contractor, it shall be deemed to have been served on the date when in the ordinary course of post these would have been served on or delivered to it.

24. GOVERNING LANGUAGE

Governing language for the entire contract and communication thereof shall be English and / or Hindi only. In case of any dispute, the English version shall prevail.

25. LAW:

The contract shall be governed and interpreted under Indian Laws.

26. STAMP DUTY:

The Contractor shall bear and pay any stamp duty and registration charges if any, in respect of the supply.

27. AUTHORIZED OFFICER:

The Authorized Officer on behalf of BIS shall be the Head, of the BIS Laboratory inviting the tender i.e. the Head of the Northern Regional Office Laboratory. In case of repeat orders by any other BIS Laboratory, the Head of concerned BIS Laboratory placing the repeat order shall be deemed to be the Authorized Officer in respect of the said order.

28. STANDARD FORMS TO BE UTILIZED BY THE BIS AND THE CONTRACTOR:

Annexure-5 BANK GUARANTEE BOND

Annexure-6 CONTRACT AGREEMENT FORM

ANNEXURE-5

FORM OF BANK GUARANTEE BOND

1. In consideration of Bureau of Indian Standards (hereinafter called 'The BIS') having agreed to exempt

(hereinafter called "the said Contractor(s)") from the demand under the terms and conditions of an Agreement dated _____ made between

_____ and

_____ for

_____ (hereinafter called "the said Agreement of **Performance Security** for the due fulfillment by the said Contractor (s) of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs. _____ (Rupees _____ -

Only) we, _____ {hereinafter referred to as (indicate the name of the bank)'the bank'} at the request of

[(Contractor (s)] do hereby undertake to pay BIS an amount not exceeding Rs. _____ against any loss or demand caused to or suffered or would be caused to or suffered by the BIS by reason of any breach by the said Contractor (s) of any of the terms or conditions contained in the said Agreement.

2. We _____ do hereby indicate the name of the bank)undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the BIS of Indian Standards stating that the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by BIS by reason of breach by the said Contractor (s) of any of the terms or conditions contained in the said Agreement or by reasons of the Contractor (s) failure to perform the said Agreement. Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.

3. We, undertake to pay to BIS any money so demanded notwithstanding any dispute or disputes raised by the Contractor (s) / Supplier (s) in any suit or proceeding pending before any Court or Tribunal relating thereto our liability under this present being absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the Contractor (s) / Supplier (s) shall have no claim against us for making such payment.

4. We, _____ further agree that the Guarantee

(indicate the name of Bank)

herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of BIS under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till the authorized officer of the BIS (.....Laboratory) certifies that the terms and conditions of the said Agreement have been fully and properly carried out by the said

Contractor (s) and accordingly of the said Agreement have been fully and properly carried out by the

said Contractor (s) and accordingly discharges this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before thewe shall be discharged from all liability under this guarantee thereafter.

5. Wefurther agree with the BIS that

(indicate the name of Bank)

BIS shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time to performance by the said Contractor (s) from time to time or to postpone for any time or from time to time any of the powers exercisable by BIS against the said Contractor (s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Contractor (s) or for any forbearance, act or commission on the part of BIS or any indulgence by BIS to the said Contractor (s) or by any such matter or thing whatsoever which under the law relating to sureties would but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor (s) / Supplier (s).

7. We, lastly undertake not to revoke this

(indicate the name of bank)

guarantee during its currency except with the previous consent of BIS in writing.

Dated the day of..... 20

For

(indicate the name of bank)

Annexure-6
CONTRACT FORM

AGREEMENT

THIS AGREEMENT made on this day of between M/s_____ (Name and Address of the Contractor) (hereinafter referred to as the CONTRACTOR, which expression shall, unless it be repugnant to the context or meaning thereof, be deemed to mean and include its successors and assigns) of the ONE PART and the BIS of Indian Standards, 9-Bhadurshah Zafar Marg, New Delhi-110002 (hereinafter referred to as the BIS, which expression shall, unless it be repugnant to the context or meaning thereof, be deemed to mean and include its successors and assigns) of the OTHER PART.

WHEREAS the Contractor is a manufacturers/ mills/ authorized distributors/ dealers (Details of business)

AND WHEREAS BIS is a body corporate, enacted by Parliament .BIS intends to purchase _____ on rate contract basis, therefore, invited bids through Open or Advertised / Limited / Single Tender enquiry dated _____

WHEREAS the Contractor (successful bidder) submitted his bid vide _____ in accordance with the bid document and was selected as 'successful bidder' pursuant to the bidding process and negotiation on contract prices, awarded the 'Letter of Acceptance' (LoA) No. _____ to the Contractor on _____.

BOTH THE PARTIES HERETO agree to abide the terms and conditions as mentioned in :

“Part-III (Conditions of Contract) of Tender Document”.

(Signature of Contractor/
Authorized Representative)

Name _____

Designation _____

Address _____

Seal of the Firm/Company

Witness:

(Signature)

Name of Witness _____

Address _____

(Signature of Authorized Officer of BIS)

Name _____

Designation _____

Address _____

Seal of BIS

Witness:

(Signature)

Name of Witness _____

Address _____

निविदादस्तावेज़
भागA: तकनीकीबोली

(क)पूर्व योग्यता मानदंड :

1. बोलीलगानेवाला ऐसीही/इसीतरहकेउपकरणोंकीआपूर्तिकेलिएपिछलेतीनकैलेंडरवर्षोंमेंपीएसयू / स्वायत्त / सरकारी / प्राइवेटलिमिटेड / भागीदारी / स्वामित्व / किसीअन्यफर्मकेलिएभारतमेंव्यापारकर रहा हो ।फर्मकीस्थापनाकेसत्यापनकेदस्तावेजप्रस्तुतकियाजाएगा।
2. बोलीदाताद्वाराकमसेकमतीनऐसीही / इसीतरहकेउपकरणऔरउनमेंसेएकपिछलेतीनसालमें भारत में आपूर्ति, स्थापनाऔरकमीशनहोनाचाहिए।इसकेअतिरिक्त, ग्राहकोंकीसूचीभीसंलग्नकियाजाएगा।
3. बोलीलगाने वाला सरकारकेयानिजीग्राहकोंको दिए गए उपकरणों के खरीदकेआदेशकीप्रतियां / खरीदारोंसेसंतुष्टियाइसीतरहकेउपकरणोंकीआपूर्तिकेकिसीअन्यदस्तावेजकेपत्र सबूतकेरूपमेंसंलग्नकरेगा।
4. बोलीलगानेवाला पिछलेतीनसालकेऑडिटेडबैलेंसशीटकीप्रतियांप्रस्तुतकरेगा।
5. बोलीलगानेवालेवैट / बिक्रीकर / पैन / सेवाकर / याकराधानकेउद्देश्यकेलिएकिसीभीअन्यपंजीकरण (भारतीयबोलीदाताओंकेलिए) कावैधप्रमाणलगानाहोगा।विदेशीकंपनियोंकेमामलेमें, बोलीलगानेवालोंकोअपनेहीदेशसेटैक्सरजिस्ट्रेशनकावैधप्रमाणलगादेनाहोगा।
6. बोलीदाताकोकालीसूचीमेंनहींहोनाचाहिए।
7. बोलीदाताद्वारापहले कभीभारतीयमानकब्यूरोकेकिसीभीनिविदाप्रक्रियासेबोलीवापसनहींलिया गया हो ।
8. बोलीदातापरस्परनियमवशर्तोंकेआधारपर,6सालकीअवधिकेलिएवारंटीऔरव्यापकवार्षिकरखरखा वअनुबंधएकसंयोजनकेमाध्यमसेबिक्रीकेबादसमर्थनप्रदानकरनेकेलिएतैयारहो।

नोट :-बोलीदाताको चेकलिस्ट मेंनिर्दिष्ट सभीअपेक्षितदस्तावेजोंको स्वयंसत्यापितकरके देना होगा।बोलीदाता को सलग्न चेकलिस्ट भरनी होगी ।

पूर्वयोग्यतामानदंडकेलिएचेकलिस्ट (PQC)

बोलीदाताओंकोदाहिनेहाथकेकॉलममेंबक्समेंएकटिक (✓) केसाथइसजांचसूचीकोभरनाहोगा।चेकलिस्टकेअनुसार, प्रासंगिकदस्तावेजभीतकनीकीबोलीकेसाथसंलग्नकियाजाएगा।

क्रसं	आवश्यकता	दस्तावेजप्रस्तुत	चेकबॉक्स
1.	बोलीदाताहै	1.मूलउपकरणनिर्माता 2.डीलर / एजेंसी / आपूर्तिकर्ता / सीधाआयातक	1. <input type="checkbox"/> 2. <input type="checkbox"/>
2.	बोलीदातामेंआधारितहै	1 भारत 2 विदेशमें	1. <input type="checkbox"/> 2. <input type="checkbox"/>
3.	बोलीलगानेवालेएकसार्वजनिकउपक्रम / स्वायत्तनिकाय / सार्वजनिकसीमित / प्राइवेटलिमिटेड / स्वामित्वकंपनी / फर्महै	1.पीएसयू / स्वायत्त 2. लिमिटेड / प्राइवेटलिमिटेड 3. प्रोपेरेटी / साझेदारीफर्म / एलएलपी 4. अन्य (बताएं)	1. <input type="checkbox"/> 2. <input type="checkbox"/> 3. <input type="checkbox"/> 4. <input type="checkbox"/>
4.	फर्मकीस्थापनाकेलागूदस्तावेज - संलग्नकाप्रमाणपत्र -नियंत्रककार्यालय सेप्राधिकारपत्र - भागीदारीविलेख / एलएलपी - मालिकानाविवरण - दूसरों (उल्लिखितकरना.....)	1.हाँ, विवरणसंलग्न 2.नहीं, विवरणसंलग्ननहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
5.#	करपंजीकरणकेलागूदस्तावेजसंलग्न: -सेवाकर - वैट -बिक्रीकर - पैन - दूसरों(उल्लिखितकरना...)	1.हाँ, विवरणसंलग्न 2.नहीं, विवरणसंलग्ननहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
6	पिछलेलगतातीनसालकेलिएप्रतिवर्षकारोबारकेसंलग्नबयान।	1.हाँ, विवरणसंलग्न 2.नहीं, विवरणसंलग्ननहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
7.	पिछलेतीनवर्षोंकेलिएलेखापरीक्षाकीबैलेंसशीटकीप्रतियांसंलग्न	1.हाँ, विवरणसंलग्न 2.नहीं, विवरणसंलग्ननहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
8.	ग्राहकोंकीसूचीसंलग्न	1.हाँ, विवरणसंलग्न 2.नहीं, विवरणसंलग्ननहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
9.	खरीदारोंयाखरीदकेआदेशयाग्राहकोंजिसेएकही / इसीतरहकेउपकरणआपूर्तिकीगईथीसेकिसीअन्यदस्तावेजसेसंतुष्टिकेसंलग्नपत्र।	1.हाँ, विवरणसंलग्न 2.नहीं, विवरणसंलग्ननहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>

10	बोलीदाता6 सालकीअवधिकेलिएवारंटीऔरव्यापकवार्षिकरखरखावअनुबंधकाएकसंयोजनकेमाध्यमसेबिक्रीकेबा दसमर्थनप्रदानकरनेकेलिएतैयारहै	1.हाँ, प्रदानकरनेकेलिएतैया र 2. नहीं, उपलब्धकरानेकेलिएतै यारनहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
11	पहलेकेअवसरपरभारतीयमानकब्यूरोकेनिविदाप्रक्रियासेवापसलेलियाहैयानहीं	1. हाँ 2. नहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
12	कालीसूचीमेंडालाहैयानहीं	1. हाँ 2. नहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>
13. ##	पहलेबीआईएसकेलिएआपूर्तिउपकरण / सेवाकीथी	1. हाँ 2. नहीं	1. <input type="checkbox"/> 2. <input type="checkbox"/>

- यहभारतीयबोलीदाताओंकेलिएहै।विदेशीकंपनियोंकेमामलेमें,
बोलीलगानेवालोंकोअपनेहीदेशसेटैक्सरजिस्ट्रेशनकावैधप्रमाणलगादेनाहोगा।

- यहएकअतिरिक्तजानकारीहै।

ख): बोलीदाताओं के लिए निर्देश (सख्त अनुपालन के लिए)

बोली लगाने वाले पूर्व अर्हता मानदंड के सभी बिंदुओं (PQC), चेक-सूची, तकनीकी विशिष्टता (अनुबंध-3) और अनुबंधकी शर्तों (भाग 3) को ध्यान से देखें और विशिष्टता, डिलीवरी की तारीख, वित्तीय और सभी अन्य विवरणों के संबंध में पूर्ण अपनी बोली प्रस्तुत करें।

- 1 निविदा "दो बोली" प्रणाली के तहत प्रस्तुत करें। अर्थात् दो अलग-अलग मुहरबंद लिफाफे- एक में तकनीकी बोली और अन्य में वित्तीय बोली। दोनों लिफाफे पर "तकनीकी बोली" और "वित्तीय बोली" लिखा हो और एक अन्य सील लिफाफे में बंद हो। "दो बोलियां" के आधार पर नहीं मिली बोली को सरसरी तौर पर खारिज कर दिया जाएगा।

बोली दस्तावेज की सामग्री: लिफाफे में निम्नलिखित शामिल होंगे:

लिफाफा नंबर 1 (तकनीकी बोली):

(i) इस लिफाफे पर "लिफाफा-1 - तकनीकी बोली" लिखा हो और सील बंद हो।

(ii) इस में जांच सूची, तकनीकी विशिष्टता, ईएमडी, सूची में अन्य निर्धारित दस्तावेजों के प्रत्येक पृष्ठ विधिवत भरे और बोलीदाता द्वारा हस्ताक्षर किए जाना चाहिए।

लिफाफा नं. 2 (वित्तीय बोली):

(i) इस लिफाफे पर "- वित्तीय बोली लिफाफा -2" लिखा हो और सील बंद हो।

(ii) इस लिफाफे में भाग 2 (वित्तीय बोली) में विवरण के अनुसार मालकी कीमत हो। यह बोलीदाता द्वारा विधिवत भरा जाना चाहिए और प्रत्येक पृष्ठ पर हस्ताक्षर किए जाना चाहिए।

कवर लिफाफा: दोनों मुहरबंद लिफाफे 1 और 2 अन्य लिफाफे में एक साथ रखा जाना चाहिए, और इस पर BIS/ NROL/ DEC 2016/ARTM निविदा के लिए बोली और निविदा की देय तिथि" लिखा हो। बिना लिखे लिफाफे (जैसा कि ऊपर उल्लेख किया है) को नजरअंदाज किया जा सकता है।

- 2 तकनीकी बोली के साथ केवल डिमांड ड्राफ्ट / पे ऑर्डर के रूप में बयाना जमा राशि (ईएमडी) राशि दिया जाएगा, ऐसा न करने पर प्रस्ताव को सरसरी तौर पर खारिज कर दिया जाएगा। भारतीय मानक ब्यूरो द्वारा बयाना पर कोई ब्याज भुगतान न किया जाएगा।

ईएमडी राशि जीएफआर के प्रावधानों के अनुसार असफल बोलीदाताओं को लौटा दी जाएगी। यह प्रदर्शन सुरक्षा की प्राप्ति के बाद सफल बोलीदाता को लौटा दी जाएगी।

ईएमडी की जब्ती: जमा की बोली सुरक्षा / बयाना जब्त किया जा सकता है यदि निविदाकर्ता निविदा की वैधता की अवधि के भीतर किसी भी संबंध में प्रस्ताव वापस ले लेती है या संशोधन या derogates या यदि अगर सफल बोलीदाता निर्धारित समय सीमा में प्रदर्शन सुरक्षा का भुगतान नहीं करता या अनुबंध के पुरस्कार के बाद समझौते पर हस्ताक्षर करने में विफल रहता है।

- 3 बोली उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला के स्वागत कक्ष पर रखे निविदा बॉक्स में डाली जा सकती है अथवा स्पीड पोस्ट/ रजिस्टर्ड डाक से उक्त पते पर भेजी जा सकती है। ईमेल / फैक्स / कूरियर के माध्यम से भेजा बोली को स्वीकार नहीं किया जाएगा।

4. निविदाओं के उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला नियत समय और तिथि पहुँचाने की जिम्मेदारी बोली लगाने वालों की है। बीआईएस किसी भी डाक देरी / हानि के मामले में जिम्मेदार नहीं होगा। नियत तारीख और समय के बाद प्राप्त बोली को स्वीकार नहीं किया जाएगा।

5. तकनीकी बोली निविदा प्राप्त होने की अंतिम तारीख को निविदा नोटिस में उल्लेख समय और तिथि पर खोला जाएगा। बोली लगाने के अधिकृत प्रतिनिधि निविदा खोलने के समय उपस्थित रह सकते हैं।

6. तकनीकी बोली में सफल बोलीदाताओं के वित्तीय बोली बाद में तय तारीख को खोला जाएगा। एक प्राधिकार पत्र के साथ बोली लगाने के अधिकृत प्रतिनिधि निर्धारित तिथि और समय पर उपस्थित रह सकते हैं।

7. बोली की वैधता:प्रस्ताव निविदा खोलने की तारीख से 180 दिनों के लिए वैध रहेगा।

8. बोली के साथ-साथ सभी आवश्यक दस्तावेजों पर अधिकृत व्यक्ति द्वारा हस्ताक्षर किए जाना चाहिए और मुहर लगी, ऐसा न होने पर बोली को अस्वीकृति किया जा सकता है।

9. प्रमुख (उत्तरीक्षेत्रीयकार्यालयप्रयोगशाला), भारतीय मानक ब्यूरो किसी भी बोली या सभी बोलियों को बिना कोई कारण बताए स्वीकार या अस्वीकार करने का अधिकार सुरक्षित रखता है।

10 प्रक्रिया गोपनीय होने के लिए:

परीक्षण, मूल्यांकन और बोलियों के तुलना और एक अनुबंध के पुरस्कार से संबंधित सूचना बोलीदाताओं को या किसी अन्य व्यक्ति जो आधिकारिक तौर पर इस प्रक्रिया के साथ संबंध नहीं रखता, को तब तक खुलासा नहीं किया जाएगा जब तक सफल बोलीदाता को ठेका देने की जब तक की घोषणा नहीं की गई है।

11. बोली जमा करने के बाद उपकरणों के संबंध में किसी भी तरह की प्रचार अयोग्यता के रूप में माना जाएगा।

12. कोटेशन पर त्रुटि के किसी भी सुधार को विधिवत कोटेशन हस्ताक्षर करने वाले व्यक्ति द्वारा प्रमाणीकृत किया जाना चाहिए। इसमें कोई ओवरराइटिंग नहीं किया जाएगा।

13. विशेष शर्तें: भारतीय एजेंट, अगर उनके प्रधान (यानी विदेशी सप्लायर) की ओर से कोटेशन प्रस्तुत करते हैं तो निम्न सुनिश्चित करें और निम्न प्रस्तुत करें:

i) विदेशी प्रधानाचार्य के साथ एजेंसी करार की प्रति।

ii) फर्म उपकरण के जीवनकाल के दौरान/ गारंटी / वारंटी अवधि समाप्त होने के बाद बिक्री के बाद सेवा और अपेक्षित पुर्जों को उपलब्ध करने का ख्याल रखना होगा।

iii) भारत के बाहर क्रेडिट का पत्र खोलने के लिए बैंक शुल्क आपूर्तिकर्ता द्वारा वहन किया जाता है।

14. दरें कैसे उद्धृत किया जाना है:

14.1 मदों की लागत केवल वित्तीय बोली भाग- II: में स्पष्ट रूप से उल्लेख किया जाना चाहिए। निम्नलिखित विवरण शामिल किए जाने की जरूरत है:

क। बोलीदाता द्वारा आपूर्ति की जाने वाले मुख्य उपकरण, उपभोज्य, पुर्जों, जुड़नार (जो भी लागू हो) सामान की कीमत ब्रेक-अप। भारतीय रुपए / अमरीकी डालर / यूरो में प्रत्येक आइटम के लिए यूनिट दर बोली (जो भी लागू हो)। दरे दरवाजा वितरण के आधार पर सीआईएफ आधार (लागत, बीमा और माल ढुलाई) पर कोट की जाये।

ख। बोली में निर्धारित अपनी दरें में राज्य बिक्री कर, उत्पाद शुल्क या किसी भी अन्य लागू करों / शुल्क, विशेष रूप से उद्धृत की जाये। ऐसे किसी शर्त के अभाव में, यह माना जाएगा कि कीमतों में सभी तरह के करों / शुल्क शामिल हैं और इस बारे में कोई दावा विचार नहीं किया जाएगा।

ग। भाग- II: वित्तीय बोली में दिए गए फॉर्मेट पर अपनी निर्धारित दरें, अन्य शुल्क लागू करों और शुल्कों को उद्धृत करें

घ। उपकरण, छह साल के लिए प्रदर्शन के लिए सपोर्ट किया जाना आवश्यक है अर्थात्, वारंटी के तीन साल और CAMC (व्यापक वार्षिक रखरखाव अनुबंध) के तीन साल। यदि बोलीदाता द्वारा की पेशकश की वारंटी तीन वर्ष से कम का होता है, तो बोली लगाने वाले को वारंटी की शेष अवधि के लिए और साथ ही, चौथे, पांचवें और छठे साल के लिए वार्षिक CAMC, दरें देनी होगी, कृपया वित्तीय बोली भाग- II के (बी) का संदर्भ लें:

वित्तीय बोली का कुल उद्धृत कीमत पर मूल्यांकन किया जाएगा, जो उपकरण का इकाई मूल्य और उपकरणों के संचालन के छह वर्ष तक CAMC चार्जस का एक संयोजन है। भुगतान उपकरण की इकाई मूल्य, जो वारंटी अवधि को भी कवर करती है के लिए किया जाएगा। भाग द्वितीय के प्रभार (बी) वित्तीय बोली में उद्धृत CAMC चार्जस, CAMC शुरू होने के बाद वार्षिक आधार पर देय होगा।

ड) कीमतों को भारतीय रुपए (INR) / अमरीकी डालर / यूरो (जो भी लागू हो) में उद्धृत किया जाएगा। यदि दरें विदेशी मुद्रा में उद्धृत कर रहे हैं, तो आईएसआर के लिए रूपांतरण दर (भारतीय रिजर्व बैंक की दर)

निविदा जमा करने की अंतिम तारीख को लागू दर होगी। वित्तीय बोली का मूल्यांकन भारतीय रुपयों में मूल्य के आधार पर किया जाएगा।

च। बीआईएस पूर्ण सीएसटी का भुगतान करती है और न ही फार्म सी है और न ही फार्म डी प्रदान किया जाएगा।

झ। उद्धृत दरों निविदा की वित्तीय बोली खोलने की तारीख से एक वर्ष की अवधि के लिए वैध होगी।

ज। सफल बोलीदाता संतोषजनक ढंग से पैकिंग, फोरवर्डिंग, माल ढुलाई और बीमा, सीमा शुल्क निकासी, साइट पर प्रसव, स्थापना और कमीशन और बीआईएस कर्मियों के प्रशिक्षण के लिए जिम्मेदार है।

ज) भारतीय क्लियरिंग एजेंट के लिए एजेंसी कमीशन का भारतीय मानक ब्यूरो द्वारा भुगतान नहीं किया जाएगा और जोकि सप्लायर द्वारा वहन किया जाएगा। बीआईएस कस्टम क्लियरेंस के समय में कस्टम शुल्क छूट प्रमाण पत्र प्रदान करेगा और आपूर्तिकर्ता को सीमा शुल्क निकासी प्राप्त कर निर्दिष्ट स्थान पर माल देना होगा।

14.2 बोली लगाने वाले से उद्धृत राशि पर पहुंचने के लिए दरों का हिसाब तकनीकी बोली के अनुबंध

-3

में दी गई तकनीकी विशिष्टताओं एवं स्पष्ट रूप से उल्लेख शर्तों को ध्यान में रखते हुए लगाने की उम्मीद है।; g ekuk tk, xk fd बोली लगाने वाले us बोली mus l sigys dk; k ds fy, ml dh बोली dh l R; rk vls i; krrk vls संलग्न प्रपत्र (भाग-दो) ea dffkr njka vls eW; ka dls tksnja vls eW; j; fn vll; Fkk i ko/kku u gks rls Bds ds rgr ml ea l Hkh nkf; Roka vls dk; k ds mfp r idkj l s l eki u vls vujs {k. k ds fy, vko'; d l Hkh ekeyka vls phtka dks l ekgr djrs gls ds l adk ea vius vki dks l rqlV dj fy; k g विित्तीय बोली स्पष्ट रूप से बोलीदाता द्वारा निर्दिष्ट स्थानों पर वस्तुओं की आपूर्ति के लिए भुगतान की जाने वाली सभी करें स्थानीय करें सहित दर्शाया जायेगा और ऐसे किसी भी खाते पर अतिरिक्त भुगतान के लिए किसी भी दावे पर विचार नहीं किया जाएगा।

14.3 बोलीदाता द्वारा उद्धृत कीमत, दोहराने के आदेश (एस) के लिए लागू होगा यदि दोहराने का आदेश सप्लायर को दिया जाता है।

हालांकि, भारतीय मानक ब्यूरो आदेश नहीं दोहराने का अधिकार सुरक्षित रखता है।

15. समझौते के निष्पादन: ठेका देने के समय समझौते पर अमल करने के लिए, प्रति अनुबंध 6 के रूप में 100/- रुपये की गैर-न्यायिक स्टाम्प पेपर पर निष्पादित करना अनुबंध और वेतन स्टांप शुल्क, समझौते के लिए कानूनी और सांविधिक शुल्क, यदि कोई है तो उसका भी भुगतान सफल बोलीदाता पर निर्भर होगी। की तारीख पर लागू के रूप में।

कृपया ध्यान भाग-III: अनुबंध की शर्तों के रूप में दी, अनुबंध की शर्तों को पढ़ने।

16. निविदा सूचना और बोली लगाने वालों के लिए निर्देश अनुबंध का एक हिस्सा होगा।

ग) भारतीयमानकब्यूरोऔरबोलीदाताओंद्वाराउपयोगकरनेकेलिएअन्यमानकफार्म

1. अनुबंध-1 बोलीदाताओंद्वाराप्रस्तुतविवरण
2. अनुबंध-2 निविदादस्तावेजकेअनुच्छेदसेविचलनकेबारेमेंबयान
3. अनुबंध-3 तकनीकीविशिष्टता
4. अनुबंध-4 बोलीदाताओं द्वारातकनीकीअनुपालनवक्तव्य

अनुबंध-1
बोलीदाताओं द्वारा प्रस्तुत विवरण

1. फर्म / कंपनी का नाम:
2. विवरण पंजीकरण / आयात लाइसेंस यदि वैधता की तारीख के साथ किसी भी:
संचार के लिए 3. पता:
4. टेलीफोन नं.:
5. ई-मेल:
6. निर्माता का नाम और पता (अलग है)
7. बैंक खाता विवरण।
मालिक / साथी / निदेशक / प्राधिकृत हस्ताक्षरकर्ता की
8. विवरण, नाम पता
9. पैन, फर्म / कंपनी के टिन संख्या:
10. सेवा कर पंजीकरण :
11. ईएमडी ड्राफ्ट संख्या / बैंक की तिथि व नाम:

यह प्रमाणित किया जाता है की उपरोक्त तथ्य मेरे ज्ञान और विश्वास के अनुसार सही हैं। मैं / हमने निविदा दस्तावेज की शर्तों को पढ़कर समझ लिया है।

मैं हम निविदा दस्तावेज / के इन नियमों और शर्तों का पालन करने के लिए एक वचन देते हैं।

नाम और फर्म / कंपनी के हस्ताक्षर
फर्म / कंपनी की मुहर
तारीख

अनुबंध - 2
निविदा दस्तावेज के अनुच्छेद से विचलन के बारे में बयान

क्रम 0 स0	निविदा के खंड स0	विचलन के विवरण	औचित्य सहित टिप्पणी

अनुबंध - 3

IS 15658:2006 के अनुसार पहले से तैयार कांक्रीट ब्लॉकों के घर्षण प्रतिरोध परीक्षण के लिए घर्षण प्रतिरोध परीक्षण मशीन (घर्षण पाउडर के साथ) की तकनीकी विशेषता

Equipment Details& Purpose: Test equipment for Abrasion Resistance test (**with Abrasive Powder**) for Precast Concrete Blocks for Paving as per IS 15658:2006 as described in Annexure-E of IS 15658:2006 and Annex G of IS 1237:2012 (see Fig. 4 of IS 15658), complete with abrasive powder, all required fixtures, tools, accessories etc. and as per details given below:

क्रम सं०	पुरजा/फिक्स्चर / सहायक / स्पेयर पाटर्स / CRMs आदि	आवश्यकतायें
(1)	(2)	(3)
1.	Equipment Description	Abrasion test equipment as described in Annexure-E of IS 15658:2006 and Annex G of IS 1237:2012 (see Fig. 4 of IS 15658:2006). The testing apparatus shall be a grinding device consisting essentially of a horizontally fixed smooth grinding disc of about 750 mm diameter, rotating about a vertical axis and furnished with a replaceable grinding path. Arrangement to indicate/ measure, track wear shall also be provided. Machine shall be supplied with abrasive powder as per details given at S.No. 7 below. The essential features of the equipment shall be as stated below:
2.	Grinding Path (Clause G-2.2 of IS 1237:2012):	<p>Cast iron shall be used as the material for grinding path. Its scaleroscope hardness shall lie between 30 and 50. This hardness shall be ascertained at least 10 times on the rim and at several points in the grinding path by means of a Shore's scaleroscope with diamond hammer.</p> <p>Test certificate from NABL accredited / Govt. lab in this regard shall be supplied with equipment.</p> <p>The grinding path shall be a 200 mm wide annular space on the grinding disc between distances of 120 mm and 320 mm from the centre.</p> <p>The grinding path shall be repairable/ replaceable when it has worn out by more than 0.5 mm after use or when the furrows formed in it exceed 0.2 mm in depth.</p> <p>Supplier to provide the necessary support services in this regard.</p>
3.	Rotation Disc (Clause G-2.3 of IS 1237:2012):	<p>The disc shall be driven at 30 rev/min. There shall be automatic mechanisms for counting, indicating the revolutions of the disc and for stopping the disc after every 22 revolutions with digital display.</p> <p>Revolution Counter shall have range 0-99 (Digital Display)</p> <p>Calibration certificate with NABL Logo from NABL accredited lab in this regard shall be supplied with equipment.</p> <p>In addition to revolution counting and automatic stopping mechanism, Digital Test cycle counter having range 0-99, Least count 1 shall also be provided. (Please see E-3.6 of IS 15658)</p>
4.	Holding Device for Test Specimen (Clause G-2.4 of IS 1237:2012):	The holding device shall consist of a square frame, open on one side and made of cast iron or steel; it shall be of about 40 mm height, with its lower edge about 5 mm above the surface of the grinding disc and so positioned that its centre is at a distance of 220 mm from the centre of the disc. It shall necessarily, but loosely, hold the specimen.
5.	Loading Device (Clause G-2.5 of IS 1237:2012):	The loading device shall consist of a steel lever. A short arm of the lever shall be provided with a counter weight just to balance the weight of the long arm and of the weighing disc, so that the pressure stamp just touches the specimen prior to the loading.

		<p>The lever shall move freely about the fulcrum without appreciable friction. During test, the lever shall remain nearly parallel to the upper surface of the disc. The connection of the pressure stamp to the lever shall be through a self-aligning joint permitting free relative movement but at the same time ensuring a central load on the specimen being tested.</p> <p>Suitable loading weights shall be applied at the end of the long arm of the lever so that, as magnified by the leverage, a net load of 294 ± 3 N. is applied through the pressure stamp on to the specimen. The accuracy of the load shall be verified both by calculation and by measurement with suitable instruments for paving block specimen.</p> <p>Calculation sheet and Test certificate from NABL accredited / Govt.lab in this regard shall be supplied with equipment.</p>
6.	Clause E-3.5 of IS 15658:2006	Equipment shall be Fitted with arrangement for drip-wetting of the central portion of the track, about 30 mm from the specimen (opposite to the direction of motion the disc), by supplying water drops at the rate of 180 to 200drops (13ml) per minute. Abrasive powder continuously returns to the effective area of the track.
7.	Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012	<p>Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012 (REQUIREMENT FOR ABRASIVE POWDER TO BE USED IN THE ABRASION TEST) as detailed below:</p> <p>Clause G-3.1 Chemical Composition: The abrasive powder shall have an aluminium oxide content of not less than 95 percent by mass.</p> <p>Clause G-3.2 Shape and Size: The grains shall be of rounded shape. The size shall conform to the requirements given in Table 3 of IS 1237:2012.</p> <p>Clause G-3.3 Specific Gravity: The specific gravity of the grains shall be between 3.9 to 4.1.</p> <p>Clause G-3.4 Hardness: The grains shall generally have a hardness of 9 in Moh's scale.</p> <p>Test certificate from NABL accredited/Govt. lab in this regard shall be supplied with equipment.</p> <p>Approx. Quantity required 200kg</p>

अनुबंध-4

IS 15658:2006 के अनुसार पहले से तैयार कांक्रीट ब्लॉकों के घर्षण प्रतिरोध परीक्षण के लिए घर्षण प्रतिरोध परीक्षण मशीन (घर्षण पाउडर के साथ) के लिए बोलीदाताओं द्वारा तकनीकीअनुपालनवक्तव्य

क्रम सं 0	तकनीकीविशिष्टता (अनुबंध - 3)	बोलीदाताद्वारा उद्धरणविवरण	कालम (२) से विचलन, यदि हो	टिप्पणी
(1)	(2)	(3)	(4)	(5)
1.	Equipment Description Abrasion test equipment as described in Annexure-E of IS 15658:2006 and Annex G of IS 1237:2012 (see Fig. 4 of IS 15658:2006). The testing apparatus shall be a grinding device consisting essentially of a horizontally fixed smooth grinding disc of about 750 mm diameter, rotating about a vertical axis and furnished with a replaceable grinding path. Arrangement to indicate/ measure, track wear shall also be provided. Machine shall be supplied with abrasive powder as per details given at S.No. 7 below. The essential features of the equipment shall be as stated below:			
2.	Grinding Path (Clause G-2.2 of IS 1237:2012): Cast iron shall be used as the material for grinding path. Its scaleroscope hardness shall lie between 30 and 50. This hardness shall be ascertained at least 10 times on the rim and at several points in the grinding path by means of a Shore's scaleroscope with diamond hammer. Test certificate from NABL accredited / Govt. lab in this regard shall be supplied with equipment.			
	The grinding path shall be a 200 mm wide annular space on the grinding disc between distances of 120 mm and 320 mm from the centre.			
	The grinding path shall be repairable/ replaceable when it has worn out by more than 0.5 mm after use or when the furrows formed in it exceed 0.2 mm in depth. Supplier to provide the necessary support services in this regard.			
3.	Rotation Disc(Claude G-2.3 of IS 1237:2012): The disc shall be driven at 30 rev/min. There shall be automatic mechanisms for counting, indicating the revolutions of the disc and for stopping the disc after every 22 revolutions with digital display. Revolution Counter shall have range 0-99 (Digital Display) Calibration certificate with NABL Logo from NABL accredited lab in this regard shall be supplied with equipment.			
	In addition to revolution counting and automatic stopping mechanism, Digital Test cycle counter having range 0-99, Least count 1 shall also be provided. (Please see			

		E-3.6 of IS 15658)			
4.	Holding Device for Test Specimen (Clause G-2.4 of IS 1237:2012):	The holding device shall consist of a square frame, open on one side and made of cast iron or steel; it shall be of about 40 mm height, with its lower edge about 5 mm above the surface of the grinding disc and so positioned that its centre is at a distance of 220 mm from the centre of the disc. It shall necessarily, but loosely, hold the specimen.			
5.	Loading Device (Clause G-2.5 of IS 1237:2012):	The loading device shall consist of a steel lever. A short arm of the lever shall be provided with a counter weight just to balance the weight of the long arm and of the weighing disc, so that the pressure stamp just touches the specimen prior to the loading.			
		The lever shall move freely about the fulcrum without appreciable friction. During test, the lever shall remain nearly parallel to the upper surface of the disc. The connection of the pressure stamp to the lever shall be through a self-aligning joint permitting free relative movement but at the same time ensuring a central load on the specimen being tested.			
		Suitable loading weights shall be applied at the end of the long arm of the lever so that, as magnified by the leverage, a net load of 294 ± 3 N. is applied through the pressure stamp on to the specimen. The accuracy of the load shall be verified both by calculation and by measurement with suitable instruments for paving block specimen. Calculation sheet and Test certificate from NABL accredited / Govt.lab in this regard shall be supplied with equipment.			
6.	Clause E-3.5 of IS 15658:2006	Equipment shall be Fitted with arrangement for drip-wetting of the central portion of the track, about 30 mm from the specimen (opposite to the direction of motion the disc), by supplying water drops at the rate of 180 to 200 drops (13ml) per minute. Abrasive powder continuously returns to the effective area of the track.			
7.	Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012	Abrasive Powder conforming to all requirements of Clause G-3 of IS 1237:2012 (REQUIREMENT FOR ABRASIVE POWDER TO BE USED IN THE ABRASION TEST) as detailed below:			
		Clause G-3.1 Chemical Composition: The abrasive powder shall have an aluminium oxide content of not less than 95 percent by mass.			
		Clause G-3.2 Shape and Size: The grains shall be of rounded shape. The size shall conform to the requirements given in Table 3 of IS 1237:2012.			
		Clause G-3.3 Specific Gravity: The specific gravity of the grains shall be between 3.9 to 4.1.			
		Clause G-3.4 Hardness: The grains shall			

		generally have a hardness of 9 in Moh's scale.			
		Test certificate from NABL accredited/Govt. lab in this regard shall be supplied with equipment. Approx. Quantity required 200kg			

ध्यान दें:

कालम(3)में"हमपालनकरतेहैयाहँ यापालन किया"केरूपमेंअपनीप्रतिक्रियानदे

कालम(3)मेंआपूर्तिकियेजानेवालेउपकरणोंकीवास्तविकविशिष्टताओंकाउल्लेखकरे।

कालम(2)सेविचलन, यदिकोईहो, तोकालम(4)मेंउल्लेखकरे

भाग II: वित्तीय बोली

1. वित्तीय बोली (बोली दाताओं के लिए निर्देश के लिए कृपया, निविदा दस्तावेज के पेज-33 से पेज -35 देखें) "वित्तीय बोली" लिखा एसील बंद लिफाफे में प्रस्तुत किया जाएगा, दर प्रत्येक घटक की विनिर्देश की चर्चा करते हुए उद्धृत किया जाएगा।

2. वित्तीय बोली कुल कीमत पर मूल्यांकन किया जाएगा जो उपकरण और उपकरणों के संचालन के छह वर्ष तक CAMC की इकाई मूल्य का एक संयोजन है। भुगतान उपकरण की इकाई मूल्य के लिए जिसमें वारंटी अवधि कवर है, के लिए किया जाएगा। CAMC प्रभार CAMC शुरू होने के बाद, वित्तीय बोली भाग के (बी) में उद्धृत रूप में वार्षिक आधार पर देय होगा।

3. वित्तीय बोली प्रस्तुत करने के लिए प्रारूप नीचे दी गई है:

(अलग-अलग मुहर बंद लिफाफे में प्रस्तुत किया जाना)

(क) यूनिट मूल्य

S No.	अंग तकनीकी विनिर्देश के अनुसार (अनुबंध-3)	यूनिट मूल्य (INR / अमरीकी डालर / यूरो में) नामित वितरण के बिंदु पर सभी करों के अनन्य	लागू कर (INR / अमरीकी डालर / यूरो में) (iii)	कुल यूनिट कीमत करों के समावेशी (INR / अमरीकी डालर / यूरो में) (iv)	वारंटी की अवधि (1/2/3 वर्ष) (v)
1.	(i)	(ii)			
2					
3					

(ख) व्यापक वार्षिक रखरखाव अनुबंध (CAMC) प्रभार (रुपयों में):

क्रम सं	संघटक	2 वर्ष	3 वर्ष	4 वर्ष	5 वर्ष	6 वर्ष
1	CAMC *					
2.	लागू कर					
3.	कुल					

बोली (ए + बी) (करों सहित) (शब्दों में) की कुल कीमत।

बोली लगाने वाले के हस्ताक्षर
नाम पता
तारीख

ध्यान दें:

i) छूट या पैकेज की कीमत प्रभावित करने वाले किसी भी अन्य प्रस्तावों केवल यहाँ उल्लेख किया जाना चाहिए। छूट या पैकेज की कीमत प्रभावित करने वाले किसी भी अन्य प्रस्तावों अन्य जगह पर उल्लेख पर विचार नहीं किया जाएगा।

ii) बोली के समापन की तिथि पर लागू करों के साथ कुल बोली के मूल्य (INR) के आधार पर मूल्यांकन किया जाएगा।

iii) * 2 और 3 साल के लिए CAMC अगर वारंटी अवधि एक वर्ष के लिए है उद्धृत किया जाएगा।

भाग- III: अनुबंधकी शर्तें

1. ठेकेदार:

'ठेकेदार'

व्यक्तिया फर्म या कंपनी शामिल है या नहीं, बोली लगाने की प्रक्रिया में योग्य और अनुबंध के उपक्रम और ऐसी फर्म या अनिगमित कंपनी या के रूप में ऐसी फर्म या कंपनी के उत्तराधिकारियों रचना ऐसे व्यक्ति के कानूनी प्रतिनिधिया व्यक्तियों को शामिल करेगा गया है का अर्थ होगा मामला हो सकता है और ऐसे व्यक्ति या फर्म या कंपनी की अनुमति दी असाइन कर सकते हैं।

2. संविदा के पक्षकार:

अनुबंध करने के लिए पार्टियों प्रदायक / ठेकेदार (जिसका प्रस्ताव भारतीय मानक ब्यूरो द्वारा स्वीकार किया जाता है) और भारतीय मानक ब्यूरो की होगी।

प्रस्ताव या किसी भी अन्य एक फर्म के अन्य व्यक्तियों की ओर से अनुबंध का हिस्सा बनाने दस्तावेज पर हस्ताक्षर करने वाले व्यक्ति संबंधित सभी मामलों में, इस तरह के (व्यक्ति / व्यक्तियों) बांध के कारण प्राधिकारी या फर्म मामला हो सकता है के रूप में समझा जाएगा अनुबंध करने के लिए। यह पाया जाता है कि संबंधित व्यक्ति इस तरह का कोई अधिकार नहीं है, भारतीय मानक ब्यूरो, किसी भी अन्य सिविल / अपराधिक उपचार पर प्रतिकूल प्रभाव डाले बिना, अनुबंध समाप्त करने और हस्ताक्षरकर्ता और / या ऐसी समाप्ति के लिए सभी लागत और नुकसान के लिए उत्तरदायी फर्म पकड़ सकता है।

3. प्रदर्शन सुरक्षा

विदेशी स्प्लायर के लिए:

सफल बोली दाता आदेश से एकराष्ट्रीयकृत

एक बिना शर्त बैंक गारंटी प्रदर्शन आदेश मूल्य के 10% के लिए अनुसूचित बैंक के प्लेसमेंट के 15 दिनों के भीतर प्रस्तुत करेगा। प्रदर्शन सुरक्षा वारंटी दायित्वों सहित आपूर्ति कृत किसी भी संविदात्मक दायित्वों के पूरा होने की तारीख के बाद 60 दिनों की अवधि के लिए वैध रहेगी। इस हालत और बैंक गारंटी जमा करने की स्वीकृति पर, साख पत्र बीआईएस मुख्यालय में 100% आदेश मूल्य के लिए खोला जाएगा / चिंतित प्रयोगशाला द्वारा। फर्म एक ही प्रस्तुत करने में विफल रहता है, तो अनुबंध समाप्त समझा जाएगा और फर्म के ईएमडी जप्त कर ली जाएगी। / प्रति अनुबंध-

5 में से के तत्पश्चात् के रूप में प्रदर्शन बैंक गारंटी प्रदर्शन सुरक्षा डीडी/पीओ भारतीय मानक ब्यूरो के पक्ष के रूप में प्रस्तुत किया जाएगा (Chandigarh पर देय)।

भारतीय प्रदायक के लिए: सफल बोली दाता ऑर्डर देने के 15 दिनों के भीतर एकराष्ट्रीयकृत /

अनुसूचित बैंक से ऑर्डर मूल्य के 10% के लिए एक बिना शर्त प्रदर्शन बैंक गारंटी प्रति अनुबंध-5 में दि. एस्वरूप के रूप में, प्रस्तुत करेगा, प्रदर्शन सुरक्षा वारंटी दायित्वों सहित आपूर्ति कृत किसी भी संविदात्मक दायित्वों के पूरा होने की तारीख के बाद साठ दिनों की अवधि के लिए वैध रहेगा।

किसी भी कारण है / इस अनुबंध या किसी अन्य खाते की शर्तों के तहत प्रदायक / ठेकेदार से वसूली योग्य राशि, प्रदर्शन सुरक्षामामले में की राशि से कटौती की जा सकती, प्रदर्शन सुरक्षा की राशि किसी भी तरह की कटौती की वजह से कम हो जाता है, प्रदायक / ठेकेदार करेगा, पंद्रह (15) भारतीय मानक ब्यूरो से मांग की सूचना प्राप्त होने के कुछ ही दिनों के भीतर, अच्छा घाटा बनाते हैं। मामले में, सुरक्षा प्रदायक / ठेकेदार द्वारा बैंक गारंटी के माध्यम से जमा किया जाता है, तो नष्ट या संयुक्त राश्ट्र नष्ट नुकसान के लिए या किसी भी उल्लंघन या विफलता या अनुबंध के निर्धारण के लिए कोई जुर्माना, पहले बीआईएस के लिए भुगतान नहीं किया है, तुरंत मांग पर भुगतान किया जाएगा के तहत किया और कहा कि गारंटी के मामले में भारतीय मानक ब्यूरो से कहा बैंकों द्वारा।

इस अनुबंध की अवधि के दौरान,

ठेकेदार जुर्माना,

दंड के रास्ते और कांटेक्टर, भारतीय मानक ब्यूरो से की वजह से किसी भी अन्य राशि की वसूली के द्वारा इस अनुबंध के तहत अपने दायित्वों को,

या किसी अन्य बकाया राशि की वजह से और वफादार प्रदर्शन के डिफॉल्ट में है उसके अन्य अधिकार और उपचार इसके अधीन यालागू कानून पर प्रतिकूल प्रभाव डाले बिना, में फोन को बनाए रखने और प्रदर्शन सुरक्षा उपयुक्त करने का हकदार होगा।

कुछ भी नहीं के साथ साथ उल्लेख ठेकेदार से, के मामले में एक ही उपरोक्त के रूप में एक सूट या किसी अन्य माध्यम से उबरने के लिए किसी भी तरह के नुकसान, क्षति, लागत, शुल्क और खर्च प्रदर्शन सुरक्षा की राशि से अधिक नहीं होगी से बीआईएस वंचित करना होगा।

प्रदर्शनसुरक्षा,

यदि कोई हो, सभी विवादों जगत करखा जाएगा के बीच दोनों दलों के लिए भारतीय मानक ब्यूरो की पूरी संतुष्टि के लिए बस गया है। प्रदर्शन सुरक्षा प्रदान की निम्नलिखित वहाँ ठेकेदार पर बीआईएस का कोई बकाया दावा कर रहे हैं कि पूरा करने की तिथि या इस अनुबंध की समाप्ति की तारीख साठ दिनों के भीतर भारतीय मानक ब्यूरो द्वारा ठेकेदार को लौटा दी जाएगी।

4. अनुबंध दस्तावेज:

अनुबंध के गठन दस्तावेजों एक पार्टी द्वारा अन्य को परस्पर समझाया गया माना जाएगा।

लेकिन अस्पष्टता या विसंगतियों के मामले में बीआईएस के प्राधिकृत अधिकारी जो ठेकेदार को आवश्यक अनुदेश जारी करेगा और ऐसी स्थिति में अनुबंध के अनुसार अनुबंध के दस्तावेजों को इस प्रकार प्राथमिकता दी जाएगी:

- i) समझौते
- ii) अनुबंध के नियम और शर्तों
- iii) निविदा सूचना और निविदा दस्तावेज
- iv) क्रय आदेश / स्वीकृतिका पत्र
- v) किसी भी अन्य पत्राचार अनुबंध के संबंध में दोनों पक्षों के बीच आदान-प्रदान किया।
- vi) ठेकेदार का प्रस्ताव

5. माल की मात्रा / आपूर्ति जगह/ व्यक्ति ऑर्डर दे सकते हैं एक नंबर IS 15658:2006 के अनुसार पहले से तैयार कांक्रीट ब्लॉकों के घर्षण प्रतिरोध परीक्षण के लिए घर्षण प्रतिरोध परीक्षण मशीन (घर्षण पाउडर के साथ) उत्तरी क्षेत्रीय प्रयोगशाला, भारतीय मानक ब्यूरो में, नीचे दिए गए पते पर आपूर्ति की जाएगी:

प्रमुख (उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला)

भारतीय मानक ब्यूरो

उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला

बी-69, फेज सात, एस.एस. नगर

औद्योगिक फोकल प्वाइंट, मोहाली 160051

उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला के लिए माल का आदेश प्रमुख (उत्तरी क्षेत्रीय प्रयोगशाला) द्वारा दिया जा सकता जो भारतीय मानक ब्यूरो द्वारा इस अनुबंध के लिए आदेश के लिए अधिकृत है। अन्य बीआईएस प्रयोगशालाओं द्वारा दोहराएँ आदेश (s), यदि कोई हो, उपर्युक्त प्रयोगशाला के लिए एक **IS 15658:2006 के अनुसार पहले से तैयार कांक्रीट ब्लॉकों के घर्षण प्रतिरोध परीक्षण के लिए घर्षण प्रतिरोध परीक्षण मशीन (घर्षण पाउडर के साथ)** परीक्षण उपकरण के संतोषजनक स्थापना और चालू होने के बाद दिया जाएगा। सम्बंधित प्रयोगशाला के प्रमुख जो की बीआईएस द्वारा अधिकृत है के द्वारा माल का पुनः आदेश दिया जा सकता है। हालांकि, प्राधिकृत अधिकारी आदेश न दुहराने के अधिकार को सुरक्षित रखते हैं।

6. परिवहन:

आपूर्ति के तर्क पास जहां लागू है, कोटेड उपकरण के लिए भारत सरकार के दिशानिर्देशों के अनुसार एक आयात लाइसेंस होना आवश्यक है। माल नीचे खण्ड 8 में निर्दिष्ट स्थलों पर

वितरित किया जाएगा और लोडिंग अनलोडिंग और परिवहन शामिल होगा। परिवहन के दौरान क्षतिग्रस्त माल ठेकेदार की कीमत पर प्रतिस्थापित किया जायेगा

। बीआईएस जहां लागू हो आयातित वस्तुओं के लिए सीमा शुल्क छूट प्रमाण पत्र प्रदान करेगा और सफल बोली लगाने वाले आवश्यक सीमा शुल्क निकासी के लिए जिम्मेदार होंगे।

7. मालकीगुणवत्ता:

ठेकेदारद्वारा आपूर्तिकीजाने वाली सभी वस्तुओं के इस बोली के अनुबंध -3 तकनीकी विशिष्टताओं के अनुरूप होगी।

8. मालगंतव्य:

क) खरीद आदेश में उल्लेख गंतव्य के लिए

प्रमुख (उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला)
भारतीय मानक ब्यूरो
उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला
बी-69, फेज सात, एस.एस. नगर
औद्योगिक फोकल प्वाइंट, मोहाली 160051

ख) पुनः आदेश हेतु, यदि दिया जाए: अभी तक फैसला नहीं है, लेकिन यदि आवश्यक हो, यह साहिबाबाद, मुंबई, चेन्नई, कोलकाता में स्थित अन्य बीआईएस लैब्स के लिए हो सकता है

9. स्थापना और कमीशनिंग:

उपकरणों के स्थापना और कमीशन सप्लायर

द्वारा परेषित की परिसर में बिना चार्ज की जाएगी। श्रम और दूसरी व्यवस्था आपूर्तिकर्ता को करनी होगी।

10. वारंटी

10. उपकरण की सभी महत्वपूर्ण घटकों / सामान के साथ, स्थापना के बाद तीन वर्ष की एक न्यूनतम अवधि के लिए परेशानी मुक्त प्रदर्शन के लिए गारंटी की जानी है। यदि वारंटी अवधि तीन साल से कम है, तो वित्तीय बोली के मूल्यांकन के प्रयोजन के लिए व्यापक वार्षिक रखरखाव अनुबंध (तीन वर्ष — वास्तविक वारंटी अवधि को टेड) उपकरणों की लागत में जोड़ा जाएगा।

10.2 वारंटी अवधि के दौरान दोष, यदि कोई हो, साइट पर प्रभार से मुक्त मुफ्त प्रतिस्थापन की व्यवस्था के साथ, जहां आवश्यक हो सुधारा जाएगा। वारंटी अवधि के अंतिम छह महीनों में शिकायतों से मुक्त होगा, ऐसा न होने पर वारंटी अवधि अगले छह महीने के लिए बढ़ा दी जाएगी।

11. निः शुल्क प्रशिक्षण

आपूर्तिकर्ता द्वारा स्थान पर स्थापना और कमीशन के बाद, उपकरणों के नियमित रखरखाव और सुचारू चलाने के लिए एक से कम दो बीआईएस अधिकारियों के लागत से मुक्त प्रशिक्षण प्रदान किया जाएगा।

12. निरीक्षण / पूर्व-वितरण निरीक्षण

बीआईएस डिलीवरी के समय पूर्व वितरण निरीक्षण / वितरण के समय निरीक्षण का अधिकार सुरक्षित रखता है। विनिर्देशन के अनुरूप माल की आपूर्ति करने और इस के सफल स्थापना और कमीशनिंग के लिए दायित्व आपूर्तिकर्ता पर होगा।

प्राधिकृत अधिकारी द्वारा, सप्लाइ होने वाले माल का निरीक्षण और जांच या तो कारखाने, गोदाम पर या किसी भी जगह (ओं) जहां माल रखा है या जिसमें से ये प्राप्त किया जा रहा है और आपूर्तिकर्ता इस तरह के निरीक्षण और जांच के लिए आवश्यक सुविधा प्रदान करेगा। यदि माल निर्दिष्ट आवश्यकताओं के अनुसार के रूप में नहीं पाए जाते हैं,

तो खरीद के आदेश को रद्द कर दिया जाएगा और उस के बाद बीआईएस खुले बाजार से माल खरीद करने के लिए स्वतंत्र होगा। बीआईएस को किसी भी तरह के गैर अनु रूप माल के लिए किसी भी भुगतान नहीं करना होगा।

सभी वस्तुओं अधिमानतः आपूर्तिकर्ता या उसके अधिकृत प्रतिनिधिकी उपस्थिति में,
जब संकुल वितरण पर बीआईएस प्रयोगशालाओं में खोला गया और स्थापना करने से पहले भारतीय मानक ब्यूरो द्वारा निरीक्षण किया जाएगा। भारतीय मानक ब्यूरो के निर्णय बाध्यकारी होगा। अस्वीकृत माल/आइटम / माल आपूर्तिकर्ता द्वारा ऐसे माल को हटाने के लिए नोटिस प्राप्त होने के 30 दिनों के भीतर अपनी लागत और जोखिम पर से हटा दिया जाएगा, और, अस्वीकृत माल/आइटम / माल आपूर्तिकर्ता द्वारा ऐसे माल को हटाने के लिए कोई दायित्व बीआईएस पर लागू नहीं किया जा सकता।

अस्वीकार माल को दूर करने में आपूर्तिकर्ता की ओर से चूक के मामले में भारतीय मानक ब्यूरो के प्राधिकृत अधिकारी उन्हें अन्य तरीकों से हटाने की आज्ञा दी होगी। प्राधिकृत अधिकारी को खारिज कर दिया माल के प्रतिस्थापन के लिए अन्य साधनों के माध्यम से अन्य वस्तुओं की खरीद करने के लिए पूर्ण शक्तियाँ होंगी। इस तरह हटाने और / या प्रतिस्थापन पर सभी, खर्च, सप्लायर द्वारा वहन किया जाएगा। प्राधिकृत अधिकारी, आपूर्तिकर्ता जो जो संविदा की विशिष्टताएं के अनुसार नहीं हैं या भारतीय मानक ब्यूरो द्वारा अनुमोदित न मूने के अनुरूप नहीं है, यदि कोई हो, किसी भी या सभी को हटाने के बारे में फैसला करने के लिए पूर्ण अधिकार होगा।

13. आपूर्ति, स्थापना और कमीशन के लिए समय है।

13.1 वितरण के समय, सफल स्थापना और कमीशन के लिए अनुमति खरीद आदेश (पीओ) की तारीख से 8 सप्ताह होगी। विदेशी आपूर्तिकर्ताओं के मामले में, वितरण, सफल स्थापना और कमीशन की तारीख क्रेडिट (एलओसी) के पत्र के शुरू करने के 8 सप्ताह के भीतर हो जाए।

13.2 विलंबित आपूर्ति के लिए नष्ट हर्जाना: आदेश में निर्धारित समय और माल की डिलीवरी की तारीख अनुबंध का मूल तत्त्व के रूप में समझा जाएगा। डिलीवरी की तारीख या प्राधिकृत अधिकारी द्वारा मंजूर की किसी भी एक्सटेंशन से परे आदेश के निष्पादन में देरी के मामले में, भारतीय मानक ब्यूरो उसके विकल्प पर या तो: -

13.3. वितरित में देरी के हर सप्ताह या भाग के लिए सामान के कुल मूल्य का एक प्रतिशत (1%) या कुल आदेश मूल्य का 10% की एक अधिकतम के बराबर राशि से कम कीमत पर देरी वितरण स्वीकार करें।

13.3.2 आर्डर का हिस्सा या पूरा आर्डर रद्द कर और इस तरह के रद्द मात्रा में वितरित माल के संबंध में अपने अधिकार पर प्रतिकूल प्रभाव डाले बिना और बोली लगाने वाले के अकाउंट और जोखिम में कहीं और से खरीद।

13.4 विलंबित स्थापना और कमीशन के लिए नष्ट हर्जाना:

स्थापना में देरी के मामले में और अवधि से परे कमीशन ऊपर 13.1 में निर्धारित की गई या किसी एक्सटेंशन को मंजूरी दी, भारतीय मानक ब्यूरो मई उन के विकल्प पर या तो:

13.4.1 देरी स्थापना और स्वीकार किसी भी माल नहीं स्थापना के मूल्य का एक प्रतिशत (1%) के लिए एक बराबर राशि से कम हो और देरी या भाग के हर सप्ताह के लिए कमीशन की कीमतों में उसके कुल का 10% की एक अधिकतम करने के लिए सीमित पर कमीशन आर्डर का मूल्य।

13.4.2

आदेश रद्द हिस्सा या भरा हुआ है और इस तरह के रद्द मात्रा में वितरित माल के संबंध में अपने अधिकार पर प्रतिकूल प्रभाव डाले बिना अकाउंट और बोली लगाने के जोखिम में कहीं और से खरीद।

14. जोखिम खरीद

मामले में ठेकेदार मात्रा में वितरित करने के लिए के रूप में वितरण कार्यक्रम में निर्धारित विफल रहता है, बीआईएस जोखिम, लागत और ठेकेदार की जिम्मेदारी पर वैकल्पिक स्रोतों से एक ही है या इसी तरह के सामान की खरीद करने का अधिकार सुरक्षित रखता है।

15. जुमाना / दंड

एक आदेश के बाद इस जांच के जवाब में प्राप्त उद्घरण के खिलाफ रखा जा रहा है कि यह दिया गया जाता है कि माल की आपूर्ति की सही गुणवत्ता के हैं या नहीं विनिर्देशों भारतीय मानक ब्यूरो द्वारा की आवश्यकता है या क्षतिग्रस्त में प्राप्त या टूट हालत या अन्यथा संतोषजनक नहीं करने के कारण के अनुसार नहीं किसी भी कारण से जो बीआईएस एक मात्र जज हो जाएगा, बीआईएस माल को अस्वीकार करने, अनुबंध को रद्द करने और खुले बाजार में अपनी आवश्यकताओं को खरीदने के लिए और, यदि कोई हो, नुकसान की वसूली आपूर्तिकर्ता खुद को सुरक्षा अर्थ दंड करने के लिए सही आरक्षित से हकदार होगा जमा, यदि कोई हो, अनुबंध के खिलाफ आपूर्तिकर्ता द्वारा दी गई। आपूर्तिकर्ता अनुदेश के 30 दिनों के भीतर खारिज कर माल को दूर करने के लिए अपनी स्वयं की व्यवस्थाएं सा करने के लिए कर देगा। इसके बाद, वे पूरी तरह से आपूर्तिकर्ताओं जोखिम और जिम्मेदारियों और भंडारण शुल्क लागू किसी अन्य आरोपों के साथ-साथ आपूर्तिकर्ता से वसूली होगी झूठ होगा।

16. भुगतान की शर्तें:

क) भुगतान की शर्तें हैं: सफल बोलीदाता आदेश मूल्य के 10% के लिए एक राष्ट्रीयकृत / अनुसूचित बैंक से क्रम में एक प्रदर्शन सुरक्षा की नियुक्ति की 15 दिनों में साथ प्रस्तुत करेगा। प्रदर्शन सुरक्षा वारंटी दायित्वों सहित आपूर्तिकर्ता के सभी संविदात्मक दायित्वों के पूरा होने की तारीख के बाद 60 दिनों की अवधि के लिए वैध रहेगी। इस हालत और प्रदर्शन सुरक्षा प्रस्तुत करने की स्वीकृति पर भाग- III के 3 के रूप में दी, ऋण पत्र 100% आदेश मूल्य के लिए खोला जाएगा (कृपया पेज 44 देखें)। यदि फर्म यह प्रस्तुत करने में विफल रहता है, तो अनुबंध समाप्त समझा जाएगा और फर्म के ईएमडी जब्त कर ली जाएगी। प्रदर्शन सुरक्षा डीडी/पीओ जो कि भारतीय मानक ब्यूरो के पक्ष में हो (चंडीगढ़ में देय) प्रस्तुत किया जाएगा / अनुबंध 5 में दिए गए फॉरमेट के अनुसार प्रदर्शन बैंक गारंटी।

ख) विदेशी आपूर्तिकर्ताओं को भुगतान:

(i) आयातित वस्तुओं के लिए भुगतान: 80% भुगतान क्रेडिट बीआईएस मुख्यालय में आपूर्तिकर्ता के पक्ष में स्थापित की एक अटल पत्र द्वारा किया जाएगा / चिंतित बीआईएस प्रयोगशाला द्वारा, मूल शिपिंग दस्तावेजों की प्रस्तुति के खिलाफ आदेश मूल्य के लिए कि प्रदर्शन प्रदान की आदेश के स्थान के 15 दिनों के भीतर आदेश मूल्य के 10% के लिए सुरक्षा बीआईएस को दिया जाता है। प्राप्त वस्तुओं के आदेश मूल्य का 20% और माल की प्राप्ति के सफल स्थापना के 30 दिनों के भीतर भुगतान किया जाएगा, कमीशन और प्रदर्शन सुरक्षा के साथ-साथ क्रेता द्वारा जारी स्वीकृति प्रमाण पत्र द्वारा समर्थित दावे के जमा पर प्रशिक्षण।

ii) स्वदेशी वस्तुओं के लिए भुगतान: 100% भुगतान स्थल पर और प्रदान की खरीद आदेश के अनुसार स्वीकृति पर वितरण, स्थापना, कमीशन, प्रशिक्षण के खिलाफ किया जाएगा, उस क्रम मूल्य के 10% के लिए प्रदर्शन सुरक्षा, की नियुक्ति की 15 दिनों के भीतर आदेश बीआईएस को दिया जाता है।

ग) भारतीय आपूर्तिकर्ताओं के लिए भुगतान: 100% भुगतान, साइट पर और प्रदान की खरीद आदेश के अनुसार स्वीकृति पर वितरण, स्थापना, कमीशन, प्रशिक्षण के खिलाफ किया जाएगा कि आदेश मूल्य के 10% के लिए प्रदर्शन सुरक्षा, की नियुक्ति की 15 दिनों के भीतर आदेश बीआईएस को दिया जाता है।

17. करों

करों जहाँ भी भारतीय मानक ब्यूरो द्वारा कटौती की जाएगी लागू हो।

18. क्षतिपूर्ति:

ठेकेदार क्षतिपूर्ति करने और चोटों या किसी व्यक्ति या किसी भी संपत्ति है जो किसी भी प्रकार के बाहर या अनुबंध के परिणाम में और और स भी का दावा, मांग, कार्यवाही, नुकसान, लागत, आरोपों के खिलाफ पैदा हो सकता है के लिए क्षति के लिए स भी घाटा और दावों के खिलाफ क्षति पूरित बीआईएस रखना होगा खर्च के लिए जो भी कीया विभिन्न श्रम कानून के प्रावधानों के तहत वहां संबंध में संबंध में समय-समय पर संशोधित।

ठेकेदार, क्षति पूर्ति की रक्षा और किसी भी पेटेंट, ट्रेड मार्क, कॉपीराइट आदि या ऐसे अन्य वैधानिक उल्लंघन के उल्लंघन से उत्पन्न स भी दावों, हानि, लागत हर्जाना, खर्च, कार्रवाई सूट और अन्य कार्यवाही के खिलाफ बीआईएस बचाने के लिए, करेगा।

19. भ्रष्टाचार धोखाधड़ी प्रथाओं

बीआईएस की आवश्यकता है कि इस बोली के तहत बोली दाता खरीद और ऐसे अनुबंधों के निष्पादन के दौरान नैतिकता के उच्चतम मानकों का पालन हो।

बीआईएस प्रस्ताव को अस्वीकार कर देगा, यदि यह पाया जाता है कि ठेकेदार अनुबंध की अवधि के बाद, इस से पहले या इस के दौरान भ्रष्टाचार धोखाधड़ी के व्यवहारों में लिप्त है;

बीआईएस ठेकेदार को अनिश्चित काल के लिए या अयोग्य घोषित करने की तारीख से 24 महीने की अवधि के लिए, अनुबंध देने से अयोग्य घोषित करेगा, यदि किसी भी समय यह पाया जाता है कि ठेकेदार प्रतिस्पर्धा या अनुबंध की क्रियान्वित के दौरान भ्रष्टाचार धोखाधड़ी प्रथाओं में लगा हुआ है।

20. भारतीय मानक ब्यूरो के आदेश को समाप्त कर सकता है, अगर

(क) ठेकेदार दिवालिया हो जाता है;

(ख) एक रिसीवर, प्रशासक, न्यासी या परिसमापक अपनी संपत्ति का एक बड़ा हिस्सा खत्म नियुक्त किया जाता है;

(ग) किसी भी कार्य किया जाता है या घटना ठेकेदार या अपनी संपत्ति है, जो किसी भी लागू कानून के तहत काफी हद तक समान प्रभाव पड़ता है पूर्व गामी के किसी भी कृत्य या घटनाओं के लिए सम्मान के साथ होता है;

(घ) माल की गुणवत्ता में गंभीर विसंगति निरीक्षण के दौरान देखा जाता है।

(ई) के वितरण के निर्धारित तारीख से परे डिलीवरी में देरी के क्रम में निर्धारित की गई या किसी एक्सटेंशन को मंजूरी दी है।

(च) की स्थापना में और अवधि से परे कमीशन देरी निर्धारित की गई या किसी एक्सटेंशन को मंजूरी दी।

(छ) ठेकेदार किसी भी कानून या कानून का सामान / सेवाओं की आपूर्ति के शासी के उल्लंघन में है, तो;

(ज) भारतीय मानक ब्यूरो के फैसले में ठेकेदार, के लिए या अनुबंध के तहत सेवा से बाहर ले जाने में प्रतिस्पर्धा में भ्रष्टाचार धोखाधड़ी के व्यवहारों में लिप्त है।

(झ) ठेकेदार स्वैच्छिक या अनैच्छिक दिवालियापन या परिसमापन में प्रवेश करती है।

यह भी वैध बीआईएस बिना कोई कारण बताए और नुकसान या क्षति जो ठेकेदार,

ऐसी समाप्ति की वजह से पीड़ित हो सकता है ठेकेदार देने के 15

दिनों तक के लिए उत्तरदायी होने के बिना किसी भी समय समझौते को समाप्त करने के लिए किया जाएगा इस तरह के लिए भारतीय मानक ब्यूरो द्वारा लिखित रूप में नोटिस समापन। इस तरह के किसी भी समापन अनुबंध के तहत भारतीय मानक ब्यूरो के किसी अन्य अधिकार पर प्रतिकूल प्रभाव डाले बिना किया जाएगा।

21. प्रचार: ठेकेदार जिसमें भारतीय मानक ब्यूरो के नाम का इस्तेमाल किया जा रहा है द्वारा किसी भी प्रचार, साथ ही किया जाना चाहिए भारतीय मानक ब्यूरो के स्पष्ट लिखित अनुमति।

22. विवाद, मध्यस्थता और कानूनी अधिकार क्षेत्र: भारतीय मानक ब्यूरो और ठेकेदार प्रत्यक्ष अनौपचारिक बातचीत, किसी भी असहमतियां विवाद के तहत या अनुबंध के संबंध में उन दोनों के बीच उत्पन्न होने से सौहार्दपूर्ण ढंग से हल करने के लिए हर संभव प्रयास करना होगा।

किसी भी तरह की एक विवाद (s) है कि एक ही हल नहीं किया जा सकता है पंच, महानिदेशक, भारतीय मानक ब्यूरो, नई दिल्ली द्वारा नियुक्त करने के लिए भेजा जाएगा, यदि भारतीय मध्यस्थता और सुलह अधिनियम के प्रावधानों, 1996 से लागू होंगे। कोई वाद या प्रदर्शन या अनुबंध के उल्लंघन से संबंधित अन्य कार्यवाही नई दिल्ली, जहां भारतीय मानक ब्यूरो के मुख्यालय स्थित है क्षेत्राधिकार रखने सक्षम अदालतों को छोड़कर कानून के किसी भी न्यायालय में दायर की जाएगी या लिये ठेकेदार द्वारा।

23. सेवारत नोटिस मोड:

अनुबंध में निर्दिष्ट दलों के बीच संचार जब केवल लिखित रूप में कर रहे हैं तभी प्रभावी है। एक नोटिस केवल तभी प्रभावी है जब यह दिया जाएगा। सभी सूचनाएं भारतीय मानक ब्यूरो के अधिकृत अधिकारी द्वारा जारी किया जाएगा जब तक अन्यथा अनुबंध में प्रदान की है। मामले में नोटिस अंतिम ज्ञात जगह या निवास या ठेकेदार के व्यवसाय के लिए पंजीकृत डाक द्वारा भेज दिया जाता है, यह तारीख पर कार्य किया गया है जब पोस्ट के सामान्य पाठ्यक्रम में इन पर कार्य किया गया होता या वितरित करने के लिए समझा जाएगा यह।

24. शासी भाषा: पूरे अनुबंध और संचार के लिए भाषा का शासी उसके अंग्रेजी और / या हिन्दी ही होगी। किसी भी विवाद के मामले में, अंग्रेजी संस्करण मान्य होगा।

25 कानून: अनुबंध शासित और भारतीय कानूनों के तहत व्याख्या की जाएगी।

26. स्टांप ड्यूटी: ठेकेदार आपूर्तिकर्ता संबंध में किसी भी स्टाम्प शुल्क और पंजीकरण शुल्क का भुगतान यदि कोई हो, करेगा।

27.

प्राधिकृत अधिकारी: बीआईएस की ओर से अधिकृत अधिकारी निविदा आमंत्रित करने वाली बीआईएस प्रयोगशाला के प्रमुख अर्थात् उत्तरी क्षेत्रीय कार्यालय प्रयोगशाला के प्रमुख होंगे। किसी भी अन्य बीआईएस प्रयोगशाला के द्वारा पुनः आदेश देने के मामले में उस प्रयोगशाला के प्रमुख अधिकृत अधिकारी माने जायेंगे।

28. बीआईएस और ठेकेदार द्वारा उपयोग के लिए मानक फॉर्म:

अनुबंध- 5 बैंक गारंटी बांड

अनुबंध- 6 अनुबंध समझौते फॉर्म

अनुबंध -5
बैंकगारंटीबांडकीफार्म

1 भारतीयमानकब्यूरो (बादमेंकहाजाताहै, 'ब्यूरो') केविचारमें _____
छूटदेनेपरसहमतिव्यक्तकीहोनेकेबीचबनादिनांकितएकसमझौतेकेनियमोंऔरशर्तोंकेतहतमांग _____
_____ से _____ (बादमेंकहाजाताहै, "नेकहाकिठेकेदार _____ (ठेकेदार)
_____ और _____

केलिए _____
(बादमेंरुपयेकेलिएएकबैंकगारंटीकेउत्पादनपरनियमऔरकहाकिसमझौतेमेंनिहितशर्तोंकेबारेमेंकहाकांट्रेक्टर _____ (s)
द्वाराकीवजहसेपूर्तिकेलिएसुरक्षाजमाकी

"कहासमझौतेकाआह्वानकिया। _____ (रु _____
_____ मात्र) हम, (बैंककेनामकासंकेतकेरूपमें _____ (बादमें)

करनेकेलिएभेजाकेअनुरोधपर'बैंक') _____ [ठेकेदार _____ (ठेकेदार)
इसकेद्वाराकिसीभीनुकसानकेखिलाफ _____।रुपयेसेअधिकनहींब्यूरोराशिकाभुगतानकर
नेकावचनयामांगकेकारणहोताहैयानुकसानउठानापड़ाहैयाकहाठेकेदारद्वाराकरनेकेकारणहोताहैयाकिसीभीउल्लंघनकीवजह
सेब्यूरोद्वारापीड़ितकियाजाएगा (एस) नेकहासमझौतेमेंनिहितनियमयाशर्तोंमेंसेकोईभीहो।

2 हम _____ एतद्वाराकरना (बैंककानामसंकेतमिलताहै)
औरदावाभीकियाहैकिराशिकेलिएकारणनुकसानयाक्षतिकेमाध्यमसेकीवजहसेहैयाब्यूरोद्वाराकरनेकेकारणहोताहैयानुकसान
उठानापड़ाहोगाकिकेवलबतातेहुएभारतीयमानकब्यूरोसेमांगपरहोनेकेकारणऔरकिसीभीबिनाहिचकिचातेइसगारंटीकेतहत
देयराशिकाभुगतानकरनेकावचनशब्दोंयाकहासमझौतेमेंनिहितशर्तोंकेकिसीभीकहाकांट्रेक्टर _____ (एस)
द्वारायाकहासमझौतेकोकरनेकेलिएठेकेदार _____ (ठेकेदार)
कीविफलताकेकारणोंकीउल्लंघनकीवजहसे।इसगारंटीकेतहतबैंकद्वारादेयराशिऔरदेयकेरूपमेंसंबंधतदपरगईऐसीकोईमांगनि
र्णायकहोगा।हालांकि, इसगारंटीकेतहतहमारेदायित्वएकराशिरुपयेसेअधिकनहींकरनेकेलिएप्रतिबंधितकरदियाजाएगा।
.....

3 हमब्यूरोकेलिएभुगतानकरनेकाकार्यकिसीभीपैसाइसलिएकिसीभीसूटमेंठेकेदार _____ (एस) / प्रदायक _____ (एस)
द्वाराउठाएगयाकार्यवाहीकिसीन्यायालययाअधिकरणसंबंधितइसवर्तमानकेतहतहमारेदायित्वपूर्णकियाजारहाहैइसकेसिवा
औरकेसमक्षलंबितकिसीभीविवादयाविवादोंकेबावजूदमांगकीस्पष्ट।
इसबांडकेतहतहमारेद्वाराकिगएभुगतानकेतहतवहाँभुगतानकेलिएहमारेदायित्वकाएकमान्यमुक्तिऔरकांट्रेक्टर _____ (एस) /
प्रदायक (एस) इसतरहकेभुगतानकरनेकेलिएहमारेखिलाफकोईदावानहींहोगाकियाजाएगा।

4 हम _____ हम
आगेकीगारंटीहैकिइसबातसेसहमत(बैंककानामसंकेतमिलताहै)इसकेसाथसाथकहासमझौतेकेप्रदर्शनकेलिएलेजायाजाएगाउस
अवधिकेदौरानपूरीशक्तिऔरप्रभावमेंरहेगारखीजातीहैऔरयहपूरीतरहसेभुगतानकियागयाहैकेतहतयाकहासमझौतेकेआधार
परब्यूरोकेसभीबकायाराशितकलागूकरनेयोग्यबनारहेगाकिऔरअपनेदावेसेसंतुष्टयाछुट्टीदेयाब्यूरो (सामान्यप्रशासनविभाग)
केप्राधिकृतअधिकारीतकपूरीतरहसेऔरठीकसेकहासमझौतेकेहिसाबसेहैनेकहाकिठेकेदार _____ (एस)
द्वाराकियाजाताहैऔरकहासमझौतेकेनियमोंऔरशर्तोंकोदियागयाहैकिप्रमाणितकरताहैपूरीतरहसेऔरठीकसेकहाकांट्रेक्टर
(एस) द्वाराकियाजाताहैऔरउसकेअनुसारइसगारंटीनिर्वहनकिया।इसगारंटीकेतहतएकमांगयादावाहैजबतकपरया
..... हमसबसेछुट्टीदेदीजाएगीपहलेलिखितरूपमेंहमपरबनाउसकेबादइसगारंटीकेतहतदायित्वहोगा।

5 हम _____ हम
आगेब्यूरोउसकेसाथसहमत(बैंककानामसंकेतमिलताहै)ब्यूरोहमारीसहमतकेबिनाऔरकिसीभीरूपमेंप्रभावितकिएबिनापूरी
स्वतंत्रताहैउक्तसमझौतेकेनियमोंऔरशर्तोंकेकिसीभीभिन्नकरनेकेलिएयासमयकेलिएकरनेकेलिएसमयसेउक्तठेकेदार _____ (एस)
द्वाराप्रदर्शनकरनेकेलिएसमयकाविस्तारकरनेकेलिएइसकेअंतर्गतअपनेदायित्वोंकहाकांट्रेक्टर _____ (एस)
औरपूर्वजयानियमऔरकहाकिसमझौतेसेसंबंधितशर्तोंकेकिसीभीलागूकरनेऔरहमसेहमारेदायित्वसेमुक्तकियाजानहींकरेगाक
रनेकेखिलाफब्यूरोद्वाराशक्तियोंकेकिसीभीकिसीभीसमयकेलिएयासमय-समयपरस्थगितकिसीभीतरहकेबदलाव,
याविस्तारकेकारणकहाकांट्रेक्टर (s) याब्यूरोयाकहाकांट्रेक्टर (एस) केब्यूरोद्वाराकिसीभीभोगकीओरसेकिसीभीधैर्य,
कार्ययाकमीशनकेलिएकरनेकेलिएयाऐसेकिसीभीबातसेयादीजारहीहैबातहैलेकिनइसप्रावधानकेलिएहै,
तोहमेंराहतकाप्रभावहोताहैsureties केलिएसंबंधितकानूनकेतहतजोभीहो।

6 इसगारंटीकीवजहसेबैंकयाठेकेदार (एस) / प्रदायक (एस) केसंविधानमेंपरिवर्तनकरनेकेलिएछुट्टीदेनहींकियाजाएगा।

7 हम अंतमेंइसरद्व करनेकेलिएनहींशुरू(बैंककानामसंकेतमिलताहै)
लेखनमेंब्यूरोकीपूर्वसहमतिकेसाथछोड़करअपनीमुद्राकेदौरानकीगारंटी। 20 कादिनदिनांकितकेलिए
.....(बैंककानामसंकेतमिलताहै)

अनुबंध- 6
अनुबंधप्रपत्र
करार

यह अनुबंध _____ केदिनएम / एस ----- बीच (नामऔरपता -----
इसपरकिएगएइससमझौते) ठेकेदारकी (बादमेंयहसंदर्भकेप्रतिकूलयाउसकेअर्थहो, जबतक,
इसकामतलबयहसमझाजाएगाजोअभिव्यक्तिठेकेदारकेरूपमेंभेजाहैऔरउसकेउत्तराधिकारियोंऔरप्रदान)
एकहिस्साहैऔरभारतीयमानकब्यूरो, 9 मेंशामिल -बहादुरशाहजफरमार्ग,नईदिल्ली -110002 अन्यभागके
(बादमेंयहसंदर्भकेप्रतिकूलयाउसकेअर्थहो, जबतक,
मतलबसमझाऔरउसकेउत्तराधिकारियोंऔरप्रदानशामिलकियाजाएगाजोअभिव्यक्तिब्यूरो, केरूपमेंकरनेकेलिएकहागयाहै)।
बोलीदाताएक ----- है, जबकि (व्यवसायकाविवरण)
औरजबकिब्यूरोसंसदद्वारापारितएकनिगमितनिकायहै।ब्यूरो_____ दरअनुबंधकेआधारपर_____, इसलिए,
निविदाकेमाध्यमसेजांचकेलिएआमंत्रितकियाबोलियांदिनांकितखरीदकरनेकेलिएकरनाचाहताहै।बोलीदाता
(सफलबोलीदाता) बोलीदस्तावेजकेअनुसारअपनीबोलीखबरदार_____
प्रस्तुतकीऔरअनुबंधकीकीमतोंपरबोलीलगानेकीप्रक्रियाऔरबातचीतकेअनुसार'सफलबोलीदाता'
केरूपमेंचयनितकियागयाथाजबकि, 'स्वीकृतिपत्र' (एलओए) कोईसम्मानितकिया _____
परबोलीदाताको।इसकेसाथसाथउल्लेखकेरूपमेंदोनोंपक्षोंकेनियमऔरशर्तोंकापालनकरनेकेलिएसहमतहैं।

"निविदादस्तावेजकीभाग-III (अनुबंधकीशर्तों)"।

(संविदाकारकाहस्ताक्षर)
नाम_____
पदनाम_____
पता_____

(ब्यूरोकेप्राधिकृतअधिकारीकाहस्ताक्षर)
नाम_____
पदनाम_____
पता_____

फर्म/कंपनीकीसील
गवाह:

हस्ताक्षर
गवाहीकानाम_____
पता_____

ब्यूरोकीसील
गवाह:

हस्ताक्षर
गवाहीकानाम_____
पता_____