

भारतीय मानक ब्यूरो
उत्तर क्षेत्रीय कार्यालय
प्लॉट नं0 4-ए , सेक्टर 27-बी,
चण्डीगढ़ 160019

BUREAU OF INDIAN STANDARDS
Northern Regional Office
Plot No. 4-A, Sector 27-B,
Chandigarh 160019

शुद्धि पत्र

भारतीय मानक ब्यूरो के मनीमाजरा में स्थित दस फ्लैटों में लकड़ी के दरवाजे और खिड़कियाँ (शीशे व जाली सहित) तैयार कराने हेतु निविदा की समाप्ति तिथि व समय एवं बोली खोलने की तिथि बढ़ा दी गई है। तदनुसार निविदा सूचना पर तारीखों को अब निम्नानुसार पढ़ा जाए :

- बोली की समाप्ति तिथि व समय : 09 मार्च 2018, 1500 बजे तक
- बोली को खोलने की तिथि व समय : 09 मार्च 2018
बोली 1530 बजे खोली जायेगी।

CORRIGENDUM

Tender Notice for Preparation of Wooden door and Windows (with Glass and Iron Jali) works at BIS ten flats at Manimajra was floated with last date of receipt of bids as 05th March 2018. Now, the last date of receipt of bids has been extended as under :

- Last date of submission of Bids : 09th March 2018 , up to 1500 hrs
- Opening of Bids : Bids shall be opened at 1530 hrs on
09th March 2018

उपनिदेशक (प्रशासन एवं वित्त)
भारतीय मानक ब्यूरो
उत्तर क्षेत्रीय कार्यालय
0172- 2650229

Deputy Director (A & F)
Bureau of Indian Standards
Northern Regional Office
0172- 2650229

संदर्भ : उ० क्षे० का०

दिनांक : 05 मार्च 2018

विषय: भारतीय मानक ब्यूरो के मनीमाजरा में स्थित दस फ्लैटों पर लकड़ी के दरवाजे और खिड़कियाँ (शीशे व जाली सहित) तैयार करने के लिए दरें।

सेवा में,

महोदय,

भारतीय मानक ब्यूरो, उत्तरी क्षेत्रीय कार्यालय, चंडीगढ़ (बी. आई. एस.) उ० क्षे० का० अपने दस फ्लैटों पर लकड़ी के दरवाजे और खिड़कियाँ (शीशे व जाली सहित) तैयार करने के लिए एकल बिड प्रणाली के तहत निविदा आमंत्रण करते हैं। ये सभी फ्लैट मनीमाजरा, चंडीगढ़ में स्थित है। इन कार्यों के लिए कार्य अनुसूची में निर्दिष्ट निबंधन एवं शर्तों के आधार पर होगा, जोकि सी. पी. डब्ल्यू. डी. विशिष्टि के अनुसार हैं। आपसे अनुरोध है कि आप प्रत्येक फ्लैट में लकड़ी के दरवाजे और खिड़कियाँ (शीशे व जाली सहित) तैयार करने के लिए अपनी दरें प्रस्तुत करें। उपरोक्त किये जाने वाले कार्य की सूचि प्रति सलंगनक-1 में दी गई है। इसी प्रति को दरें प्रस्तुत करने के लिए प्रयोग में लाया जा सकता है किन्तु उस पर सभी दस्तावेजों सहित स्टॉम्प लगा कर हस्ताक्षर करके अधोहस्ताक्षरी के पास जमा करवाया जाए। बिना मुहर/बिना हस्ताक्षर और निबंधन व शर्तों को पूरा न करने वाली निविदाओं को अस्वीकार कर दिया जायेगा।

निबंधन व शर्तें :-

1. दरें एक सीलबंद लिफाफे में प्रस्तुत की जाएँगी जिस दर पर " बी आई एस के मनीमाजरा, चंडीगढ़ स्थित दस फ्लैटों में लकड़ी के दरवाजे और खिड़कियाँ (शीशे व जाली सहित) तैयार करने के लिए दरें" लिखा हो. कार्यालय के ग्राउंड फ्लोर पर रिसेप्शन क्षेत्र में एक टेंडर बॉक्स निविदा डालने के लिए रखा गया है जिस पर "मनीमाजरा, चंडीगढ़ में लकड़ी के दरवाजे और खिड़कियाँ (शीशे व जाली सहित) तैयार करने के लिए निविदा" लिखा हुआ है। निविदाएँ दिनांक 09 मार्च, 2018 पर 1500 बजे तक दी जाएं जिन्हें दिनांक 09 मार्च, 2018 को 1530 बजे खोला जायेगा . निविदाकर्ता अथवा उनके प्राधिकृत प्रतिनिधि को, यदि इच्छुक हों, निविदा खोलते समय उपस्थित रहने कि अनुमति दी जाएगी।
2. निविदा के साथ रु. 25,000/- (रुपये पच्चीस हजार केवल) की बयाना (ई. एम. डी.) धनराशि डिमांड ड्राफ्ट के रूप में सलंगन की जाए जोकि "भारतीय मानक ब्यूरो" चंडीगढ़ के पक्ष में जारी किया हो और चंडीगढ़ में देय हो। बिना बयाना (ई. एम. डी.) धनराशि जमा के निविदाओं को अस्वीकार कर दिया जाएगा। कृपया ध्यान दें कि नकद/चेक स्वीकार नहीं किये जाएँगे। बयाना (ई. एम. डी.) धनराशि जमा का कोई भी ब्याज नहीं दिया जायेगा।

जारी पेज 2.....

3. सफल बोलीदाता द्वारा ब्यूरो के पास दस प्रतिशत (10%) की कार्य सुरक्षा /सुरक्षा जमा के रूप में जमा की जानी है। ठेकेदार की वैधता की अवधि समाप्त होने के पश्चात इसे वापिस कर दिया जाएगा। कृपया ध्यान दें कि ब्यूरो सुरक्षा जमा के लिए कोई ब्याज प्रदान नहीं करेगा। असफल बोलीदाताओं की ई एम डी निविदा को अंतिम रूप देने के बाद वापिस की जाएगी।
4. सभी दरें कोटेशन खोलने कि तिथि से 60 दिनों की अवधि के लिए मान्य रहेंगी ।
5. कोटेशन की देरी, पारगमन में गुम होने या अंतिम तिथि के बाद प्राप्त होने वाली कोटेशन के लिए बी आई एस जिम्मेदार नहीं होगा।
6. बोलीदाता प्राधिकृत सरकारी एजेंसी/निकाय के साथ अपनी पंजीकरण की पुष्टि करने वाले दस्तावेज भी जमा करेगा।
7. संलग्नक 1 में बताए गए दस फ्लैटों का किसी भी कार्य दिवस के बीच (छुट्टियों को छोड़कर) प्रातः 10:00 बजे 16:00 सांय के बीच मनीमाजरा परिसर, चंडीगढ़ में निरिक्षण किया जा सकता है। इसके लिए अधोहस्ताक्षरी को पूर्व सूचना देनी होगी।
8. सफल बोलीदाता को कार्य प्रदान किए जाने के 10 दिनों के भीतर मरम्मत कार्य आरम्भ करना होगा. मरम्मत कार्यों की प्रक्रिया में निविदाकार या उसके प्रतिनिधियों कि लापरवाही के कारण ब्यूरो की किसी सम्पत्ति का नुकसान होने पर निविदाकार जिम्मेदार होगा और नुकसान की राशि बोलीदाता से वसूल की जायेगी।
9. प्राधिकृत समिति के सदस्य द्वारा संतोषजनक रिपोर्ट दिए जाने पर प्रत्येक फ्लैट के आधार पर भुगतान जारी किया जाएगा।
10. भारतीय मानक ब्यूरो बिना किसी कारण बताये किसी भी अथवा सभी निविदाओं को अस्वीकार करने का अधिकार रखता है।
11. किसी भी विवाद के मामले में भारतीय मानक ब्यूरो, चंडीगढ़ का अंतिम निर्णय होगा।
12. अनुबंध के संबंध में या ब्यूरो और बोलीदाता के बीच कोई असहमति या उनके बीच उत्पन्न होने वाले विवाद को उनके द्वारा सीधे अनौपचारिक बातचीत से हल किए जाने का प्रयास किया जाएगा। यदि किसी भी विवाद को हल नहीं किया जा सकता है तो उसे भारत मानक ब्यूरो द्वारा नियुक्त किए गए मध्यस्थ को भेजा जाएगा। भारतीय मध्यस्थता और सुलह अधिनियम, 1996 के प्रावधान लागू होंगे।
13. संविदा निष्पादन या भंग से सम्बंधित कोई मुकद्दमा या अन्य कार्यवाही एजेंसी द्वारा केवल चंडीगढ़ की स्थानीय सीमा के अधिकार क्षेत्र के न्यायालय में की जाएगी।

(एस. चतुर्वेदी)

वैज्ञानिक "एफ" एवं प्रभारी (प्रशासन एवं वित्त),
उत्तर क्षेत्रीय कार्यालय, चण्डीगढ़

संलग्न :- उपरोक्त

Financial bid

QUOTATION FOR PREPARATION OF WOODEN DOOR AND WINDOWS (WITH GLASS AND IRON JALI) WORKS AT BIS FLATS AT MANI MAJRA, CHANDIGARH

| Schedule of Quality | | | | | |
|----------------------------|--|------------|-------------|-------------|------------------------|
| Sl. No. | Description | Qty | Unit | Rate | Amount with GST |
| 9.27 | Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws: | | | | |
| 9.27.1 | 35 mm thick shutters | | | | |
| 9.27.1.2 | With ISI marked stainless steel butt hinges of required size | 20 | | | |
| 9.27.1.2.1 | Second class teak wood | 52 | Sqm | | |
| 9.27.2 | 30 mm thick shutters | | | | |
| 9.27.2.2 | With ISI marked stainless steel butt hinges of required size | 20 | | | |
| 9.27.2.2.1 | Second class teak wood | 25 | Sqm | | |
| 9.9 | Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws. | | | | |
| 9.9.1 | Second class teak wood | 20 | | | |
| 9.9.1.2 | 30 mm thick | 25 | Sqm | | |
| 9.120 | Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm X 19 mm for styles and 15X15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, and 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rails shall be provided both rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both side to form lock rail. Top, bottom and lock rail shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/sealed to the styles & rails with 7 mm (5 mm + 2 mm) | 20 | | | |

| | | | | | |
|----------------|--|-------------|----------------|--------------|--|
| | thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer in-charge, manufacture's specification & drawing. | | | | |
| 9.120.1 | 30 mm thick plains PVC door shutters | 26 | Sqm | | |
| 9.165 | Providing and fixing bright/matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. | | | | |
| 9.165.1 | 125 mm | 140 | Each | | |
| 9.165.2 | 100 mm | 120 | Each | | |
| 9.74 | Providing and fixing Stainless steel tower bolts (barrel type) with necessary screws etc. complete: | | | | |
| 9.74.2 | 200X10 mm | 160 | Each | | |
| 9.74.3 | 150X10 mm | 200 | Each | | |
| 9.101 | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. | | | | |
| 9.101.2 | Twin rubber stopper | 50 | Each | | |
| 9.75 | Providing and fixing Stainless steel door latch with necessary screws etc. complete: | | | | |
| 9.75.1 | 300x16x5 mm | 50 | Each | | |
| 15.13 | Taking out doors, windows and clerestory window shutters (steel or wood) including stacking 50 metres leads: | | | | |
| 15.12.1 | Of area 3 sq. metres and below | 70 | Each | | |
| | 33 mm thick including ISI marked Stainless Steel Butt hinges with necessary scerws | 85 | Sqm | | |
| Sl. No. | Description | Rate | GST/TAX | Total | |
| a. | Rate for preparation of wooden jali window with all fitting and polishing | | | | |
| b. | Rate for preparation of wooden jali window with all fitting and polishing | | | | |
| c. | Rate for preparation of each wooden door with all fitting and polishing | | | | |
| d. | Rate for preparation of each wooden jali door with all fitting and polishing | | | | |

Date

Signature with stamp

Our Ref: NRO/

Date: 05th March 2018

Subject: Quotation for Preparation of Wooden door and Windows (with Glass and Iron Jali) works at BIS ten flats at Mani Majra, Chandigarh.

To,

Dear Sir/s,

Bureau of Indian Standards, Northern Regional Office, Chandigarh (BIS) NRO intends one bid system tender for Preparation of Wooden door and Windows (with Glass and Iron Jali) works of BIS own ten flats situated Modern Housing Residential Society at Mani Majra, Chandigarh on the terms and conditions mentioned in work schedule as per the CPWD specification. You are requested to submit the quotation Preparation of Wooden door and Windows (with Glass and Iron Jali) work with minor repairs. Copy of work schedule mentioned at the Annexure – I. Same copy can be used for submitting the quotation However; the same should be signed with stamp along all documents and submitted to undersigned. Quotation unstamped/unsigned and not meeting the terms and conditions shall be rejected.

Terms and Conditions:

1. Quotation shall be submitted in a sealed envelope superscribed **“QUOTATION FOR PREPARATION OF WOODEN DOOR AND WINDOWS (WITH GLASS AND IRON JALI) AT BIS TEN FLATS AT MANI MAJRA, CHNADIGARH.** A tender box has been kept on the reception area ground floor marked **“TENDER FOR PREPARATION OF WOODEN DOOR AND WINDOWS (WITH GLASS AND IRON JALI) AT MANIMAJRA CHANDIGARH”** for dropping the quotation latest by **1500 hours on 09th March 2018.** The same shall be opened at **1530 hours on 09th March 2018.** Tenderer or his authorized representative may remain present at the time of opening of the quotation if he desires so.
2. The quotation shall be accompanied with Earnest Money Deposit (EMD) of Rs.25000.00 (Rs. Twenty five thousand only) by **Demand Draft in favour of “Bureau of Indian Standards, payable at Chandigarh”.** In the event of unsuccessful bidder of the tender the EMD shall be refunded. The quotation not accompanied with EMD shall be summarily rejected. Please note that, **CASH/CHEQUES SHALL NOT BE ACCEPTED.** No interest shall be payable on Earnest Money Deposit

Cont. page..2..

The EMD of the successful bidder would be refund on the basis of submission (10%) ten percent amount of approved work as a performance security /security deposit to Bureau and it would be refunded after expiry of the period of validity of contractor . Please note that Bureau will not pay any interest for security deposit. For unsuccessful bidders, EMD shall be refunded after finalization of the tender.

3. All quotations shall remain valid for a period of 60 days from the date of opening of quotations.
4. BIS shall not be held responsible for delay, loss in transit or non-receipt of quotations after dispatch, by the bidder.
5. The bidder shall also submit documents confirming his registration with authorized Govt. agency/body.
6. The ten flats offered in the Annexure -I may be inspected at the Modern Housing Society Residential complex at Mani Majra premises Chandigarh, at anytime between 10:00 AM to 16:00 PM on any working day between Monday to Friday (except holidays) with prior intimation to the undersigned.
7. The successful bidder shall have to start the repair work within the 10 days from the work awarded. In the process of repair works, the tenderer will be responsible for loss of any property of the Bureau due to negligence on his part or on the part of his representatives and the amount of loss shall be recovered from the bidder.
8. Payment will be released on the satisfactory report by the authorized committee member's on each flat basis.
9. Bureau of Indian Standards reserves the right to reject any or all the tenders without assigning any reason, thereof.
10. In case of any dispute, the decision of Bureau of Indian Standards, Chandigarh shall be final in the matter.
11. The Bureau and the bidder shall make every effort to resolve amicably by direct informal negotiation, any disagreement or dispute arising between them under or in connection with the contract. If a dispute of any kind whatsoever that cannot be resolved and the same shall be referred to the Arbitrator, appointed by the Competent Authority of BIS. The provisions of the Indian Arbitration and Conciliation Act, 1996 shall apply.
12. No suit or other proceedings relating to performance or breach of contract shall be filed or taken by the Agency in any Court of Law except the competent Courts having jurisdiction within the local limits of Chandigarh only.

(Sanjeev Chaturvedi)
Sc'F' & Head (A&F) NRO

Encl: As above

Financial bid

QUOTATION FOR PREPARATION OF WOODEN DOOR AND WINDOWS (WITH GLASS AND IRON JALI) WORKS AT BIS FLATS AT MANI MAJRA, CHANDIGARH

| Schedule of Quality | | | | | |
|----------------------------|--|------------|-------------|-------------|------------------------|
| Sl. No. | Description | Qty | Unit | Rate | Amount with GST |
| 9.27 | Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws: | | | | |
| 9.27.1 | 35 mm thick shutters | | | | |
| 9.27.1.2 | With ISI marked stainless steel butt hinges of required size | 20 | | | |
| 9.27.1.2.1 | Second class teak wood | 52 | Sqm | | |
| 9.27.2 | 30 mm thick shutters | | | | |
| 9.27.2.2 | With ISI marked stainless steel butt hinges of required size | 20 | | | |
| 9.27.2.2.1 | Second class teak wood | 25 | Sqm | | |
| 9.9 | Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws. | | | | |
| 9.9.1 | Second class teak wood | 20 | | | |
| 9.9.1.2 | 30 mm thick | 25 | Sqm | | |
| 9.120 | Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm X 19 mm for styles and 15X15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, and 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rails shall be provided both rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both side to form lock rail. Top, bottom and lock rail shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/sealed to the styles & rails with 7 mm (5 mm + 2 mm) | 20 | | | |

| | | | | | |
|----------------|--|-------------|----------------|--------------|--|
| | thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer in-charge, manufacture's specification & drawing. | | | | |
| 9.120.1 | 30 mm thick plains PVC door shutters | 26 | Sqm | | |
| 9.165 | Providing and fixing bright/matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. | | | | |
| 9.165.1 | 125 mm | 140 | Each | | |
| 9.165.2 | 100 mm | 120 | Each | | |
| 9.74 | Providing and fixing Stainless steel tower bolts (barrel type) with necessary screws etc. complete: | | | | |
| 9.74.2 | 200X10 mm | 160 | Each | | |
| 9.74.3 | 150X10 mm | 200 | Each | | |
| 9.101 | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. | | | | |
| 9.101.2 | Twin rubber stopper | 50 | Each | | |
| 9.75 | Providing and fixing Stainless steel door latch with necessary screws etc. complete: | | | | |
| 9.75.1 | 300x16x5 mm | 50 | Each | | |
| 15.13 | Taking out doors, windows and clerestory window shutters (steel or wood) including stacking 50 metres leads: | | | | |
| 15.12.1 | Of area 3 sq. metres and below | 70 | Each | | |
| | 33 mm thick including ISI marked Stainless Steel Butt hinges with necessary scerws | 85 | Sqm | | |
| Sl. No. | Description | Rate | GST/TAX | Total | |
| a. | Rate for preparation of wooden jali window with all fitting and polishing | | | | |
| b. | Rate for preparation of wooden jali window with all fitting and polishing | | | | |
| c. | Rate for preparation of each wooden door with all fitting and polishing | | | | |
| d. | Rate for preparation of each wooden jali door with all fitting and polishing | | | | |

Date

Signature with stamp