



बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296
फैक्स : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s METRO APPLIANCES, NO.79/8, 8TH CROSS, SHANKARAPPA GARDEN, MAGADI ROAD BANGALORE URBAN-560023
BIS Product Certification Licence No.	CM/L-3315242
Name of the Product	Domestic pressure cooker,
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	Body and lid made up of Aluminum, Capacity- 3- liter, Outer lid
Brand Name	PRESIDENT
Batch/Lot/C.U. No.	B.NO-B/ 08-21
Date of Manufacturing	DOM-21-08-2021



(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296


फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s Manish Industries, #116, FOREST GATE, MANCHOHALLI MAGADI MAIN ROAD, DASANAPURA HOBLI, BANGALORE URBAN-560091
BIS Product Certification Licence No.	CM/L-6200133687
Name of the Product	Domestic pressure cooker,
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	Body and Lid made up of Aluminium alloy, 3L outer lid
Brand Name	Precent gold
Batch/Lot/C.U. No.	07/21
Date of Manufacturing	DOM-13-07-2021


Head
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (SI) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s Rajaram Industries, NO. 46/2, BUS DEPOT ROAD, SEEGEHALLI VILLAGE BANGALORE URBAN-560091
BIS Product Certification Licence No.	CM/L-6200125385
Name of the Product	Domestic pressure cooker,
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	AL body, outer lid, Capacity- 3 Ltr,
Brand Name	Promistone deluxe
Batch/Lot/C.U. No.	07 - 21
Date of Manufacturing	DOM-20-07-2021

Head/
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296


फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s NAVRATAN INDUSTRIES, NO.10 & 15, D.G MANSION, HEROHALLI VILLAGE, YESHWANTHPUR HOBLI, BANGALORE BANGALORE URBAN
BIS Product Certification Licence No.	CM/L-4589688
Name of the Product	Domestic Gas Stoves for use with LPG
Indian Standard No.	IS 4246: 2002
Grade/Type/Variety/Class/Size/Rating	Domestic stainless-steel body gas stove
Brand Name	AKAI
Batch/Lot/C.U. No.	B.no 10924
Date of Manufacturing	Date of Manufacturing 30 07 2021



Head

(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

PUBLIC ALERT FOR PRODUCT RECALL

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296


फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s TRUPTI APPLIANCES, NO 22 5TH MAIN RAMACHANDRA PURAM BANGALORE -560021
BIS Product Certification Licence No.	CM/L-4681474
Name of the Product	Domestic pressure cooker,
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	Aluminium body, outer lid, 5 Ltr
Brand Name	
Batch/Lot/C.U. No.	04/21
Date of Manufacturing	DOM-24-04-2021


Head
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (SI) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in



भारतीय मानक ब्यूरो
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s WIRE & INSULATED CABLE PRODUCTS PVT LTD C-33, Industrial Estate, Rajaji Nagar, Bangalore-560044
BIS Product Certification Licence No.	CM/L-6215152
Name of the Product	PVC Insulated Unsheathed and Sheathed Cables Cords with Rigid and Flexible Conductor for Rated Voltages Up to And Including 1100 V
Indian Standard No.	IS 694: 2010
Grade/Type/Variety/Class/Size/Rating	PVC Insulated Unsheathed and Sheathed Cables Cords with Rigid and Flexible Conductor for Rated Voltages Up to And Including 1100 V
Brand Name	
Batch/Lot/C.U. No.	PA 20-21
Date of Manufacturing	

Head
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s Swastik Industries, 65/2, NO 23, 2ND MAIN ROAD, KAVERIPURA, KAMAKSHIPALYA, BANGALORE URBAN-560079
BIS Product Certification Licence No.	CM/L-6200137190
Name of the Product	Domestic pressure cooker,
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	Outer lid-3L
Brand Name	Brand: Uptron Gold
Batch/Lot/C.U. No.	B.no-06-21
Date of Manufacturing	DOM-22 06 2021

Head
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s MOTLEY APPLIANCES (P) LTD, NO.713/1, SY. NO.95, NEAR NERALUR PANCHAYATH OFFICE, ATTIBELE HOBLI, ANEKAL TALUK.BANGALORE RURAL
BIS Product Certification Licence No.	CM/L-6200099406
Name of the Product	Domestic pressure cooker,
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	outer lid, Capacity- 5 L, Type of Bottom: Induction friendly
Brand Name	LEMERA
Batch/Lot/C.U. No.	B.no-08/21
Date of Manufacturing	Date of Manufacturing 10 08 2021

Head

(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s MANOJ METALS NO.168/1,MACHOHALLI, NEAR VANI SCHOOL, DASANAPURA,MAGADI MAIN RAOD BANGALORE URBAN
BIS Product Certification Licence No.	CM/L- 4695586
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347:2017
Grade/Type/Variety/Class/Size/Rating	3L, OUTER LID, ALUMINIUM COOKER
Brand Name	
Batch/Lot/C.U. No.	B.no-08/21
Date of Manufacturing	Date of Manufacturing 10 08 2021



Head

(Bengaluru Branch Office)

Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (☐) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s PRIYA INDUSTRIES8/11,4TH CROSS No.570/586,3rd Main,4th cross,Kottigepalya,Sunkadakatte,Magadi Main Road,BANGALORE,560091
BIS Product Certification Licence No.	CM/L- 6200005476
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	3L,OUTER LID,ALUMINIUM COOKER
Brand Name	-
Batch/Lot/C.U. No.	B.no-09-21
Date of Manufacturing	Date of Manufacturing 09-2021

Head

(Bengaluru Branch Office)

Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (ISI) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s NAKODA INDUSTRY 8/11,4TH CROSS PADARAYANAPURA, MYSORE ROAD, BANGALORE-560026
BIS Product Certification Licence No.	CM/L- 3514955
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	3L Outer Lid Type
Brand Name	-
Batch/Lot/C.U. No.	B.no-09-21
Date of Manufacturing	Date of Manufacturing 09-2021

Head

(Bangalore Branch Office)

Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (☐) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಳೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ

ಪೀನ್ಯಾ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಎರಿಯಾ, ಪಹಲಿ ಸ್ಟೇಜ್,

ತುಮಕೂರು ರೋಡ್, ಬೆಂಗಳೂರು - 560 058.

ಫೋನ್ : 28394955, 28394956, 28396324, 28398860, 28392296

ಫೇಕ್ಸ್ : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s Shila Industries No 45,1 st Main,1st cross, Jakkasandra ,Industrial Estate,Narsapura,Kolar,563133
BIS Product Certification Licence No.	CM/L-6200144187
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	5 L Outer Lid Type
Brand Name	Metalix
Batch/Lot/C.U. No.	B.no- 04/21
Date of Manufacturing	Date of Manufacturing 04/21/

Head

(Bangalore Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಳೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ

ಪೀನ್ಯಾ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಎರಿಯಾ, ಪಹಲಿ ಸ್ಟೇಜ್,

ತುಮಕೂರು ರೋಡ್, ಬೆಂಗಳೂರು - 560 058.

ಫೋನ್ : 28394955, 28394956, 28396324, 28398860, 28392296

ಫೇಕ್ಸ್ : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s RAJESHWAR INDUSTRIES Unit No. 126, Chick Site, Hanumanthaiah Industrial Area, Manchohalli, Magadi Main Road, Bangalore, 560091
BIS Product Certification Licence No.	CM/L-6200155091
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	3 L OUTER LID
Brand Name	-
Batch/Lot/C.U. No.	B.no- 09/21
Date of Manufacturing	Date of Manufacturing 09/21

Head

(Bangalore Branch Office)

Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841


E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಲೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ
ಪೀನ್ಯಾ ಇಂಡಸ್ಟ್ರಿಯಲ್ ಎರಿಯಾ, ಪಹಲಿ ಸ್ಟೇಜ್,
ತುಮಕೂರು ರೋಡ್, ಬೆಂಗಲೂರು - 560 058.
ಫೋನ್ : 28394955, 28394956, 28396324, 28398860, 28392296
ಫೇಕ್ಸ್ : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s NANDINI HI TECH MEGA POWDER PLANT, A UNIT OF K.M.F 148 p, 149 KANNAMANGALA VILLAGE, KASABA HOBLI, KANVA POST, KANNAMANGALA VILLAGE, KASABA HOBLI, KANVA POST, CHANNAPATNA TALUK, 562108
BIS Product Certification Licence No.	CM/L- 6200152085
Name of the Product	Skimmed Milk Powder Specification Part 2 Extra Grade
Indian Standard No.	IS 13334 : PART 2 : 2014
Grade/Type/Variety/Class/Size/Rating	NIL
Brand Name	Nandini
Batch/Lot/C.U. No.	B.no- 111/21
Date of Manufacturing	Date of Manufacturing 111/21


Head
(Bangalore Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002
Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002
E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s P L Industries NO.45, 60FEET ROAD, JC NAGAR KURUBARAHALLI,,MAHALAXMIPURAM POST ,BANGALORE,560086
BIS Product Certification Licence No.	CM/L- 6200144894
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	5 L Outer Lid Type
Brand Name	SURABI
Batch/Lot/C.U. No.	B.no- 09/2021
Date of Manufacturing	Date of Manufacturing 09/2021

Head

(Bangalore Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಳೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.
फोन : 28394955, 28394956, 28396324, 28398860, 28392296
फैक्स : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s GREENCHEF APPLIANCES LIMITED NO.477/E,3RD MAIN ROAD,12TH CROSS, PEENYA 4TH PHASE, OPPOSITE TO BATA FACTORY, NEXT TO SHIVAPURA LAKE, BANGALORE,560058
BIS Product Certification Licence No.	CM/L- 6718279
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	3L Outer Lid Type
Brand Name	Greenchef
Batch/Lot/C.U. No.	B.no- 09/2021/
Date of Manufacturing	Date of Manufacturing 09/2021/

Head

(Bangalore Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಳೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.
फोन : 28394955, 28394956, 28396324, 28398860, 28392296
फैक्स : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s ACC LIMITED THONDEBHAVI CEMENT WORKS, THONDEBHAVI VILLAGE, MADHUGIRI ROAD, GAURIBIDANUR, CHIKKABALLAPUR DIST.,CHIKKABALLAPUR,561213
BIS Product Certification Licence No.	CM/L- 3435555
Name of the Product	Ordinary Portland Cement
Indian Standard No.	IS 269 : 2015
Grade/Type/Variety/Class/Size/Rating	OPC 53G
Brand Name	OPC 53G
Batch/Lot/C.U. No.	B.no- week no.36/
Date of Manufacturing	Date of Manufacturing week no.36/

Head

(..... Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಳೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.
फोन : 28394955, 28394956, 28396324, 28398860, 28392296
फैक्स : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s BENAKA INDUSTRIES NO.22 & 23,GOLLAHALLI VILLAGE UTTARAHALLI,HOBLI KARNATAKA,,BANGALORE,560062
BIS Product Certification Licence No.	CM/L- 4689591
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	3L Outer Lid Type
Brand Name	-
Batch/Lot/C.U. No.	B.no- 09/2021
Date of Manufacturing	Date of Manufacturing 09/2021

Head

(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (ISI) products.



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

ಬೆಂಗಳೂರು ಶಾಖಾ ಕಾರ್ಯಾಲಯ
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.
फोन : 28394955, 28394956, 28396324, 28398860, 28392296
फैक्स : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s SURAJ METAL INDUSTRIES PLOT NO.99, 8TH MAIN, III PHASE, PEENYA INDUSTRIAL AREA, BANGALORE- 560058.,BANGALORE,560058
BIS Product Certification Licence No.	CM/L-6107957
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017s
Grade/Type/Variety/Class/Size/Rating	ALUMINIUM COOKER : OUTER LID : 3L Capacity
Brand Name	KAVIRAJ/ KCLASSIC
Batch/Lot/C.U. No.	B.no- SEPT 2021/
Date of Manufacturing	Date of Manufacturing SEPT 2021/

Head
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,

Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय

पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,

तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s NAVRATAN INDUSTRIES NO.10 & 15, D.G MANSION, HEROHALLI VILLAGE, YESHWANTHPUR HOBLI, BANGALORE,,Bangalore,560091
BIS Product Certification Licence No.	CM/L-4564874
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017s
Grade/Type/Variety/Class/Size/Rating	3L Outer Lid Type
Brand Name	-
Batch/Lot/C.U. No.	B.no- 08/21/
Date of Manufacturing	Date of Manufacturing 08/21/

Head

(..... Branch Office)

Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (IS) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002

Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002

E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841


E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.
फोन : 28394955, 28394956, 28396324, 28398860, 28392296
फैक्स : 080 28398841
ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s SURAJ METAL INDUSTRIES PLOT NO.99, 8TH MAIN, III PHASE, PEENYA INDUSTRIAL AREA, BANGALORE- 560058.,,BANGALORE,560058
BIS Product Certification Licence No.	CM/L-6107957
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	5 LTR, 7.5 LTR, 10 LTR, 12 LTR
Brand Name	KAVIRAJ/ KCLASSIC
Batch/Lot/C.U. No.	B.no- 210320/
Date of Manufacturing	Date of Manufacturing 210320/


Head
(Bengaluru Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (S) products.

मुख्यालय : मानक भवन, 9 बहादुरशाह ज़फर मार्ग, नई दिल्ली 110 002
Head Quarters : Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110 002
E-mail : info@bis.gov.in



ಭಾರತೀಯ ಮಾನಕ ಬ್ಯೂರೋ
भारतीय मानक ब्यूरो

(उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय, भारत सरकार)

BUREAU OF INDIAN STANDARDS

(Ministry of Consumer Affairs, Food & Public Distribution, Government Of India)

Bengaluru Branch Office

Peenya Industrial Area, 1st Stage,
Tumkur Road, Bengaluru - 560 058

Ph : 28394955, 28394956, 28396324, 28398860, 28392296

Fax : 080 28398841

E-mail : bnbo@bis.gov.in Website : www.bis.gov.in

बेंगलूरु शाखा कार्यालय
पीन्या इन्डस्ट्रियल एरिया, पहली स्टेज,
तुमकूर रोड, बेंगलूरु - 560 058.

फोन : 28394955, 28394956, 28396324, 28398860, 28392296

फैक्स : 080 28398841

ई-मेल : bnbo@bis.gov.in वेबसाइट : www.bis.gov.in

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s DEEPAK INDUSTRIES NO. 7 & 8, 5TH CROSS PADARAYANAPURA, MYSORE ROAD, BANGALORE, 560026
BIS Product Certification Licence No.	CM/L- 6200112174
Name of the Product	DOMESTIC PRESSURE COOKERS
Indian Standard No.	IS 2347 : 2017
Grade/Type/Variety/Class/Size/Rating	3.5 L Outer Lid Type
Brand Name	Superlife
Batch/Lot/C.U. No.	B.no- 1010/
Date of Manufacturing	Date of Manufacturing 1010/


Head

(Bangalore Branch Office)
Bureau of Indian Standards

Use "BIS CARE" App to check the authenticity of Standard Mark (IS) products.