


















































All India First Licences granted during FY 2021-22











Branch Office	Licence No	Indian Standard	Product- name	Product- photograph	Licensee - name	Licensee - photograph	Brief details of licensee	Date of grant of license
MUBO-II	7800086314	IS 5489 : 1975	CARBURIZING STEELS FOR USE IN BEARING INDUSTRY		Mahindra Sanyo Special Steel Private Limited		Mahindra Sanyo Special Steel Private Limited (MSSSPL), is a joint venture entered on 5th September, 2012 between Mahindra & Mahindra Limited (51%) India, Sanyo Special Steel Co., Ltd (29%) Japan and Mitsui & Co., Ltd (20%) Japan. With effect from 11th March, 2019 the shareholding in the Company has been changed with Sanyo Special Steel Co., Ltd. (57.19%), Mahindra & Mahindra is holding (22.81%), and Mitsui & Co., Ltd is holding (20%) in the share capital of the Company. MSSSPL is a subsidiary of Sanyo Special Steel Co. Ltd. Mahindra Sanyo is a leading, pioneer manufacturer of Carbon, Alloy & Tool Die Steels in As Cast, Forged, Rolled, Turned, Heat treated and Ring forged supply condition. The long products are with different shapes of Ingots, Blooms, Slabs Billets, Bars, Rings and are offered in various sizes as per national, international and Customers' specifications. These high quality steels find applications in different sectors of industries like Automobile, Bearing, Engineering, Oil gas & Mining, Railways etc. As India's leading alloy and special steel manufacturer, MSSSPL is the preferred supplier to many multinational and domestic customers as well as the government for more than 50 years. Situated at Khopoli, Maharashtra (India), and 90 km from Mumbai, adjacent to Mumbai - Pune National Highway. MSSSPL is spread over a plant area of 25 hectares. With ISO 9001: 2015, IATF 16949: 2016, ISO 45001, & ISO 50001 certifications, MSSSPL's vision is "To be the most admired, successful and socially responsible special steel manufacturer in India".	2021-06-08
CNBO-I	6700088016	IS 16890 : 2018	TEXTILES - PROTECTIVE CLOTHING FOR FIREFIGHTERS		SYSTEM 55 PRIVATE LIMITED		Protective Clothing for Firefighters, Type: An outer two piece suit consisting of a jacket and a pair of trousers with a minimum overlap of 30 cm, Sizes: S/M/L/XL/XXL/XXXL, Optional Requirements : Not Dry Cleanable	2021-09-06
HRBO	9100170310	IS 14500 : 1998	Linear Low Density Polyethylene (LLDPE) Films		BAG POLY INTERNATIONAL		M/s Bag Poly International is a partnership firm established in the year 2015. The main activities include manufacturing of MCL Film/Sheet/Fumigation Covers and cover Tops and LLDPE Films. The firm is also engaged for the manufacturing of U.V. Stabilised Poly Film for Green Houses, Geo-membrane for Canal and Pond Lining for the Irrigation and water conservation for Drinking Water, Plastics Poly Pallets for the storage of Wheat, Rice, Pulses and Chemical Drum/Bags in Warehouses. All the products manufactured by the Firm are used by Agriculture sectors to protect the Food Grains and other eatables of farmer products. Firm is presently holding two BIS licences for IS 14611 (Multi layered cross laminated sheets and tarpaulins/ covers) and recently granted All India First Licence for IS 14500 (Linear Low density polyethylene LLDPE Films).	2021-10-25
DHBO	8300145713	IS 3521 : PART 2 : 2021	Personal Fall Arrest Systems Specification Part 2 Lanyards and Energy Absorbers		KARAM SAFETY PRIVATE LIMITED		KARAM Safety Private Limited, C-35 A PHASE III ESIP SITARGANJ U S Nagar, Uttarakhand is manufacturing Personal Protective Equipment for Industrial workers. The firm is holding 14 BIS licences for various products for products like Personal fall arrest systems, Eye protectors, Masks, Coveralls, Industrial safety helmets and face shields. They have been granted All India First Licences for 04 products under personal fall arrest systems.	2021-11-18
DHBO	8300145907	IS 3521 : PART 3 : 2021	Personal Fall Arrest Systems Specification Part 3 Self-retracting lifelines		KARAM SAFETY PRIVATE LIMITED		KARAM Safety Private Limited, C-35 A PHASE III ESIP SITARGANJ U S Nagar, Uttarakhand is manufacturing Personal Protective Equipment for Industrial workers. The firm is holding 14 BIS licences for various products for products like Personal fall arrest systems, Eye protectors, Masks, Coveralls, Industrial safety helmets and face shields. They have been granted All India First Licences for 04 products under personal fall arrest systems.	2021-11-18

DHBO	8300145814	IS 3521 : PART 4 : 2021	Personal Fall Arrest Systems Specification Part 3 Self-retracting lifelines		KARAM SAFETY PRIVATE LIMITED		KARAM Safety Private Limited, C-35 A PHASE III ESIP SITARGANJ U S Nagar, Uttarakhand is manufacturing Personal Protective Equipment for Industrial workers. The firm is holding 14 BIS licences for various products for products like Personal fall arrest systems, Eye protectors, Masks, Coveralls, Industrial safety helmets and face shields. They have been granted All India First Licences for 04 products under personal fall arrest systems.	2021-11-18
DHBO	8300145612	IS 3521 : PART 8 : 2021	Personal Fall Arrest Systems Specification Part 8 Flexible horizontal lifeline systems		KARAM SAFETY PRIVATE LIMITED		KARAM Safety Private Limited, C-35 A PHASE III ESIP SITARGANJ U S Nagar, Uttarakhand is manufacturing Personal Protective Equipment for Industrial workers. The firm is holding 14 BIS licences for various products for products like Personal fall arrest systems, Eye protectors, Masks, Coveralls, Industrial safety helmets and face shields. They have been granted All India First Licences for 04 products under personal fall arrest systems.	2021-11-18
FRBO	9512463717	IS 16988 : 2018	COMPRESSED NATURAL GAS CYLINDER VALVE INTEGRATED WITH SOLENOID OPERATION (REMOTELY CONTROLLED) FOR AUTOMOTIVE USE	 Solenoid Operated Cylinder Valves (SOCV)	Minda Westport Technologies Limited		Minda Emer is a joint venture company of Minda Group and Emer S.P.A ITALY, by Westport since Sep,2009. Minda Emer is supplying Imported Electronic Cylinder value for CNG automotive application to Maruti Suzuki India Limited Since 2010 for their various passenger cars. Till date we have supplied more than 600,000 electronic cylinder value to Maruti Suzuki to the satisfaction of MSIL. MSIL has desired MINDA EMER to localized the cylinder value in INDIA in 2014 to save FE fluctuation and encourage Indian Manufacturer for manufacturing of CNG components. Emer, Italy is supporting Minda Emer India team in manufacturing of cylinder , Emer engineers are regularly visiting India for machine selection, plant layout, component design, Testing facility etc. Minda Emer is the first manufacturer electronic cylinder value in India.	2021-04-12
GZBO	8700138417	IS 16113 : 2013	GAMMA PICOLINE		JUBILANT INGREVIA LIMITED		Jubilant Ingrevia Limited is backward integrated into Specialty Chemicals, Nutritional & Health Solutions and Chemical Intermediates. This offers a broad portfolio of high-quality products that find application in a wide range of industries. The firm enjoys a strong position in their business segments, best-in-class and global leadership in key products.	2021-07-20
GZBO	8700138518	IS 16112 : 2013	BETA PICOLINE - SPECIFICATION		JUBILANT INGREVIA LIMITED		Jubilant Ingrevia Limited is backward integrated into Specialty Chemicals, Nutritional & Health Solutions and Chemical Intermediates. This offers a broad portfolio of high-quality products that find application in a wide range of industries. The firm enjoys a strong position in their business segments, best-in-class and global leadership in key products.	2021-07-20

GZBO	8700138619	IS 8058 : 1976	Pyridine - Specification (First Revision)		JUBILANT INGREVIA LIMITED		Jubilant Ingrevia Limited is backward integrated into Specialty Chemicals, Nutritional & Health Solutions and Chemical Intermediates. This offers a broad portfolio of high-quality products that find application in a wide range of industries. The firm enjoys a strong position in their business segments, best-in-class and global leadership in key products.	2021-07-20
GZBO	8700147620	IS 7302 : 2018	Valve fittings for self contained breathing apparatus (SCBA) and self contained underwater breathing apparatus (SCUBA) - Specification (First Revision)		JAI GOPAL ENGG WORKS PVT LTD		M/s jai Gopal Engg.Works & Gases Pvt.Ltd. is engaged in manufacturing of industrial valve as well as medical valve bearing IS:3224:2002, also engaged in manufacturing of (IS:3745:2006) yoke type valve, (IS:7653:1975) Gas cutter & (IS:6901:2018) Regulator since 2003 to till now. The main goal of the firm is to achieve the plant a highest level in the field of this type of product in INDIA.	2022-03-09
RJBO-II	7900107513	IS 3401 : 1992	Silica Gel		ASHIRWAD CHEMICALS		AIF licence granted for Silica gel indicating type	2022-03-28
JDBO	5800039010	IS 3195 : 1992	STEEL FOR THE MANUFACTURE OF VOLUTE AND HELICAL SPRINGS (FOR RAILWAY ROLLING STOCK)		Tata Steel Long Products Limited(Straight BarMill)		Designation 52Cr4Mo2V, Round Bars of Sizes 28 mm to 42 mm dia, As rolled and Straightened 65Si7, Round Bars of Sizes 28 mm to 42 mm dia, As rolled and Straightened	Designation 2021-05-28
MUBO-II	7800086019	IS 7226 : 1974	COLD ROLLED MEDIUM, HIGH CARBON AND LOW ALLOY STEEL STRIP FOR GENERAL ENGINEERING PURPOSES		Tata Steel Limited		The Khopoli plant was commissioned in 2004. With a production of 6,08,018 MT per annum, the plant product mix includes Cold Rolled Coil and Sheet, Corrugated Sheet, Galvanized Coil and Sheet, Hardened and Tempered Coil, Precision Tubes, High Tensile Steel Strapping, Colour Coated Sheet, Galume Coil and Galvalume Sheet etc. Connected with Tata steel's extensive supply of HR supply from multiple routes from mother plant – Jamshedpur, Kalinganagar and Angul. Khopoli plant is a downstream facility with Tube making department at Hosur and processing centres at Aurangabad and Chakan. We are an IATF and BIS certified company supplying to various reputed automotive customers along with presence in Structural roofing section. Khopoli plant also produces Tata branded projects like Steelium, Shakti, Kosh , Galvaros and Galvanova in domestic markets. Specialty steels for various automotive ancillaries' application and Steel straps required for packaging HR/CR coils at various products is supplied by NCRM section. Khopoli plant also has presence in Tata Structura and Tata pipes segment through its Tube plant serving also to critical automotive manufacturers. Khopoli also houses India's first fully integrated HFW/ERW Pipe mill having API 5 L certification catering to Oil and Gas customers.	2021-06-06

MUBO-I	7700170918	IS 3499 : PART 1 : 1985	Metal Chairs For Office Purposes Specification Part 1 Non-revolving And Non-tilting		FINEX KITCHEN PVT. LTD.		Without arms, Moulded Wood Seat, Moulded Wood Backrest, Mild Steel Tubular Frame arms, Moulded Wood Seat, Moulded Wood Backrest, Mild Steel Tubular Frame	With	2021-06-08	
MUBO-I	7700170817	IS 7761 : 1983	Steel Book Cases		FINEX KITCHEN PVT. LTD.		Steel Book Cases		2021-06-08	
MUBO-I	7700171811	IS 3314 : 1984	steel clothes lockers - Specification		FINEX KITCHEN PVT. LTD.		Type 18-Locker, without Additional Accessories Locker, without Additional Accessories	Type 12-Locker, without Additional Accessories Type 6-Locker, without Additional Accessories	Type 8	2021-06-18
MUBO-I	7700175718	IS 3499 : PART 2 : 1985	metal chairs for office purposes Specification Part 2 Revolving and tilting		FINEX KITCHEN PVT. LTD.		Base - Mild Steel, Frame - Steel			2021-08-17
MUBO-I	7700175617	IS 3762 : 1979	Metal Waste Paper Bins - Specification		FINEX KITCHEN PVT. LTD.		Material: Mild Steel			2021-08-17

MUBO-II	7800090616	IS 5149 : 2020	Specification for Maleic Anhydride, Technical (Second Revision)		IG PETROCHEMICALS LTD		Maleic Anhydride, Technical	2021-10-12
CNBO-II	6100107578	IS 12795 : 2020	Linear Alkyl Benzene — Specification (First Revision)		TAMILNADU PETROPRODUCTS LIMITED		Tamilnadu Petroproducts Limited (TPL) is a joint venture promoted by M/s. Southern Petrochemical Industries Corporation Ltd (SPIC) and Tamil Nadu Industrial Development Corporation Limited (TIDCO) - wholly owned by the Government of Tamil Nadu. TPL was established in 1984 at Manali, Chennai – 600068, Thiruvallur district in Tamil Nadu State to manufacture Linear Alkyl Benzene (LAB), an industrial intermediary chemical, which finds application in manufacture of detergents and cleaning agents. TPL commenced operation of Linear Alkyl Benzene (LAB) manufacturing facility in 1987 with technology from UOP, USA. The unit is developed with the latest state of art technology.	2022-01-05
CTBO	6500052207	IS 17111 : 2019	HEAT TREATED STEELS, ALLOY STEELS AND FREE-CUTTING STEELS - BALL AND ROLLER BEARING STEELS		JSW STEEL LIMITED		The strategic location of the Salem plant allows it to cater to the demanding needs of the major auto hubs in South India. Located around 340 kilometers from Chennai and 180 kilometers from Bangalore, it is well connected with railway lines, highways and ports, which makes the transportation of raw materials and finished products easy. This, coupled with its start-of-the-art technology and unique processes, makes Salem a steel plant that's truly a cut above the rest. JSW Steel Ltd., Salem Works, India's largest Special Alloy Steel Plant (Long products) has been awarded the coveted Deming Prize for 2019.	2021-05-26
LKBO	9300095817	IS 3617 : 1992	Textiles Gents pullover knitted Specification Second Revision		Pratima Hosiery Pvt.Ltd		Acrylic Pullover, Sizes 75/80/85/90/95/100/105/110 cm	2021-05-26
LKBO	9300096617	IS 10258 : 2002	Sterile Hypodermic Syringes for Single Use		HI-TECH MEDICS PRIVATE LIMITED		Hi-Tech Medics Private Limited established in the year 1994 with its original name as Hi-Tech Medical Products Limited, is having its Registered Office at 409, 4th Floor, Shalimar Titanium, Vibhuti Khand, Gomti Nagar, Lucknow, U.P. and Production Facility at GIDA, Gorakhpur. The company is leading manufacturer of Single Use Syringes with Needle and Without Needle and Single Use Hypodermic Needles.	2021-06-15

LKBO	9300097215	IS 17012 : 2018	HIGH ANKLE TACTICAL BOOTS WITH PU - RUBBER SOLE - SPECIFICATION		Amit Gramodyog Sansthan		Amit Gramodyog Sansthan - Manufacturer of safety shoes, leather safety shoes & fire safety shoes in Kanpur, Uttar Pradesh.	2021-06-29
CHBO-I	9700200715	IS 12146 : 1987	Carbon Manganese Steel Forgings for Pressure Vessels		KISCO CASTINGS INDIA LIMITED		KISCO is a 27 years steel company, spread over an area of over 300000+sq ft with over 450+ employees. We serve more than 1287 customers and have sold more than 650000+tons to more than 7 countries all over the world. With 7 different international quality certifications, we serve more than 21 global MNCs. We make alloy steel products by hot rolling, hot forging, or casted rolls in any grade and size range as per customer technical specifications	2021-07-15
CHBO-I	9700200614	IS 5518 : 1996	STEELS FOR DIE BLOCKS FOR DROP FORGING		KISCO CASTINGS INDIA LIMITED		KISCO is a 27 years steel company, spread over an area of over 300000+sq ft with over 450+ employees. We serve more than 1287 customers and have sold more than 650000+tons to more than 7 countries all over the world. With 7 different international quality certifications, we serve more than 21 global MNCs. We make alloy steel products by hot rolling, hot forging, or casted rolls in any grade and size range as per customer technical specifications	2021-07-15
LKBO	9300101406	IS 920 : 1972	Common Salt and Cattle Licks for Animal Consumption		Summer India		Summer India manufacturing premises is located in lucknowad it basically manufactures mineral mixture feeds and cattle licks.	2021-10-14
LKBO	9300101810	IS 17154 : 2019	MEDICAL EQUIPMENT AND HOSPITAL PLANNING DEPARTMENT		Artificial Limbs Mfg Corp of India	 ALIMCO'S head office in Kanpur	ALIMCO is a PSU, and is involved in manufacturing of devices for Physically handicapped person. Its factory is located in Kanpur.	2021-10-27

CHBO-I	9700205313	IS 13450 : PART 2 : SEC 25 : 2018	MEDICAL ELECTRICAL EQUIPMENT PART 2 PARTICULAR REQUIREMENTS FOR THE BASIC SAFETY AND ESSENTIAL PERFORMANCE SECTION 25 ELECTROCARDIOGRAP HS		Allengers Global Healthcare Private Limited		Incorporated in the year 2009, Allengers Global Healthcare Pvt. Ltd. is headquartered at Chandigarh, India, and is one of the leading manufacturers of a wide range of medical diagnostic & Surgical equipments like Multipara Monitor, Electrocardiograph, Electroencephalograph, Polysomnograph, ECG holter, Electromyograph, Treadmill Test, Holmium Medical Laser. Known for functionally superior and cost-effective nature, all the products offered by us are manufactured using finest-quality raw material. By virtue of our quality, system and safety standards, we are CE, ISO 9001, ISO 13485 and BIS Certified Company with a product range, which caters to various medical applications like Cardiology, Neurology and Urology etc.	2021-12-31
BHBO	5200113774	IS 2590 : 1987	Primary aluminium ingots for remelting for general engineering purposes		VEDANTA LIMITED		Vedanta operates the world's largest single-location aluminium plant ex-China at Jharsuguda, Odisha. The plant has 1.6 MTPA aluminium smelting capacity and associated 3615 MW thermal power generation facility. The only Indian smelter in the global '1 Million Tonne' production and export club, Vedanta Jharsuguda is a leader in value-added aluminium products that find critical applications across core industries.	2022-03-17
BHBO	5200113875	IS 2590 : 1987	Primary aluminium ingots for remelting for general engineering purposes		Vedanta Limited		Vedanta operates the world's largest single-location aluminium plant ex-China at Jharsuguda, Odisha. The plant has 1.6 MTPA aluminium smelting capacity and associated 3615 MW thermal power generation facility. The only Indian smelter in the global '1 Million Tonne' production and export club, Vedanta Jharsuguda is a leader in value-added aluminium products that find critical applications across core industries.	2022-03-17
JPBO-I	8400184411	COC 1 : 2020	Stampings/ laminations/cores of transformers (with or without winding)		KATYAINI PRODUCTS PVT LTD		LAMINATION AND CORE OF TRANSFORMERS WITHOUT WINDING Made from BIS Standard Marked: Grain oriented Electrical Steel Sheet and Strip conforming to IS 3024:2015.	2021-04-07
JPBO-II	8600100914	IS 8419 : PART 1 : 1977	Requirements for filtration equipment : Part 1 Filtration media - sand and gravel		Jagannath Minerals		Filtration Media Sand with Effective size 0.74 to 0.78 mm and Uniformity Coefficient 1.14 to 1.18 Filtration Media Gravel with Size 10 mm to 40 mm	2021-04-16

KKBO-I	5100196595	IS 6072 : 1971	Autoclaved Reinforced Cellular Concrete Wall Slabs		UAL-KON_CRETE (A UNIT OF UAL INDUSTRIES LTD.)		Autoclaved Reinforced Cellular Concrete Wall Slabs, Class-C, Sizes (Length x Width x Thickness) upto and including 2800 mm x 600 mm x 200 mm.	2021-05-07
MUBO-I	7700170312	IS 5295 : 2021	Ethylene Glycol - Specification (Second Revision)		Akry Organics Private Limited		Name of Product: Ethylene Glycol Grade : General Grade	2021-05-30
RPBO	5900078617	IS 7750 : 2013	Cashew Kernels - Specification		Ratusaria Udyog Private Limited		Cashew Kernels - White Wholes With Grades W-150, W-180, W-210, W-240, W-320, W-450, W-500 Cashew Kernels - Scorched Wholes With Grades SW, SW-180, SW-210, SW-240, SW-320, SW-360, SW-450, SW-500 Cashew Kernels - Dessert Wholes With Grades SSW, DW Cashew Kernels - White Pieces With Grades B, S, LWP, SWP, BB Cashew Kernels - Scorched Pieces With Grades SB, SS, SP, SSP Cashew Kernels - Dessert Pieces With Grades SPS, DP	2021-06-01
PPBO	9200105508	IS 9516 : 1980	HEAT RESISTING STEEL		Jindal Stainless (Hissar) Limited		1. Plate, Hot Rolled, Annealed, Steel Designation X15Cr25N, Thickness Range: 2.5 mm to 5.0 mm Class 1, Class 2 and Class 3 2. Sheet and Strip, Cold Rolled, Annealed, Steel Designation X15Cr25N, Thickness Range: 0.5 to 5.0 mm , Class 1, Class 2 and Class 3 3. Plate, Hot Rolled, Quenched ,Steel Designation X15Cr24Ni13, X20Cr25Ni20, Thickness Range: 2.5 mm to 30.0 mm Class 1, Class 2 and Class 3 4. Sheet , Hot Rolled, Quenched ,Steel Designation X15Cr24Ni13, X20Cr25Ni20, Thickness Range: 2.5 mm to 6.0 mm Class 1, Class 2 and Class 3 5. Strip , Hot Rolled, Quenched, Steel Designation X15Cr24Ni13, X20Cr25Ni20, Thickness Range: 2.5 to 5.0 mm , Class 1, Class 2 and Class 3 6. Sheet , Cold Rolled, Quenched ,Steel Designation X15Cr24Ni13, X20Cr25Ni20, Thickness Range: 0.5 mm to 5.0 mm Class 1, Class 2 and Class 3 7. Strip , Cold Rolled, Quenched, Steel Designation X15Cr24Ni13, X20Cr25Ni20, Thickness Range: 0.5 to 5.0 mm Class 1, Class 2 and Class 3	2021-06-01
SUBO	7100003069	IS 4566 : 2020	Methylene Chloride (dichloromethane), Technical		Gujarat Fluorochemicals Limited		METHYLENE CHLORIDE (DICHLOROMETHANE), Grade 1(Pure) without the optional requirement of Distillation range at a pressure of 1 bar	2021-06-02

MUBO-II	7800085514	IS 14128 : 1994	N-(1,3-Dimethylbutyl)-N~'-Phenyl paraphenylenediamine (6 PPD)		NOCIL LTD.		N-(1,3-Dimethylbutyl)-N~'-Phenyl paraphenylenediamine (6 PPD),	2021-06-04
AHBO-I	7200210182	IS 302 : PART 2 : SEC 76 : 1999	Safety of Household and Similar Electrical Appliances - Part 2 : Particular Requirements - Section 76 : Electric Fence Energizers		INTERGLOBE MANUFACTURING COMPANY		Electric Fence Energizers, Battery Operated Type, Rated Input -12 V DC, 400 mA, Rated Output - Max Output Voltage 9900 V. Energy per Impulse 5 Joule max, Output Current - 9A max, Class of Appliances - Class II, Degree of Protection - IPX4.	2021-06-08
PNBO	7500224008	IS 16192 : PART 3 : 2018	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES: PART 3 SPOKE WHEEL RIMS --- METHOD OF TESTS AND REQUIREMENTS		YOSHIKA ENGINEERING PVT.LTD.		Nominal Rim width code : Up to and including 1.85	2021-06-10
NOBO	8800094119	IS 9997 : 1991	Aluminium alloy redraw rods for electrical purposes		MAHAVIR TRANSMISSION LIMITED		Size (Nominal diameter) 9.5mm, Temper-W, Method of production-Continuous Casting and Rolling	2021-06-11
SUBO	7100003473	IS 2630 : 2021	NITROBENZENE SPECIFICATION		GNFC, Ltd		Nitrobenzene	2021-06-20

SUBO	7100003574	IS 2833 : 2019	ANILINE, TECHNICAL		GNFC, Ltd		Aniline, Technical	2021-06-20
NOBO	8800094616	IS 14314 : 1995	Thinner General Purposes For Synthetic Paints And Varnishes		SEVEN SEAS PAINTS PRIVATE LIMITED		Thinner, General Purpose, for synthetic paints and varnishes	2021-06-24
NOBO	8800094717	IS 14314 : 1995	Thinner General Purposes For Synthetic Paints And Varnishes		SLEEN OVERSEAS		Thinner, General Purpose, for Synthetic Paints and Varnishes- Specification	2021-06-24
NGBO	7400037911	IS 11952 : 1986	STEELS FOR PISTON PINS (GUDGEON PINS)		Sunflag Iron & Steel Co.Ltd.		15Cr4, hot rolled, centerless ground bar, size 5.5 to 150 mm dia 16Mn5Cr4, hot rolled, centerless ground bar, size 5.5 to 150 mm dia 15Cr6Ni6, hot rolled, centerless ground bar, size 5.5 to 150 mm dia	2021-06-30
PNBO	7500225414	IS 16723 : 2020	COMBINATION LOCK-SPECIFICATION		SHERNI LOCKS MANUFACTURERS PVT. LTD.		CLASS II	2021-06-30

SUBO	7100004778	IS 649 : 1997	STAMPINGS/ LAMINATIONS/CORES OF TRANSFORMERS (WITH OR WITHOUT WINDING)		KIRTI STAMPINGS PRIVATE LIMITED		NA	2021-06-30
PNBO	7500225911	IS 5758 : 2020	PRECAST CONCRETE KERBS, CHANNELS, EDGINGS, QUADRANTS AND GUTTER APRONS		Nikhil Infraspecialities Private Limited		Straight kerbs, Offlets Concave Radiussed Kerbs	2021-07-06
PPBO	9200106906	IS 15844 : 2010	SPORTS FOOTWEAR SPECIFICATION		XO FOOTWEAR PRIVATE LIMITED		Category - High Performance, Material of various parts: Upper - Textile and Synthetic, Midsole - EVA, Outsole - Rubber, Vamp lining - Textile, Quarter lining - Textile, Insole - Stoble non-woven , Sockliner - Polyurethane, Counter - Filmic material, Size - 4 to 12 no. Category - High Performance, Material of various parts: Upper - Coloured leather, Midsole - EVA, Outsole - Rubber, Vamp lining - Textile, Quarter lining - Textile, Insole - Cellulose board , Sockliner - Polyurethane, Counter - Filmic material, Size - 4 to 12 no.	2021-07-21
SUBO	7100005275	IS 10631 : 1983	STAINLESS STEEL FOR WELDING ELECTRODE CORE WIRE		Chandan Steel Ltd.		Stainless Steel for Welding Electrode Core Wire, Designation- X01Cr21Ni10, Wire Rod for dia 5.50 mm to 16 mm	2021-07-22
NOBO	8800095921	IS 15808 : 2008	Multi-Grade Bitumen for use in pavement construction		BITUMEN CORPORATION INDIA PVT. LTD.		Grade - MGB 200 and MGB 500	2021-07-29

NOBO	8800095820	IS 3117 : 2004	Bitumen Emulsion for Roads and Allied Applications (Anionic Type)		BITUMEN CORPORATION INDIA PVT. LTD.		Type - RS,MS,SS	2021-07-29
PPBO	9200107605	IS 17037 : 2018	ANTI RIOT SHOES - SPECIFICATION		XO FOOTWEAR PRIVATE LIMITED		Anti Riot Shoes, Size-4 to 12 Nos.	2021-08-04
PPBO	9200107706	IS 17043 : 2018	DERBY SHOES - SPECIFICATION		XO FOOTWEAR PRIVATE LIMITED		Derby Shoes, Insock material Polymer with twill textile covering, Size - 4 to 12 no.	2021-08-04
PNBO	7500228109	IS 17150 : 2019	MINI DOMESTIC WATER HEATER FOR USE WITH PIPED NATURAL GAS (PNG) SPECIFICATION		ACCU-TECH ENGINEERING PVT. LTD.		Total gas consumption in 1110 l/h,Hot water output 6 litres/minute,Heat input exceeding 10 Kw	2021-08-14
SUBO	7100006378	IS 17264 : 2019	Textiles - Polyester industrial yarn - Specification (first revision)		AYM Syntex Ltd		Type of Yarn based on Construction:- Single Yarn without Twist; Type of Yarn Based on Mechanical Properties- High Tenacity(HT); Variety- White, without ECO Mark, Non-Flame Retardant, Non-Heat Resistant, Non-UV Light Resistant	2021-08-14

VJBO	6600061813	IS 5437 : 1994	Figured Rolled And Wired Glass		Triveni pattern glass pvt.ltd.		Plain and Figured Glass of thickness 3mm to 5 mm	2021-08-17
SUBO	7100007582	IS 3565 : 2018	Teats for Feeding Bottles		Chemco Plastic Industries Pvt Ltd		Type 2 (Teats made out of silicone rubber)	2021-09-14
SUBO	7100007683	IS 2835 : 1987	FLAT TRANSPARENT SHEET GLASS		BHARAT GLASS TUBE LIMITED		Quality-C, Thickness-1.3mm	2021-09-15
SUBO	7100007784	IS 16919 : 2018	MANCOZEB + CARBENDAZIM, WETTABLE POWDER (WP)		INDOFIL INDUSTRIES LIMITED		Mancozeb 63% + Carbendazim 12%	2021-09-17
PPBO	8100124897	IS 17153 : 2019	DOMESTIC GAS STOVES FOR USE WITH PIPED NATURAL GAS (PNG)		STUFA MANUFACTURING ENTERPRISE		<p>a) Four Burner Domestic Gas Stove for use with PNG b) Total Gas consumption 0.790 m3/h and rating 2BB-210 L/H (1711 Kcal/h) comma 25B-185 L/H (1508 Kcal/h) c) SS Body, Brass Burner Top d) Thread size of injector-1 B.A a) Three Burner Domestic Gas Stove for use with PNG b) Total Gas consumption 0.605 m3/h and rating 2BB-210 L/H (1711 Kcal/h), SB-185 L/H (1508 Kcal/h) c) SS Body, Brass Burner Top d) Thread size of injector-1 B.A a) Three Burner toughened glass top Domestic Gas Stove for use with PNG b) Total Gas consumption 0.625 m3/h and rating SBB-230 L/H (1874 Kcal/h), BB-210 L/H (1711 Kcal/h), SB-185 L/H (1508 Kcal/h) c) SS Body (Channel) comma Brass Burner Top d) Thread size of injector-1 B.A a) Four Burner toughened glass top Domestic Gas Stove for use with PNG b) Total Gas consumption 0.625 m3/h and rating SBB-230 L/H (1874 Kcal/h) comma BB-210 L/H (1711Kcal/h), 25B-185 L/H (1508 Kcal/h) c) SS Body (Channel), Brass Burner Top d) Thread size of injector-1 B.A a) Four Burner toughened glass top Domestic Gas Stove for use with PNG b) Total Gas consumption 0.790 m3/h and rating 2BB-210 L/H (1711 Kcal/h) comma 25B-185 L/H (1508 Kcal/h) c) SS Body (Channel), Brass Burner Top d) Thread size of injector-1 B.A a) Single Burner Domestic Gas Stove for use with PNG b) Total Gas consumption 0.210 m3/h and rating BB-210 L/H (1711 Kcal/h) c) SS Body, Brass Burner Top d) Thread size of injector-1 B.A</p> <p>a) Single Burner toughened glass top Domestic Gas Stove for use with PNG b) Total Gas consumption 0.210 m3/h and rating BB-210 L/H (1711 Kcal/h) c) SS Body (Channel), Brass Burner Top d) Thread size of injector-1 B.A a) Double Burner toughened glass top Domestic Gas Stove for use with PNG b) Total Gas consumption 0.395 m3/h and rating BB-210 L/H (1711 Kcal/h), SB-185 L/H (1508 Kcal/h) c) SS Body (Channel) comma Brass Burner Top d) Thread size of injector-1 B.A a) Three Burner toughened glass top Domestic Gas Stove for use with PNG b) Total Gas consumption 0.605 m3/h and rating 2BB-210 L/H, SB-185 L/H c) SS Body(channel), Brass Burner Top d) Thread size of injector-1 B.A</p> <p>Double burner domestic gas stove for use with PNG, S.S Body, Brass Burner Top, Injector Jet- 18A, Declared Thermal Efficiency - 50 percent, Rating : BB- 210 L/H, SB -185 L/H, Total Gas Consumption- 0.395 m3/h</p>	2021-09-21

PNBO	7500229010	IS 17566 : 2021	Key locks for security Equipment- Specification		SHERNI LOCKS MANUFACTURERS PVT. LTD.		Type A (Lever Lock) , Grades- A1, A2, A3, A4, A5, A6,A7, A8, A9, A10, A11, A12, A13 and A14	2021-09-22
NOBO	8800099618	IS 12145 : 1987	QUENCHED AND TEMPERED ALLOY STEEL FORGINGS FOR PRESSURE VESSELS		CHW FORGE PRIVATE LIMITED		IA	2021-09-23
SUBO	7100007885	IS 16920 : 2018	HEXACONAZOLE+ZINE B, WETTABLE POWDER (WP)		INDOFIL INDUSTRIES LIMITED		Hexaconazole 4% + Zineb 68%	2021-09-23
AHBO-II	7300107705	IS 15381 : 2021	Fire Blanket - Specification (First Revision)		VIMAL FIRE CONTROLS PVT. LTD.		FIRE BLANKET	2021-09-24
JPBO-I	8400188512	IS 16532 : 2017	APP MODIFIED BITUMINOUS WATERPROOFING AND DAMP- PROOFING MEMBRANE WITH POLYESTER REINFORCEMENT - SPECIFICATION		SHALIMAR SEAL AND TAR PRODUCTS PRIVATE LIMITED		Type of Finish: Plain with Thickness - 3mm, 4mm and 5mm, Any Other Aspect: Without Optional Requirement (Puncture Resistance test) Type of Finish :Mineral with Thickness - 3mm, 4mm and 5mm, Any Other Aspect: Without Optional Requirement (Puncture Resistance test)	2021-09-24

SUBO	7100007986	IS 17262 : 2019	Textiles - Polyester partially oriented yarn (POY) - Specification (first revision)		AYM Syntex Ltd		Cross Sectional View:- Circular, Triangular, Trilobal and Octolobal, Cross Sectional Area- Solid, Multicomponent Fibres- Not Applicable, Lustre- Full Dull(FD), Semi Dull(SD), Bright(BRT), Super Bright(SBR), Optically White, Dyeing Method- Cationic Dyeable, Dope Dyed, Linear Density Range- 50 to 650 denier(including micro denier), Process Route- a) For finish Oil Pick Up- Draw Texturing, Air Texturing, Draw Warping/Twisting, b) For Interlace as nips per metre- Texturing, Draw Warping/Twisting, without ECO Mark, Non-Flame Retardant, Non Anti Microbial, Non-UV Light Resistant	2021-09-24
CHBO-II	9800060219	COC 2 : 2020	Retro-reflective devices for Bicycles		HERO CYCLES LIMITED		Essential Requirement for Retro-reflective devices for Bicycles as per Clause 4.14 of IS 10613: 2014 "Cycles - Safety requirements for bicycles"	2021-09-28
VJBO	6600063312	IS 8052 : 2006	STEEL INGOTS,BILLETS AND BLOOMS FOR THE PRODUCTION OF SPRINGS, RIVETS AND SCREWS FOR GENERAL ENGINEERING APPLICATIONS		RASHTRIYA ISPAT NIGAM LTD		Grade Designations :-38Si7,40Si7,50Si7,55Si7,60Si7 , Type: Billets Grade Designations :38Si7,40Si7,50Si7,55Si7,60Si7 Type: Blooms	2021-10-06
NOBO	8800100415	IS 4367 : 1991	Alloy steel forgings for general industrial use		CHW FORGE PRIVATE LIMITED		Designation - 40Ni6Cr4Mo3	2021-10-14
AHBO-II	7300108505	IS 17374 : 2020	Geosynthetics â Reinforced HDPE membrane for effluents and chemical resistance lining â Specification		TEXEL INDUSTRIES LIMITED		Type-I, End use- Acid, Base, Fuel, Synthetic Leachate	2021-10-27

PPBO	9200109811	IS 4296 : PART 2 : 2015	Tools for pressing: Part 2 punches with cylindrical head and straight or reduced shank (First Revision)		MARUT TECHNO TOOLS PRIVATE LIMITED		Tools For Pressing- Punches with Cylindrical Head and Straight or Reduced Shank for Type A: Punches with straight shank.	2021-10-27
KOBO	6400113695	IS 542 : 2018	Coconut oil - Specification (Third Revision)		MEZHUKKATTIL MILLS		Coconut Oil - Expressed Type, Raw Grade I	2021-11-03
AHBO-II	7300109911	IS 3536 : 2016	Ready mixed paint, brushing, wood primer - Specification (Second Revision)		SUDARSHAN PAINTS		Ready Mixed Paint, Brushing, Wood Primer	2021-11-09
JPBO-II	8600106615	IS 17545 : 2021	WHITE CEMENT BASED POLYMERIC PUTTY		Sakarni Plaster (India) Private Limited		Blow Moulded Polyolefin Containers, Closed Head Containers, Nominal Capacity 200 Litres, Without Handle	2021-11-17
AHBO-I	7200216703	IS 7408 : PART 3 : 2000	Blow Moulded Polyolefin Containers - Part 3 : Closed Head Containers Over 60 Litres, up to and Including 250 Litres Capacity		RADHE POLYPACK INDUSTRIES		Blow Moulded Polyolefin Containers, Closed Head Containers, Nominal Capacity 200 Litres, Without Handle	2021-12-14

VJBO	6600064912	IS 15895 : 2018	High alumina refractory cement - Specification (First Revision)		KERNEOS INDIA ALUMINATE TECHNOLOGIES PRIVATE LTD		High Purity Grade 1	2021-12-21
VJBO	6600065114	IS 1712 : 1982	Cottonseed Oilcake as Livestock Feed Ingredient		SRINIVASA AGRO PRODUCTS		Type: Undecorticated?cottonseed oilcake, Grade-1 Type: Undecorticated cottonseed oilcake, Grade-2	2021-12-21
SUBO	7100010874	IS 15769 : 2008	Flux cored (tubular) electrodes for gas shielded and self-shielded metal welding of carbon or carbon-manganese steel		Royal Arc Electrodes Ltd.		Flux cored (tubular) electrodes for gas shielded and self-shielded?metal welding of carbon or carbon-manganese steel, Classification?ET531RC9-H5, SIZE 1.60 mm and 1.2 mm	2021-12-22
JPBO-I	8400192216	IS 209 : 1992	Zinc Ingot		Chanderiya Lead Zinc Smelter (A Unit of Hindustan Zinc Limited)		Grade Zn 99.995%	2021-12-22
JPBO-I	8400192115	IS 27 : 1992	Pig Lead		Chanderiya Lead Zinc Smelter (A Unit of Hindustan Zinc Limited)		Grade Pb 99.99	2021-12-22

SUBO	7100011169	IS 4581 : 1978	PHOSPHORUS TRICHLORIDE PURE AND ANALYTICAL REAGENT- SPECIFICATION Second Revision IS 4581		UPL LIMITED		Phosphorus Trichloride, Grade-1 Analytical Reagent	2021-12-24
SUBO	7100011371	IS 7872 : 2020	Deep Freezers - Specification (Second Revision)		Veeline Media Limited		Rated storage volume upto and including 500 litre,Rated Voltage: 230?V,Rated frequency of supply: 50 Hz , Type of Refrigerant:?Flammable(R-290),Door Type :Hinged	2022-01-04
CHBO-II	9800065516	IS 7975 : PART 2 : 2018	Assembly tools for screws and nuts - Driving parts for hand - Operated square drive socket wrenches: Part 2 dimensions and tests (Second Revision)		Eastman Cast & Forge Ltd		T-Handle, 12.5mm & 20mm	2022-01-11
RJBO-II	7900105812	IS 17216 : 2019	POLYETHYLENE MULCH FILMS FOR AGRICULTURE AND HORTICULTURE - SPECIFICATION		PARTH POLYWOVEN PVT LTD		Reflective Polyethylene Mulch Film (Silver Black), Nominal Thickness -?30 micron, Width - upto 1200 mm and Service Life - 12 months.	2022-01-21
NOBO	8800103918	IS 1677 : 2018	Rubber Hoses for Agricultural Spraying (Third Revision)		ARK POLYCHEM P LIMITED		NB-8 mm,Type A and B	2022-01-25

SUBO	7100012676	IS 11657 : 2020	PHOSPHORUS OXYCHLORIDE TECHNICAL SPECIFICATION First Revision		UPL LIMITED		Phosphorus Oxychloride, Technical	2022-02-04
SUBO	7100012777	IS 2012 : 2006	Red Phosphorus - Specification		UPL LIMITED		Red Phosphorus(Except for Defence Purposes)	2022-02-04
HPBO	9600066815	IS 9573 : PART 1 : 2017	RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 1 INDUSTRIAL APPLICATION		VANSH INDUSTRIES		Rubber Hose for Liquefied Petroleum Gas (LPG)- for Industrial?Application, Nominal Size- 8 mm	2022-02-23
PPBO	9200114408	IS 17334 : 2019	MEDICAL TEXTILES - SURGICAL GOWNS AND SURGICAL DRAPES - SPECIFICATION		SURGEINE HEALTHCARE INDIA PRIVATE LIMITED		Surgical Gown, Level 0, Sterilized/Sterile, for single use, Material- PP?Non-woven fabric (SSMMS 35 gsm), without optional?requirement Surgical Drape, Level 0, Sterilized/Sterile, for single?use, Material - PP Non-woven fabric (SSMMS 35 gsm), without optional requirement	2022-02-25
AHBO-II	7300114092	IS 7328 : 2020	Specification for Polyethylene Material for Moulding and Extrusion (Third Revision)		RELIANCE INDUSTRIES LIMITED		IS 7328-1-MA-BDF without additional requirements for Coloured/Compounded?materials and with additional requirement for product used in contact?with food stuff, Pharmaceuticals and drinking water. IS 7328-1-FA-BDA?without additional requirements for Coloured/Compounded materials?and?with additional requirement for product used in contact with food?stuff,?Pharmaceuticals and drinking water IS 7328-1-FF-BDC?without?additional requirements for Coloured/Compounded materials and?with?additional requirement for product used in contact with food?stuff,?Pharmaceuticals and drinking water. IS 7328-1-FF-BDA?without?additional requirements for Coloured/Compounded materials and?with?additional requirement for product used in contact with food?stuff,?Pharmaceuticals and drinking water.	2022-03-02
CHBO-II	9800068421	IS 9962 : 1981	STEEL WIRE FOR NEEDLES		USHA MARTIN LIMITED , WIRE & WIRE ROPES DIV NORTH		Terephthalic acid	2022-03-06

PPBO	9200115309	IS 15030 : 2001	TEREPHTHALIC ACID		M/s Indian Oil Corporation Ltd. Panipat refinery and Petrochemical Complex		Terephthalic acid	2022-03-09
RPBO	5900090110	IS 16653 : 2017	Geosynthetics – Needle punched nonwoven geobags for coastal and waterways protection – Specification		Suntech geotextile Pvt. Ltd.		Polypropylene geobags of Type 1,2,3 with small and large sizes	2022-03-16
NOBO	8800105914	IS 13387 : 1992	TOOL STEEL FORGINGS FOR METAL FORMING		CHW FORGE PRIVATE LIMITED		T55Ni8Cr3Mo3V2 T55Ni8Cr4Mo5V2	2022-03-17
AHBO-II	7300114904	IS 17546 : 2021	Chlorinated polyvinyl chloride CPVC fittings for potable hot and cold water distribution supplies Specification		ASTRAL LIMITED		Fitting With Incorporated Insert SDR 11 Sizes 25mm 32mm 40mm and 50mm Fitting for Solvent Cement Joint SDR 11 Sizes 20mm 25mm 32mm 40mm and 50mm Fitting with Incorporated Inserts, SDR11, Size-15 mm, 20mm, Fitting?for Solvent Cement Joint, SDR 11, Size-15 mm	2022-03-22
BHBO	5200114170	IS 4026 : 2007	Aluminium ingots billets and wire bars (EC grade)		VEDANTA LIMITED		EC Grade Grade 1	2022-03-23

SUBO	7100008988	IS 14635 : PART 1 : 2020	FLUOROPOLYMER DISPERSIONS AND MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM		Gujarat Fluorochemicals Limited		PTFE granular moulding and ram extrusion materials PTFE resin produced from coagulation of dispersion Aqueous Dispersion of PTFE	2021-10-16
------	------------	--------------------------------	---	--	---------------------------------------	--	--	------------

All India First Licences granted during FY 2022-23 (as of 22-08-22)

Branch Office	Licence No	Indian Standard	Product- name	Product- photograph	Licensee - name	Licensee - photograph	Brief details of licensee	Date of grant of license
JDBO	5800046714	IS 4223 : 1975	STEEL WIRE FOR UMBRELLA RIBS		TATA STEEL LONG PRODUCTS LIMITED (WIRE MILL)		STEEL WIRE FOR UMBRELLA RIBS, Grade 2 and Grade-3,Type of?wire-As-?Drawn, Size: From 1.60 mm upto and including 4.00 mm Diameter	2022-06-07
JDBO	5800046916	IS 6902 : 1973	Specification for steel wire for spokes		TATA STEEL LONG PRODUCTS LIMITED (WIRE MILL)		Steel Wire for Spokes, Size- From 2.5 mm upto and including 4.0 mm?diameter, Condition - Bare (Bright drawn).	2022-06-09
RPBO	5900092114	IS 5082 : 1998	Wrought aluminium and aluminium alloy bars, rods, tubes, sections, plates and sheets for electrical applications		Bharat Aluminium Company Ltd		Type of Product Rolled Plates Designation 19501 Temper M for Width?from 300mm upto and Including 1200mm Thickness from 4.00 mm upto and?including 63mm	2022-05-02
RPBO	5900092215	IS 736 : 1986	Specification for wrought aluminium and aluminium alloy plate for general engineering purposes		Bharat Aluminium Company Ltd		Designation 19600 Condition H2 Thickness From 6mm upto and?including?63mm Width from 300mm upto and including?1500mm Designation 19500?Condition H2 Thickness From 6mm upto and?including 63mm Width from?300mm upto and including?1500mm Designation 19600 Condition M Thickness From 6mm?upto and?including 63mm Width from 300mm upto?and?including?1500mm Designation 19500 Condition M Thickness From?6mm?upto and including 63mm Width from 300mm upto and?including?1500mm Designation 19000 Condition M Thickness From 6mm?upto and?including 63mm Width from 300mm upto and including 1500mm	2022-05-02
RPBO	5900096114	IS 3677 : 1985	Specification for unbonded rock and slag wool for thermal insulation		THERMO CARE ROCKWOOL INDIA PRIVATE LIMITED		Type 1, Mean Temperature for Thermal Conductivity 50,100,150,200,250?Degree Centigrade (at apparent density 100kg/m3 only) without Optional Requirements	2022-07-11
RPBO	5900096215	IS 9842 : 1994	Preformed fibrous pipe insulation - Specification		THERMO CARE ROCKWOOL INDIA PRIVATE LIMITED		Group 3, Mean Temperature for Thermal Conductivity- 50, 100, 150, 200,?250, 300 Degree Centigrade, Length 1000mm, Nominal Thickness 25mm upto?and including 100mm, Without Optional Requirements	2022-07-11

CNBO-II	6100110567	IS 17397 : PART 1 : 2020	Plastics â€” Thermoplastic Polyurethanes for Moulding and Extrusion Part 1 Designation System and Basis for Specifications		COVESTRO (INDIA) PRIVATE LIMITED		1. ISO 16365-1 TPU-ARES,, MGNOSTW,20-X,, 2. ISO 16365-1?TPU-ARES,,?MGNOSTW,25-X,, 3. ISO 16365-1 TPU-ARES,, MGNOSTW,30-X,, 4.?ISO 16365-1?TPU-ARES,, EGNOSTW,30-X,, 5. ISO 16365-1 TPU-ARES,,?EGNOSTW,35-X,, 6.?ISO 16365-1 TPU-ARES,, MGNOSTW,35-X,, 7. ISO 16365-1?TPU-ARES,,?MGNOSTW,45-X,, 8. ISO 16365-1 TPU-ARES,, EGNOSTW,45-X,, 9.?ISO 16365-1?TPU-ARES,, EGNOSW,45-X,, 10. ISO 16365-1 TPU-ARES,,?MGNOSW,45-X,, 11.?ISO 16365-1 TPU-ARES,, MGLNOSTW,45-X,, 12. ISO 16365-1?TPU-ARES,,?MGNOSW,50-X,, 13. ISO 16365-1 TPU-ARES,, MGNOW,50-X,, 14. ISO?16365-1?TPU-ARES,, MGNOSTW,55-X,, 15. ISO 16365-1 TPU-ARES,,?EGNOSTW,55-X,, 16.?ISO 16365-1 TPU-ARES,, MGNOSW,55-X,, 17. ISO 16365-1?TPU-ARES,,?EGNOSW,55-X,, 18. ISO 16365-1 TPU-ARES,, MGLNOSTW,55-X,, 19.?ISO	2022-04-04
BNBO	6200183605	IS 17370 : 2020	p-Xylene â€” Specification		MANGALORE REFINERY AND PETROCHEMICAL LIMITED		p-Xylene	2022-08-18
KOBO	6400123597	IS 14709 : 1999	N-BUTYL ACRYLATE		BHARAT PETROLEUM CORPORATION LTD, KOCHI REFINERY		n-Butyl Acrylate	2022-07-27
CTBO	6500060610	IS 4431 : 1978	CARBON AND CARBON MANGANESE FREE CUTTING STEELS		JSW STEEL LIMITED		Grade Designation 11C10S25 Size of Round bar from diameter 20mm to 200mm in hot rolled condition?round bars, condition for delivery A and B	2022-07-12
CNBO-I	6700093514	IS 17526 : 2021	STAINLESS STEEL VACUUM FLASKS - SPECIFICATION		BUTTERFLY GANDHIMATHI APPLIANCES LTD		Narrow Mouth for the capacities 350 ml to 1000 ml	2022-08-16
SUBO	7100017585	IS 17480 : 2020	High Density Polyethylene Multi Squeezable Tube for Packaging - Specification		EPL Limited		High Density Polyethylene Multi Squeezable Tube For Packaging, Nominal Thickness of tube: 0.175 mm to 0.45 mm, Nominal Diameter of tube: 13 mm to 50 mm, Nominal capacity of tube: 2 ml to 450 ml, Without additional requirements of Water vapour transmission rate as per ISO 2528, without Oxygen transmission rate as per ISO 15105-2 and Without Eco Mark	2022-05-18
SUBO	7100017989	IS 12685 : 1989	Pesticides - Pendimethalin, Technical		Meghmani Industries Limited		Technical	2022-05-20
SUBO	7100018183	IS 15165 : 2002	Tebuconazole, Technical		Meghmani Industries Limited		Tebuconazole, Technical	2022-05-25
SUBO	7100019286	IS 537 : 2011	TOLUENE -SPECIFICATION		Reliance Industries Limited		Toluene	2022-06-14

SUBO	7100019993	IS 17263 : 2019	Textiles - Polyester staples fibres - Specification		BHILOSA INDUSTRIES PRIVATE LIMITED		Polyester Staple Fibres, Fibre Cross sectional View- Circular, Fibre?Cross-Sectional Area- Solid, Multi Component Fibres- Not Applicable;?Lustre- Semi-Dull , Dyeing Method- Virgin(Without Dyeing), Type based on?properties- Spunlace Fibres, Non- High Shrinkage, Non-Siliconized, Not?sheet Form, Not Hollow Fibres, Linear Density Range- 0.8D to?1.5D(excluding 1.5D), Non flame retardant, Non Anti-Microbial Activity,?Non UV light resistant, without Eco mark	2022-06-25
SUBO	7100020574	IS 17261 : 2019	Textiles - Polyester continuous filament fully drawn yarns - Specification		BHILOSA INDUSTRIES PRIVATE LIMITED		Polyester Continuous Filament Fully Drawn Yarn of Fibre Cross sectional?View- Circular and Trilobal, Fibre Cross-Sectional Area- Solid,without?multicomponent yarn, Lustre- Bright and Semi-Dull,Dyeing Method- Yarn?Without Dyeing(made from Virgin PET),Single ply,Linear Density Range- 40?to 220 denier,Non flame retardant,Non Anti-Microbial Activity,Non UV?light resistant,without Eco mark	2022-07-08
SUBO	7100020675	IS 17373 : 2020	GEOSYNTHETICS - GEOGRIDS USED IN REINFORCED SOIL RETAINING STRUCTURES - SPECIFICATION		Strata Geosystems (India) Pvt. Ltd.		Name of the Product - Geosynthetics Geogrids used in Reinforced Soil?Retaining Structures, Type of Geogrids Based on Tensile Strength and?Aperture Size- Type- 1, Type of Geogrids Based on Physical Property - Flexible	2022-07-08
SUBO	7100020978	IS 17735 : 2021	Aluminium Chlorohydrate — Specification		GRASIM INDUSTRIES LIMITED CHEMICAL DIVISION		Aluminium chlorohydrate (ACH) Vytal HBC Supra	2022-07-20
SUBO	7100021778	IS 17371 : 2020	GEOSYNTHETICS - GEOGRIDS FOR FLEXIBLE PAVEMENTS - SPECIFICATION		Strata Geosystems (India) Pvt. Ltd.		Name of the Product - Geosynthetics Geogrids for flexible Pavements,?Polymer Material- PET, Geogrids Style Numbers- 30/30, 40/40,?50/50,60/60, 80/80 and 100/100, Type of Geogrid Knitted(Flexible)	2022-08-10
AHBO-II	7300116197	IS 17077 : PART 1 : 2019	Plastics - AcrylonitrileButadienestyrene (Abs) moulding and extrusion materials: Part 1 designation system and basis for specifications		Ineos Styrolution India Limited		Thermoplastic ISO 19062-ABS-0X,,EGN-95-04-25-20,, Thermoplastic?ISO?19062-ABS-0X,,MGC-95-30-25-25,, Thermoplastic ISO 19062-ABS-0X,,MGC-105-08-09-30,,	2022-04-19
AHBO-II	7300116706	IS 7129 : 2021	POTASSIUM CARBONATE ANHYDROUS SPECIFICATION		GUJARAT ALKALIES AND CHEMICALS LIMITED		POTASSIUM CARBONATE - ANHYDROUS PURE GRADE WITHOUT OPTIONAL REQUIREMENTS	2022-05-18
AHBO-II	7300118811	IS 14434 : 1998	Polycarbonate Moulding and Extrusion Materials		SABIC INNOVATIVE PLASTICS INDIA PVT .LTD		14434*PCXXX*IHRC*41141*F11	2022-07-11

AHBO-II	7300118912	IS 17541 : 2021	Modular panel for security of premises specification		Gunnebo India Private Limited		Type- Continuous Design Panel, Class- C, Drawing No.- SK-6851	2022-07-14
MUBO-I	7700189519	IS 8008 : PART 1 : 2003	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 1 : General Requirements for Fittings		JAIN IRRIGATION SYSTEMS LTD.		INJECTION MOULDED HIGH DENSITY POLYETHYLENE (HDPE) FITTINGS FOR POTABLE?WATER SUPPLIES: Resin Grade: PE 100, Type: 90 degree Bend, (1) PN 10,?Size : 25, 32, 40, 50, 63 & 75mm; (2) PN 8, Size : 32, 40, 50, 63?& 75mm; (3) PN 6, Size : 40, 50, 63 & 75mm; (4) PN 5, Size : 50,?63 & 75mm INJECTION MOULDED HIGH DENSITY POLYETHYLENE (HDPE)?FITTINGS FOR POTABLE WATER SUPPLIES: Resin Grade: PE 100, Type: 90?degree TEE, (1) PN 10, Size : 25, 32, 40, 50, 63 & 75mm; (2) PN 8,?Size : 32, 40, 50, 63 & 75mm; (3) PN 6, Size : 40, 50, 63 &?75mm; (4) PN 5, Size : 50, 63 & 75mm	2022-07-12
MUBO-II	7800101207	IS 11686 : 1997	Isopropyl Alcohol, Food Grade		DEEPAK FERTILISERS AND PETROCHEMICALS CORPORATION		Isopropyl Alcohol,Food Grade	2022-07-01
MUBO-II	7800101712	IS 10301 : 1982	Isopropyl Alcohol for Cosmetic Industry		DEEPAK FERTILISERS AND PETROCHEMICALS CORPORATION		Isopropyl Alcohol for cosmetic industry	2022-07-08
DLBO-I	8100138407	IS/IEC 61331 : PART 3 : 2014	PROTECTIVE DEVICES AGAINST DIAGNOSTIC MEDICAL X-RADIATION PART 3: PROTECTIVE CLOTHING, EYEWEAR AND PROTECTIVE PATIENT SHIELDS		Natures Global Service		Name of Product: Protective Apron without Thyroid Collars Varieties:?a) Light Duty b) Light Duty closed c) Heavy Duty d) Heavy Duty Closed	2022-05-27
DHBO	8300149208	IS 3521 : PART 5 : 2021	Personal Fall Arrest Systems Specification Part 5 Connectors with self-closing and self-locking gates		KARAM SAFETY PRIVATE LIMITED		Connectors with Self Closing & Self-Locking Gates.	2022-04-28
DHBO	8300149309	IS 3521 : PART 7 : 2021	Personal Fall Arrest Systems Specification Part 7 Single point anchor devices		KARAM SAFETY PRIVATE LIMITED		Class-A1 Anchor Devices Class-A2 Anchor Devices Class-B Anchor?Devices without tripod products. Class-B Anchor Devices having tripod?products permitted to use with and without SRL Class-E dead weight?anchor devices permitted to use with and without wet surfaces.	2022-04-28
JPBO-I	8400196915	IS 1180 : PART 3 : 2021	Outdoor/Indoor Type Liquid Immersed Distribution Transformers Up to and Including 2 500 kVA, 33 kV — Specification Part 3 Natural/Synthetic Organic Ester Liquid Immersed		DANISH PRIVATE LIMITED		Three-phase, Sealed type (Corrugated tank), Nominal System Voltage?11kV/415V, Cu wound, CRGO core, Rating-250kVA, 315kVA, 400kVA, 500kVA,?630kVA, 800kVA, Energy Efficiency level-1.	2022-04-18

JPBO-I	8400197715	IS 17505 : PART 1 : 2021	Specification for Thermosetting Insulated Fire Survival Cables for Fixed Installation having Low Emission of Smoke and Corrosive Gases when Affected by Fire for Working Voltages upto and including 1100 Vac and 1500 Vdc		Tirupati Plastomatics Pvt Ltd		Conductor Material Annealed Plain Copper, Type of conductor? - Class 1/Class 2, Type of Insulation - XL HFFR, Type of Outer Sheath? HFS? XL90, Fire Survival Category - Resistant to fire alone?(F), Resistant to fire and water (W), Resistant to fire and mechanical shock?(S), Resistant to fire, water and mechanical shock?(FWS) Category? F? 120, Intended for use in mines for the following sizes and cores? Single? core? for Sizes upto and including 25 Sq.mm Multi-core? upto? and? including 4? cores - Sizes upto and including 25 Sq.mm	2022-05-12
JPBO-I	8400200306	IS 17782 : 2021	FORTIFIED RICE KERNELS-SPECIFICATION		JVS Foods Pvt. Ltd.		Fortified Rice Kernels without addition of optional Micronutrients.	2022-07-04
JPBO-II	8600113014	IS 17508 : 2020	Disposable Adult Incontinence Diaper - Specification		Paramount Surgimed Ltd		Medium, Large and X Large, Biodegradable and Compostable and/or Anti Bacterial.	2022-07-04
NOBO	8800108819	IS 17016 : 2018	CATIONIC MODIFIED BITUMEN EMULSION		BITUMEN CORPORATION INDIA PVT. LTD.		QSME, SSME and RSME	2022-05-27
LKBO	9300109414	IS 17728 : 2021	Agro Textiles - High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube and Fittings for use in Rain Irrigation System - Specification		V. K. Pack Well Pvt. Ltd.		1) HDPE Laminated woven lay flat tube and fittings for use in irrigation system , Size - 32 mm , Range of working Pressure - Nominal working pressure : 1 kg/cm ² , Maximum working pressure : 1.25 kg/cm ² , Minimum Working pressure : 0.75 kg/cm ² , Nominal Flowrate - at nominal working pressure : 207 l/h/m , at minimum working pressure : 178 l/h/m , at maximum working pressure : 251 l/h/m , Not Suitable for use in mains and sub mains of rain irrigation system , Without Liner 2) HDPE Laminated woven lay flat tube and fittings for use in irrigation system , Size - 40 mm , Range of working Pressure - Nominal working pressure : 1 kg/cm ² , Maximum working pressure : 1.25 kg/cm ² , Minimum Working pressure : 0.75 kg/cm ² , Nominal Flowrate - at nominal working pressure : 220 l/h/m , at minimum working pressure : 190 l/h/m , at maximum working pressure : 270 l/h/m ,	2022-05-05
FRBO	9512481323	IS 4454 : PART 4 : 2001	TEEL WIRES FOR MECHANICAL SPRINGS - PART 4 : STAINLESS STEEL WIRE		BANSAL STEEL & POWER LIMITED		Grade- X04Cr17Ni12Mo2 Size - 0.15mm to 0.70mm Grade- X04Cr19Ni9 Size - 0.15mm to 10.00mm Grade- X07Cr18Ni9 Size - 0.15mm to 8.00mm	2022-07-20

FRBO	9512481424	IS 7291 : 1981	High Speed Tool Steels		STAR WIRE INDIA LIMITED		Grade- XT87W6Mo5Cr4V2, XT90W6CoMo5Cr4V2 and XT110Mo10Co8Cr4W2, Condition of supply - Hot Rolled and Annealed, Finish - Hot Rolled, Rough Ground or Rough Turned, Centreless ground or ground and polished, Annealed, Size - Hot Rolled Round Bars of Size: 5 mm to 100 mm, Hot Rolled Square Bars of Size: 60 mm to 100 mm and Hot Rolled Flat Bars of Size: 33mm x 17mm to 130mm x 80mm, Optional Requirement - Without Additional Test (Fracture Test)	2022-07-20
HPBO	9600068019	IS 367 : 1993	Electric kettles and jugs for household and similar use		MVM INDUSTRIES		Electric Cordless Kettles for household and similar use, 1500 W, 230 V,?Class 1, Capacity-1.5 ltr, IPX0	2022-04-06
CHBO-I	9700213615	IS 7620 : PART 2 : 1986	Diagnostic Medical X-ray Equipment - Part 2 : Performance Requirements		Allengers Medical systems ltd.		Stationary Medical electrical equipment- Diagnostic X-ray Machine,?Radiography Type, Two Pulse generator, Rated Line Voltage 400 V,?Frequency 50 Hz, Three Phase, Current 500 mA, Rated Peak Output voltage?120 kVp, Output Power 40 kW, Class of Timer A.	2022-07-19