



இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपभोक्त मामले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s A.T.P.INDUSTRIES S.F.No.L6-3/3,Beach Road, Vadiveeswaram revenue Village Erulappapuram, Kottar Post Agastheeswaram Taluk , Nagercoil, 629002
BIS Product Certification Licence No.	CM/L 6943690
Name of the Product	Packaged Drinking Water (OTPNMW)
Indian Standard No.	IS 14543:2016
Grade/Type/Variety/Class/Size/Rating	1 Liter PET Bottle
Non-conforming parameter	5.3 Table-2 xxv Bromates (as BrO ₃)
Clause No. of the Indian Standard	5
Type of risk	Health/Chemical Hazard
Brand Name	AQUATRA
Batch/Control Unit (C.U.)/Lot No.	02
Date of Manufacturing	02 11 2022


(S D Dayanand)

Scientist F & HMDBO
Bureau of Indian Standards
Date of order: 20-03-2023

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadur Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை शाखा कार्यालय :
पहली मंजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कप्पलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in



இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपभोक्त ममले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s BABU RAJA AQUA PRODUCTS 328,S.NO 579/1A2A,SHENBAGATHOPPU ROAD BLOCK KUTTATHATTI,SRIVILLIPUTHUR TALUK, VIRUDHUNAGAR,SRIVILLIPUTTUR,626125
BIS Product Certification Licence No.	CM/L 3343752
Name of the Product	Packaged Drinking Water (OTPNMW)
Indian Standard No.	IS 14543:2016
Grade/Type/Variety/Class/Size/Rating	1 Liter PET Bottle
Non-conforming parameter	5.3 Table-2 xxv Bromates (as BrO3)
Clause No. of the Indian Standard	5
Type of risk	Health/Chemical Hazard
Brand Name	BELL PLUS
Batch/Control Unit (C.U.)/Lot No.	26
Date of Manufacturing	26 12 2022


(S D Dayanand)

Scientist F & HMDBO
Bureau of Indian Standards
Date of order: 20-3-2023

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadur Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை் शाखा कार्यालय :
पहली मजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कप्पलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in




இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपभोक्त मामले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s AS MINERALS DOOR NO 289, SF.NO438 AANTHAIYAN KINARU MELA TIRUCHENDUR TIRUCHENDUR BLOCK & TALUK , 628213
BIS Product Certification Licence No.	CM/L 4753978
Name of the Product	Packaged Drinking Water (OTPNMW)
Indian Standard No.	IS 14543:2016
Grade/Type/Variety/Class/Size/Rating	1 Liter PET Bottle
Non-conforming parameter	5.2.2 Coliform, 5.2.3 Faecal Streptococci 5.2.7 Yeast and Mould
Clause No. of the Indian Standard	5
Type of risk	Health/Biological Hazard
Brand Name	Pasumai Aqua
Batch/Control Unit (C.U.)/Lot No.	10
Date of Manufacturing	10 01 2023


(S D Dayanand)

Scientist F & HMDBO
Bureau of Indian Standards
Date of order: 20-03-2023

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadur Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை் शाखा कार्यालय :
पहली मंजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कपलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in



இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपभोक्त मामले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s ANNAMALAYAR AGENCIES PVT. LTD SF 1065/1A, KODAIKANAL ROAD, IYYAMPULLI, PALANI TALUK, DINDIGUL, TAMIL NADU, 624613 INDIA
BIS Product Certification Licence No.	CM/L 6439982
Name of the Product	Packaged Drinking Water (OTPNMW)
Indian Standard No.	IS 14543:2016
Grade/Type/Variety/Class/Size/Rating	1 Liter PET Bottle
Non-conforming parameter	5.3 Table-2 xxv Bromates (as BrO ₃)
Clause No. of the Indian Standard	5
Type of risk	Health/Chemical Hazard
Brand Name	ARC AQUA PURAA, AQUA PURAA
Batch/Control Unit (C.U.)/Lot No.	939
Date of Manufacturing	24 11 2022


(S D Dayanand)

Scientist F & HMDBO
Bureau of Indian Standards
Date of order: 17 02 2023

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadur Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை शाखा कार्यालय :
पहली मंजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कम्पलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in



இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपभोक्त ममले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s AQUO INDUSTRIES S No.517/2-b Attankarai salai kurusady, konam post Rajakamangalam block, Asaripallam town panchayat, Tamil nadu - 629004
BIS Product Certification Licence No.	CM/L 3456765
Name of the Product	Packaged Drinking Water (OTPNMW)
Indian Standard No.	IS 14543:2016
Grade/Type/Variety/Class/Size/Rating	1 Liter PET Bottle
Non-conforming parameter	5.2.2 Coliform, 5.2.5 Pseudomonas Aeruginosa, 5.2.6 Aerobic Microbial Count at 20-22°C, 5.2.6 Aerobic Microbial Count at 37°C, 5.2.7 Yeast and Mould
Clause No. of the Indian Standard	5
Type of risk	Health/Biological Hazard
Brand Name	Aqua Ans
Batch/Control Unit (C.U.)/Lot No.	132
Date of Manufacturing	04 06 2022

(S D Dayanand)

Scientist F & HMDBO
Bureau of Indian Standards
Date of order: 03 08 2022

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadur Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை शाखा कार्यालय :
पहली मंजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कप्पलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in



இந்திய தரநிர்ணய அமைவனம்
भारतीय मानक ब्यूरो
उपमोक्त मामले, खाद्य और सार्वजनिक वितरण मंत्रालय, भारत सरकार
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution, Government of India

PUBLIC ALERT FOR PRODUCT RECALL

This is to bring to the notice of the general public that the manufacturer with details as given below has been advised for product recall in view of the non-conformities observed in the product w.r.t. the requirements stipulated in relevant Indian Standard and the non-conformities have an impact on public health/safety:

Manufacturer Name and Address	M/s G K S AQUA FOOD INDUSTRY 1/201, LENIN NAGAR, SARUGANI, DEVAKOTTAI BLOCK & TALUK, SARUGANI, SIVAGANGA, TAMIL NADU, 630302 INDIA
BIS Product Certification Licence No.	CM/L 4512552
Name of the Product	Packaged Drinking Water (OTPNMW)
Indian Standard No.	IS 14543:2016
Grade/Type/Variety/Class/Size/Rating	1 Liter PET Bottle
Non-conforming parameter	5.2.4 Sulphite Reducing Anaerobes 5.2.6 Aerobic Microbial Count at 20-22°C, 5.2.6 Aerobic Microbial Count at 37°C, 5.2.7 Yeast and Mould
Clause No. of the Indian Standard	5
Type of risk	Health/Biological Hazard
Brand Name	Mirale, Marle
Batch/Control Unit (C.U.)/Lot No.	09
Date of Manufacturing	09 05 2022

(S D Dayanand)

Scientist F & HMDBO
Bureau of Indian Standards
Date of order: 09 06 2022

Use "BIS CARE" App to check the authenticity of Standard Mark () products.



मानक भवन 9, बहादुरशाह जफर मार्ग, नई दिल्ली - 110 002
Manak Bhavan, 9 Bhadur Shah Zafar Marg, New Delhi - 110 002
Download "BIS CARE APP" from Google Playstore

மதுரை शाखा कार्यालय :
पहली मंजिल, सिडको उत्कृष्टता केंद्र, महिला औद्योगिक पार्क,
कप्पलूर, थोप्पूर, मद्रुरै - 625 008.

Madurai Branch Office :
First Floor, SIDCO Centre of Excellence Building, Women Industrial Park,
Kappalur, Thoppur, Madurai - 625 008.
Phone: 0452-2910334, 0452-2910344
E-mail: mdbo-bis@bis.gov.in / Web : www.bis.gov.in