

S. No	IS NO	IS Title	Annual Minimum Marking Fee for Large Scale	Annual Minimum Marking Fee for Medium Scale	Annual Minimum Marking Fee for Small Scale (0.5*Large scale Fee)	Annual Minimum Marking Fee for Micro Scale (0.2*Large scale Fee)	Unit of the Product	Unit Rate SLAB-1	SLAB - 1 applicable to Quantity	Unit Rate SLAB-2	SLAB - 2 applicable to Quantity	Unit Rate SLAB-3 for remaining Quantity	SLAB - 3 applicable to Quantity
1	IS 1	Specification for The National Flag of India (Cotton Khadi)	46000	37000	23000	9200	1 FLAG	0.36	For All				
2	IS 10001	PERFORMANCE REQUIREMENTS FOR CONSTANT SPEED COMPRESSION IGNITION (DIESEL) ENGINES FOR GENERAL PURPOSES (UP TO 20 KW)	46000	37000	23000	9200	1 PIECE	17.3	1500	10.4	Rest All		
3	IS 10025	Polish Liquid (White) For Canvas Footwear	46000	37000	23000	9200	100 LTS	33	For All				
4	IS 10065	Roasted Groundnut (Peanut) Kernels	54000	44000	27000	10800	ONE KG	0.15	For All				
5	IS 1007	Custard Powder	50000	40000	25000	10000	1 KG	0.18	For All				
6	IS 10079	Specification For Cylindrical Metal Measures For Use In Tests Of Aggregates And Concrete	69000	55000	34500	13800	1 NUMBER	2.9	For All				
7	IS 1008	Sugar Boiled Confectionery	56000	45000	28000	11200	1 KG	0.18	For All				
8	IS 10080	Specification For Vibration Machine For Standard Cement Mortar Cubes	53000	43000	26500	10600	1 PIECE	1.5	For All				

9	IS 10086	Specifcation for moulds for use in tests of cement and concrete First Revision	101000	81000	50500	20200	1 PIECE	3.8	For All				
10	IS 1011	Biscuits	51000	41000	25500	10200	1 TONNE	8.7	For All				
11	IS 10116	BORIC ACID	53000	43000	26500	10600	1 MT	5.4	For All				
12	IS 10124 : PART 1	Fabricated PVC-U Fittings for Potable Water Supplies - Specification Part 1 General Requirements	46000	37000	23000	9200	1 TON	69.2	For All				
13	IS 10124 : PART 2	Fabricated PVC-U Fittings for Potable Water Supplies - Specification Part 2 Specific Requirements for Sockets	46000	37000	23000	9200	1 TON	73.75	For All				
14	IS 1015	Leather Pump Buckets and Seat Valves Made from Vegetable Tanned Leather	110000	88000	55000	22000	100 BUCKETS	3.7	For All				
15	IS 10151	Polyvinyl Chloride (PVC) and its Copolymers for its Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water	58000	47000	29000	11600	1 MT	7.2	For All				
16	IS 10170	Byproduct Gypsum	50000	40000	25000	10000	1 MT	0.1	For All				
17	IS 10212 : PART 1	General requirements for packages of explosives: Part 1 Commercial high explosives	81000	65000	40500	16200	100 BOXES	3.5	For All				
18	IS 10228	School Bag	50000	40000	25000	10000	100 BAGS	12	For All				
19	IS 10238	Fasteners - Threaded Steel Fastener - Step Bolts for Steel Structures	67000	54000	33500	13400	1 TON	134	For All				
20	IS 10243	2, 4-D Ethyl Ester EC	49000	40000	24500	9800	100 LITRES	34.5	For All				

21	IS 10245 : PART 2	Respiratory Protective Devices - Specification : Part 2 self-contained open circuit breathing apparatus (Second Revision)	46000	37000	23000	9200	ONE BREATHING APPARATUS	75	For All				
22	IS 10245 : PART 3	Breathing Apparatus - Part 3 : Fresh Air Hose and Compressed Air Line Breathing Apparatus	83000	69000	41500	16600	1 BREATHING APPARATUS	200	For All				
23	IS 10258	Sterile Hypodermic Syringes for Single Use	79000	64000	39500	15800	1000 PCS	0.75	For All				
24	IS 10258 : PART 1	Sterile hypodermic syringes for single use Part 1: Syringes for manual use Third Revision	79000	64000	39500	15800	1000 PCS	0.75	For All				
25	IS 10264	Trolley, Hot Food, for Hospital and Industrial Canteens	46000	37000	23000	9200	1 PIECE	120	For All				
26	IS 1030	Carbon steel castings for general engineering purposes	85000	68000	42500	17000	1 MT	118.1	For All				
27	IS 10301	Isopropyl Alcohol for Cosmetic Industry	62000	50000	31000	12400	1 MT	7.95	For All				
28	IS 10322 : PART 5 : SEC 1	Luminaires: Part 5 Particular requirements Sec 1 General purpose luminaires	46000	37000	23000	9200	1 PIECE	1.75	For All				
29	IS 10322 : PART 5 : SEC 2	Luminaires - Part 5 : Particular Requirements - Section 2 : Recessed Luminaires	46000	37000	23000	9200	1 PIECE	3.5	For All				
30	IS 10322 : PART 5 : SEC 3	Luminaires - Part 5 : Particular Requirements - Section 3 : Luminaires for Road and Street Lighting	192000	154000	96000	38400	1 PIECE	1.5	For All				

31	IS 10325	Square Tins - 15 kg/litre For Ghee, Vanaspati, Edible Oils and Bakery Shortenings	53000	43000	26500	10600	1000 PIECE	84.95	For All				
32	IS 10350	Powder Hair Dyes	48000	39000	24000	9600	ONE KG	1.3	For All				
33	IS 1038	Specification For Steel Doors, Windows And Ventilators	53000	43000	26500	10600	1 TON	17.3	For All				
34	IS 10508	Phosphoric Acid, Food Grade	57000	46000	28500	11400	1 MT	50	For All				
35	IS 1051	Pyrethrum Extracts	61000	49000	30500	12200	100 LITRE	34.5	For All				
36	IS 10523	Baby Toilet Soap - Specification	89000	72000	44500	17800	1 MT	18.55	For All				
37	IS 10532 : PART 2	Fire-resistant Hydraulic Fluids - Part 2 : Invert Emulsions (Water-in-oil) Type	328000	263000	164000	65600	1 KILO LITRE	182	For All				
38	IS 10577	Lancing pipes	53000	43000	26500	10600	1 TONNE	26	For All				
39	IS 10592	Industrial Emergency Showers, Eye and Face Fountains and Combination Units - Specification	46000	37000	23000	9200	1 PIECE	17.2	For All				
40	IS 1061	DISINFECTANT FLUIDS, PHENOLIC TYPE	72000	58000	36000	14400	1 KILO LITRE	43.2	For All				
41	IS 10616	Requirement of Retro-Reflective Devices for Bicycles	50000	40000	25000	10000	1000 PIECES	0.000001	For All				
42	IS 10617	HERMETIC COMPRESSORS	1125000	900000	562500	225000	1 PIECE	0.6	For All				
43	IS 10631	STAINLESS STEEL FOR WELDING ELECTRODE CORE WIRE	66000	52800	33000	13200	1 MT	13	For All				
44	IS 10647	Wheel Bearing Grease	46000	37000	23000	9200	ONE TONNE	51.8	For All				

45	IS 1065 : PART 2	STABLE BLEACHING POWDER Â SPECIFICATION PART 2 FOR WATER TREATMENT FOR DRINKING PURPOSES	66000	53000	33000	13200	1 MT	9.5	For All				
46	IS 10658	Specification for Higher Capacity Dry Powder Fire Extinguisher (Trolley Mounted)	86000	69000	43000	17200	1 PIECE	34.6	For All				
47	IS 1069	QUALITY TOLERANCES FOR WATER FOR STORAGE BATTERIES - SPECIFICATION	53000	43000	26500	10600	ONE KILO LITRE	6	For All				
48	IS 10701	Specification for Structural Plywood - Specification	91000	73000	45500	18200	1 SQ.M	0.15	For All				
49	IS 10702	Hawai Chappal-Specification	126000	101000	63000	25200	100 PAIRS	1.3	For All				
50	IS 10748	Hot-rolled Steel Strip for Welded Tubes and Pipes	78000	63000	39000	15600	1 TONNE	3.75	For All				
51	IS 10758	De-odorising-cum- disinfectant fluids	62000	50000	31000	12400	100 LITRES	8.6	For All				
52	IS 10773	Wrought Copper Tubes for Refrigeration and Air- Conditioning Purposes	136000	109000	68000	27200	1 MT	11	For All				
53	IS 10775	Body Level Hearing Aids	46000	37000	23000	9200	1 PIECE	1.45	For All				
54	IS 1079	HOT ROLLED CARBON STEEL SHEET AND STRIP	86000	69000	43000	17200	1 TONNE	3.75	For All				
55	IS 10805	Foot-Valves, Reflux Valves or NonReturn Valves and Bore Valves to be Used in Suction Lines of Agricultural Pumping Systems â€• Specification (Second Revision)	56000	45000	28000	11200	1 PIECE	0.9	For All				
56	IS 1084	Textiles - Manila Ropes	69000	56000	34500	13800	ONE TONNE	86	For All				

57	IS 10889	High density polyethylene films	63000	51000	31500	12600	1 MT	160	For All				
58	IS 10891 : PART 1	Steel Wire Ropes for Aerial Ropeways - Part 1 : Haulage Ropes	57000	46000	28500	11400	ONE TONNE	69.2	For All				
59	IS 10908	FLEXIBLE RUBBER TUBING FOR LIQUEFIED PETROLEUM GAS SPECIFICATION Second Revision	69000	56000	34500	13800	100 METRES	5.2	For All				
60	IS 10910	Polypropylene and its copolymers for its safe use in contact with foodstuffs, pharmaceuticals and drinking water	150000	120000	75000	30000	1 MT	8.45	For All				
61	IS 10931	Lauric Acid - Specification (first revision of IS 10931)	105000	84000	52500	21000	1 MT	8.75	For All				
62	IS 10951	Specification for Polypropylene (PP) Materials for Moulding and Extrusion (Second Revision)	120000	96000	60000	24000	1 MT	6.9	For All				
63	IS 11006	Flash Back Arrestor (Flame Arrestor)	46000	37000	23000	9200	1 PIECE	250	For All				
64	IS 11010	Ziram suspension concentrate (SC)- Specification (first revision)	52000	42000	26000	10400	100 LITRES	34.5	For All				
65	IS 11037	Electronic Type Fan Regulators	46000	37000	23000	9200	1 PIECE	1.75	For All				
66	IS 11041	Air-Screen Seed Cleaner	65000	52000	32500	13000	1 PIECE	58	For All				
67	IS 11057	Industrial Safety Nets	68000	55000	34000	13600	1 KG	0.5	For All				
68	IS 11066	Fibre ropes - Polyester 3- 4- 8- and 12- strand ropes (third revision)	62000	50000	31000	12400	1 MT	360	For All				
69	IS 11087	Paper for magnetic ink character recognition cheque printing	59000	48000	29500	11800	1 TONNE	43.2	For All				

70	IS 1109	Borax	53000	43000	26500	10600	ONE TONNE	85	For All				
71	IS 1110	FERROSILICON -- SPECIFICATIONS	58000	47000	29000	11600	1 MT	14.5	For All				
72	IS 11169 : PART 1	Specification for steels for cold headingcold extrusion applications: Part 1 wrought carbon and low alloy steels	79000	64000	39500	15800	ONE MT	3	For All				
73	IS 11169 : PART 2	STEELS FOR COLD HEADING/COLD EXTRUSION APPLICATIONS part 2 stainless steels- SPECIFICATION (first revision)	132000	106000	66000	26400	1 MT	85	For All				
74	IS 1117	Laboratory Glassware-Single-Volume Pipettes	53000	43000	26500	10600	100 PIECES	13.8	For All				
75	IS 11170	Performance Requirements for Constant Speed Compression Ignition (Diesel) Engines For Agricultural Purposes (Up to 20 kw)	46000	37000	23000	9200	1 PIECE	17.3	1500	10.4	Rest All		
76	IS 11188 : PART 1	Vault Strong Room doors Part 1 specification	46000	37000	23000	9200	1 PIECE	288	For All				
77	IS 11226	LEATHER SAFETY FOOTWEAR HAVING DIRECT MOULDED RUBBER SOLE	46000	37000	23000	9200	ONE PAIR	0.54	For All				
78	IS 11241	Portable Liquefied Petroleum Gas Appliances Operating at Vapour Pressure - Specification (FIRST REVISION)	46000	37000	23000	9200	1 PIECE	1	For All				

79	IS 11273	TEXTILES WOVEN ROVING FABRICS OF E GLASS FIBRE SPECIFICATION Second Revision of IS 11273	123000	99000	61500	24600	1 MT	9.35	For All				
80	IS 11279	Braille Slate	46000	37000	23000	9200	1 PIECE	2	For All				
81	IS 1130	Marble (blocks, Slabs And Tiles)	63000	51000	31500	12600	1 SQ M	0.6	For All				
82	IS 11313	Hydraulic Power Sprayers	108000	92000	54000	21600	ONE SPRAYER	12.5	For All				
83	IS 11320	Textiles ½ Glass Fibre Rovings for the Reinforcement of Polyester, Phenolic, Vinyl Ester and of Epoxy Thermoset Resin Systems ½ Specification (Second Revision of IS 11320)	121000	97000	60500	24200	1 MT	9.35	For All				
84	IS 11329	SPECIFICATION FOR FINNED TYPE HEAT EXCHANGER FOR ROOM AIR CONDITIONER	65000	52000	32500	13000	1 NO.	0.3	For All				
85	IS 11356 : PART 1	STYRENE-BUTADIENE RUBBER LATEX SPECIFICATION PART 1 NON- CARBOXYLATED Second Revision of IS 11356	144000	116000	72000	28800	1 MT	15	For All				
86	IS 11356 : PART 2	STYRENE-BUTADIENE RUBBER LATEX SPECIFICATION PART 2 CARBOXYLATED Second Revision of IS 11356	144000	116000	72000	28800	1 MT	15.2	For All				
87	IS 11360	Specification for smoke detectors for use in automatic electrical fire alarm system	192000	154000	96000	38400	1 PIECE	1	For All				

88	IS 11378	Anaesthetic Machines for Use with Humans	46000	37000	23000	9200	1 PIECE	260	For All				
89	IS 11459	Power-Operated Chaff Cutter - Specification and Test Code (First Revision)	71000	57000	35500	14200	1 MACHINE	17.75	For All				
90	IS 11501	Engine Monoset Pumps for Clear, Cold, Water for Agricultural Purposes ½ Specification (First Revision)	46000	37000	23000	9200	1 PIECE	17.3	1500	10.4	Rest All		
91	IS 11513	HOT-ROLLED CARBON STEEL STRIP FOR COLD ROLLING PURPOSES SPECIFICATION	59000	48000	29500	11800	ONE TONNE	3.75	For All				
92	IS 11536	Processed Cereal Based Complementary Foods ? Specification (Third Revision)	155000	124000	77500	31000	ONE TONNE	172.8	For All				
93	IS 1155	ATTA - SPECIFICATION(THIRD REVISION OF IS 1155)	54000	44000	27000	10800	1 KG	0.1	For All				
94	IS 11551	Textiles ½ Glass Fibre Chopped Strand Mat for the Reinforcement of Epoxy, Vinyl Ester, Phenolic and Polyester Thermoset Resin Systems ½ Specification (Second Revision of IS 11551)	123000	99000	61500	24600	1 MT	12.3	For All				
95	IS 11552	Liquid Nitrogen Vessels of Capacity up to 75 Litres — Specification (Second Revision)	99000	82000	49500	19800	1 PIECE	20	For All				
96	IS 11557	2- Naphthylamine - 3 : 6 : 8 - Trisulphonic Acid, Technical	90000	72000	45000	18000	1 MT	132.4	For All				

97	IS 11569	Specification for Cervical Collar (First Revision)	46000	37000	23000	9200	1 PIECE	0.3	For All				
98	IS 11584	High Density Polyethylene (HDPE) Crates for Milk Satchets	74000	60000	37000	14800	1 NO.	0.25	For All				
99	IS 11587	Structural weather resistant steels	93000	75000	46500	18600	1 MT	7	For All				
100	IS 1159	Baking Powder "Specification (Second Revision)	46000	37000	23000	9200	1 KG	0.1	For All				
101	IS 1161	STEEL TUBES FOR STRUCTURAL PURPOSES - SPECIFICATION	68000	45000	34000	13600	1 TONNE	8.7	For All				
102	IS 11646 : PART 2	Cane for Visually Handicapped - Part 2 : Folding Type	57000	46000	28500	11400	1 PIECE	0.75	For All				
103	IS 1165	WHOLE MILK POWDER - SPECIFICATION (Sixth Revision of IS 1165)	80000	64000	40000	16000	1 TONNE	40	For All				
104	IS 11652	TEXTILES HIGH DENSITY POLYETHYLENE (HDPE)/ POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING OF 50 KG CEMENT	55000	44000	27500	11000	1 TONNE	52	For All				
105	IS 11657	PHOSPHORUS OXYCHLORIDE TECHNICAL SPECIFICATION First Revision	68000	55000	34000	13600	1 MT	17.6	For All				

106	IS 1166	SWEETENED CONDENSED MILK, SWEETENED CONDENSED PARTLY SKIMMED MILK, SWEETENED CONDENSED SKIMMED MILK AND SWEETENED CONDENSED HIGH FAT MILK-SPECIFICATION (Third Revision of IS 1166)	79000	64000	39500	15800	1 TONNE	34.5	For All				
107	IS 11673	Sodium Hypochlorite Solution	63000	51000	31500	12600	1 K.L.	15	For All				
108	IS 11673 : PART 2	SODIUM HYPOCHLORITE SOLUTION PART 2 WATER TREATMENT USE	88000	71000	44000	17600	1 KL	11	For All				
109	IS 11686	Isopropyl Alcohol, Food Grade	79000	64000	39500	15800	1 MT	7.95	For All				
110	IS 1170	Ferrochromium	46000	37000	23000	9200	1 TONNE	91.3	For All				
111	IS 11708	Hand, Mechanical	46000	37000	23000	9200	1 PIECE	2	For All				
112	IS 11740	Chains for Motorcycles	66000	53000	33000	13200	100 PCS	2.2	For All				
113	IS 11744	Phosphorous Pentachloride, Technical - Specification (First Revision)	98000	79000	49000	19600	1 MT	54.45	For All				
114	IS 11782	Sodium Cyanide, Technical - Specification (First Revision)	51000	41000	25500	10200	1 MT	15.5	For All				
115	IS 11785	Captan (Wettable Powder) WP	52000	42000	26000	10400	ONE TONNE	300	For All				
116	IS 1180 : PART 1	Outdoor/Indoor Type Oil Immersed Distribution Transformers up to and Including 2 500 kVA, 33 kV - Specification : Part 1 Mineral Oil Immersed	142000	114000	71000	28400	1 KVA	3	For All				

117	IS 1180 : PART 3	Outdoor/Indoor Type Liquid Immersed Distribution Transformers Up to and Including 2 500 kVA, 33 kV — Specification Part 3 Natural/Synthetic Organic Ester Liquid Immersed	142000	114000	71000	28400	1 KVA	3	For All				
118	IS 11833	Specification For Dry Powder Fire Extinguisher For Metal Fires	65000	53000	32500	13000	1 PIECE	66	800	33	Rest All		
119	IS 11855	Design and use of rubber seals for hydraulic gates - Recommendations (Second Revision)	121000	97000	60500	24200	1 M	0.9	For All				
120	IS 11879	Electric Steam Cookers	65000	53000	32500	13000	1 PIECE	2.7	For All				
121	IS 11890	High Purity Aluminium Ingot For Remelting For Special Applications	89000	72000	44500	17800	1 MT	17	For All				
122	IS 11928 : PART 1 AND 2	Roundslings Made of Man-made Fibres for General Service - Parts 1 and 2	51000	40800	25500	10200	1 UNIT = 1 METER	0.25	For All				
123	IS 11946	SOFT MAGNETIC IRON STRIPS	84000	68000	42000	16800	1 MT	168	For All				
124	IS 11951	PUMPSET FOR DIRECT EVAPORATIVE AIR COOLER â€” SPECIFICATION (Second Revision)	134000	108000	67000	26800	100 PIECES	5.4	For All				
125	IS 11952	STEELS FOR PISTON PINS (GUDGEON PINS)	72000	58000	36000	14400	1 MT	30	For All				
126	IS 11995	Isoproturon, WP	53000	43000	26500	10600	ONE TONNE	345	For All				
127	IS 11996	Deltamethrin EC	49000	40000	24500	9800	100 LITRE	33	For All				
128	IS 11997	Fenvalerate EC	58000	47000	29000	11600	100 LITRE	56	For All				
129	IS 12016	Cypermethrin EC	48000	39000	24000	9600	100 LITRE	69.1	For All				
130	IS 12029	Acid Oil - Specification (first revision of IS 12029)	104000	84000	52000	20800	1 MT	23.15	For All				

131	IS 12045	ALLOYS USED IN ELECTRICAL RESISTANCE METALLIC HEATING ELEMENTS	107000	86000	53500	21400	1 MT	200	For All				
132	IS 12067	Palm fatty acids - Specification (first revision of IS 12067)	90000	72000	45000	18000	1 MT	23.45	For All				
133	IS 12069	Coconut Fatty Acids - Specification (first revision of IS 12069)	96000	77000	48000	19200	1 MT	17.8	For All				
134	IS 12084	MORPHOLINE	81000	65000	40500	16200	1 MT	13.5	For All				
135	IS 12109	General Requirements for Light Duty Sewing Machine Heads for Industrial Use	66000	53000	33000	13200	1 PIECE	4	For All				
136	IS 12118 : PART 1	Two-part Polysulphide-Based Sealants - Specification Part 1 General Requirements	291000	233000	145500	58200	1 TONNE	291	For All				
137	IS 12145	QUENCHED AND TEMPERED ALLOY STEEL FORGINGS FOR PRESSURE VESSELS	62000	50000	31000	12400	1 MT	21	For All				
138	IS 12146	Carbon Manganese Steel Forgings for Pressure Vessels	55000	44000	27500	11000	1 MT	18.35	For All				
139	IS 12181	Determination of Colour Stability of Dental Polymeric Materials	106000	85000	53000	21200	1000 PIECES	1.1	For All				
140	IS 1221	Fountain Pen Ink - Dye Based	59000	48000	29500	11800	1 LITRE	0.17	For All				
141	IS 12210	Caprolactam - Specification (First Revision)	106000	85000	53000	21200	1 MT	14.95	For All				
142	IS 12225	CENTRIFUGAL JET PUMP SPECIFICATION (second revision)	58000	47000	29000	11600	1 PIECE	8.7	For All				

143	IS 12227	Sterile Single-Use Syringes, With or Without Needle, for Insulin	59000	48000	29500	11800	1000 PIECES	1	For All				
144	IS 1223	Apparatus for Determination of Milk Fat by Gerber Method	54000	44000	27000	10800	100 PIECES	12.1	For All				
145	IS 12232 : PART 1	Irrigation equipment - Rotating sprinkler: Part 1 Design and operational requirements	79000	64000	39500	15800	ONE SPRINKLE R	0.95	For All				
146	IS 12234	Plastic equilibrium float valves for cold water services - Specification (first revision)	64000	52000	32000	12800	1 KG	0.55	For All				
147	IS 12254	POLYVINYLCHLORIDE PVC INDUSTRIAL BOOTS - SPECIFICATION Second Revision	69000	56000	34500	13800	ONE PAIR	0.44	For All				
148	IS 12299	DAIRY WHITENER - SPECIFICATION First Revision	111000	89000	55500	22200	ONE TONNE	69.1	For All				
149	IS 12300	Gas Cylinder Valves for Small Refrigerant Cylinders - Specification (First Revision)	77000	62000	38500	15400	1 VALVE	0.4	For All				
150	IS 12330	Specificalioon for sulphate resisting Portland cement	90000	72000	45000	18000	1 TON	3	For All				
151	IS 12337	Manually Operated Fertilizer Broadcaster	46000	37000	23000	9200	ONE BROADCA STER	1.38	For All				
152	IS 12345	VINYL ACETATE MONOMER	142000	114000	71000	28400	1 MT	9.8	For All				
153	IS 1235	Acetic Anhydride	154000	124000	77000	30800	1 MT	7.8	For All				
154	IS 1237	Cement Concrete Flooring Tiles - Specification	57000	46000	28500	11400	10 SQ. M	3.5	For All				

155	IS 1239 : PART 1	STEEL TUBES, TUBULARS AND OTHER WROUGHT STEEL FITTINGS - PART 1 : STEEL TUBES	75000	60000	37500	15000	1 TONNE	8.7	For All				
156	IS 12406	Medium density fibre boards for general purpose - Specification	46000	37000	23000	9200	1 TON	17.3	2500	8.7	Rest All		
157	IS 12427	Fasteners - Threaded Steel Fasteners - Hexagon Head Transmission Tower Bolts	85000	68000	42500	17000	1 TON	86	For All				
158	IS 12436	Preformed Rigid Polyurethane (Pur) and Polyisocyanurate (Pir) Foams for Thermal Insulation	218000	175000	109000	43600	1 SQM	0.2	For All				
159	IS 12444	Continuously cast and rolled electrolytic copper wire rods for electrical conductors	86000	69000	43000	17200	1 TONNE	35.6	For All				
160	IS 12492	SPECIFICATION FOR THERMOPLASTICS HOSES TEXTILE REINFORCED FOR COMPRESSED AIR	72000	61000	36000	14400	100 METRES	5.6	For All				
161	IS 1251	Zinc Phosphide, Technical	47000	38000	23500	9400	1 TONNE	97.95	For All				
162	IS 1253	Aluminium for Use in Iron and Steel Manufacture	76000	61000	38000	15200	1 MT	168.9	For All				
163	IS 1254	Corrugated Aluminium Sheet (Fifth Revision)	112000	90000	56000	22400	1 MT	26	For All				
164	IS 12540	Acrylonitrile - Specification (First Revision)	155000	124000	77500	31000	1 MT	14	For All				
165	IS 1258	Bayonet lampholders (Fifth Revision)	167000	134000	83500	33400	100 PIECE	2.6	For All				

166	IS 12585	SPECIFICATION FOR THERMOPLASTIC HOSES (TEXTILE REINFORCED) FOR WATER - GENERAL PURPOSE (First Revision of IS 12585)	85000	68000	42500	17000	100 MTRS.	7.6	For All				
167	IS 12586	Brazed low carbon steel gas cylinders not exceeding 13 litre water capacity Specification	136000	96000	68000	27200	1 PIECE	1.75	For All				
168	IS 12591	COLD-REDUCED TINMILL PRODUCTS ELECTROLYTIC CHROMIUM / CHROMIUM OXIDE COATED STEEL	46000	37000	23000	9200	ONE MT	5.4	For All				
169	IS 12592	Precast Concrete Manhole Cover and Frame -	51000	41000	25500	10200	1 TON	16	For All				
170	IS 12594	Hot-dip Zinc Coating on Structural Steel Bars for Concrete Reinforcement	48000	39000	24000	9600	1 TONNE	3	For All				
171	IS 12615	LINE OPERATED THREE PHASE A.C. MOTORS (IE CODE) EFFICIENCY CLASSES AND PERFORMANCE SPECIFICATION T INDUCTION MOTORS - THREE PHASE SQUIRREL CAGE	46000	37000	23000	9200	1 KW	1.75	For All				
172	IS 12640 : PART 1	Residual current operated circuitBreakers without integral overcurrent protection for household and similar uses Rccbs: Part 1 general rules (Third Revision)	112000	96000	56000	22400	1 PIECE	5.3	For All				

173	IS 12640 : PART 2	RESIDUAL CURRENT OPERAED CIRCUIT - BREAKING FOR HOUSEHOLD AND SIMILAR USES - PART 2 CIRCUIT - BREAKERS WITH INTEGRAL OVERCURRENT PROTECTION (RCVOS)	112000	96000	56000	22400	1 PIECE	5.3	For All				
174	IS 12650	TEXTILES - JUTE BAGS FOR PACKING 50 KG FOODGRAINS	59000	48000	29500	11800	1 MT	17.3	For All				
175	IS 12658	Grinding Media Rolled/Forged Carbon and Carbon-Chromium Steels	91000	73000	45500	18200	1 MT	7.25	For All				
176	IS 12664 : PART 1	Artificial Limbs - Sach Foot for Lower Extremity Prostheses - Part 1 : Design and Dimensions	46000	37000	23000	9200	1 PIECE	1.8	For All				
177	IS 12679	By-Product Gypsum for Construction Specification	64000	52000	32000	12800	1 MT	0.05	For All				
178	IS 12681	Sodium Nitrate for Explosives and Pyrotechnics Industry	80000	64000	40000	16000	1 MT	4.25	For All				
179	IS 12685	Pesticides - Pendimethalin, Technical	57000	46000	28500	11400	1 MT	70	For All				
180	IS 1269 : PART 1	Legal metrology - Material measure of length Part 1 : Woven metallic and glass fibre tape measures	60000	49000	30000	12000	100 M	0.32	For All				
181	IS 1269 : PART 2	Legal metrology - Material measures of length Part 2: Steel tape measures	60000	49000	30000	12000	100 M	0.32	For All				

182	IS 12701	Rotational Moulded Polyethylene Water Storage Tanks	80000	60000	40000	16000	100 L	1.1	For All				
183	IS 12709	Glass-fibre Reinforced Plastic (grp) Pipes Joints and Fittings for Use for Potable Water Supply	56000	45000	28000	11200	1 KG	0.09	For All				
184	IS 12744	Ready Mixed Paint, Air Drying, Red Oxide - Zinc Phosphate, Priming - Specification	68000	54000	34000	13600	1 LITRE	0.05	For All				
185	IS 12751	Pesticides - Pendimethalin EC	59000	48000	29500	11800	100 LITRES	70	For All				
186	IS 12766	COMPUTER PAPER - SPECIFICATION	68000	55000	34000	13600	1000 SHEETS	0.9	For All				
187	IS 12769	Pesticides - Thiobencarb EC	64000	52000	32000	12800	1 MT	0.05	For All				
188	IS 12776	Galvanized Strand For Earthing	52000	42000	26000	10400	1 TON	17.25	For All				
189	IS 12785	Irrigation Equipment - Strainer-type Filters	46000	37000	23000	9200	ONE FILTER	5.22	For All				
190	IS 12786	Irrigation equipment - Polyethylene pipes for irrigation laterals - Specification (first revision)	89000	72000	44500	17800	ONE KG.	0.1	For All				
191	IS 12795	Linear Alkyl Benzene — Specification (First Revision)	258000	207000	129000	51600	1 MT	7.25	For All				
192	IS 12817	Stainless Steel Butt Hinges	48000	39000	24000	9600	100 PIECE	8	For All				
193	IS 12818	Unplasticized Polyvinyl Chloride (pvc-u)screen And Casing Pipes For Bore/tubewell	76000	61000	38000	15200	1 TON	170	For All				
194	IS 12823	WOOD PRODUCTS - PRELAMINATED PARTICLE BOARDS -SPECIFICATION	98000	79000	49000	19600	1 SQ. M	0.27	For All				

195	IS 1285	WROUGHT ALUMINIUM AND ALUMINIUM ALLOYS EXTRUDED ROUND TUBE AND HOLLOW SECTIONS FOR GENERAL ENGINEERING PURPOSES SPECIFICATION	87000	70000	43500	17400	1 MT	17.4	For All				
196	IS 12866	Plastic Translucent Sheets made from Thermo-Setting Polyester Resin Glassfibre Reinforced - Specification	84000	66000	42000	16800	1 SQ. M	0.7	For All				
197	IS 12894	Pulverized Fuel Ash-Lime Bricks -	46000	37000	23000	9200	1000 bricks	5	For All				
198	IS 12912	Bromadiolone RB	49000	40000	24500	9800	ONE TONNE	449.28	For All				
199	IS 12913	Bromadiolone CB	46000	37000	23000	9200	ONE TONNE	449.28	For All				
200	IS 12916	Acephate SP	46000	37000	23000	9200	ONE TONNE	728.2	For All				
201	IS 12923	Cane GUR (Jaggery)	58000	47000	29000	11600	1 TONNE	3.5	For All				
202	IS 1293	Plugs and socket - Outlets of rated Voltage up to and including 250 Volts and rated current up to and including 16 amperes - Specification	78000	63000	39000	15600	100 PIECE	1.75	For All				
203	IS 12931	Atrazine wettable powder WP - Specification First Revision	53000	43000	26500	10600	100 KG	43.2	For All				
204	IS 12932	Atrazine, technical - Specification (first revision)	80000	64000	40000	16000	1 MT	31	For All				
205	IS 12933 : PART 1	Solar Flat Plate Collector - Part 1 : Requirements	46000	37000	23000	9200	1 SQ.M	10.4	For All				
206	IS 12943	Brass glands for PVC cables	130000	104000	65000	26000	1 KG	1.5	For All				

207	IS 12950	BATTERY HYDROMETER PORTABLE SYRINGE TYPE FOR LEAD-ACID BATTERIES SPECIFICATION (First Revision)	46000	37000	23000	9200	100 PCS	16	For All				
208	IS 12981	Common Salt - Iron Fortified	64000	52000	32000	12800	ONE MT.	6	For All				
209	IS 13000	Silica-asbestos-cement Flat Sheets -	46000	37000	23000	9200	1 TON	14.4	For All				
210	IS 13010	ac Watthour Meters, Class 0.5, 1 and 2	58000	47000	29000	11600	1 PIECE	0.42	100000	0.3	200000	0.18	Rest All
211	IS 13021 : PART 1	AC supplied electronic ballasts for tubular florescent lamps: Part 1 General and safety requirements	58000	47000	29000	11600	1 PIECE	2.7	For All				
212	IS 13021 : PART 2	ac Supplied Electronic Ballasts for Tubular Fluorescent Lamps - Part 2 : Performance Requirements	73000	60000	36500	14600	1 PIECE	2.7	For All				
213	IS 13049	diaphragm type (plastic body) float operated valves for cold water services	62000	50000	31000	12400	1 PIECE	1.35	For All				
214	IS 13095	BUTTERFLY VALVES FOR GENERAL PURPOSES	52000	42000	26000	10400	1 PIECE	3.5	300	17.3	900	28.8	Rest All
215	IS 13098	AUTOMOTIVE VEHICLES TUBES FOR PNEUMATIC TYRES - SPECIFICATION (second revision)	91000	77000	45500	18200	1 PIECE	0.5	100000	0.35	100000	0.15	Rest All
216	IS 13114	forged brass gate, globe and check valves for water works purposes	58000	47000	29000	11600	1 PIECE	0.6	For All				
217	IS 13152 : PART 1	Portable Solid Bio-Mass Cookstove (Chulha)	50000	40000	25000	10000	1 PIECE	0.52	For All				

218	IS 13164	Ferrosilicomagnesium	79000	64000	39500	15800	1 MT	16.5	For All				
219	IS 1319	Edible Tapioca Starch	64000	52000	32000	12800	ONE TONNE	24	For All				
220	IS 13209	Indelible Ink	47000	38000	23500	9400	ONE LITRE	7	For All				
221	IS 1321 : PART 1	Sisal Ropes - Part 1 : Untarred Varieties	58000	47000	29000	11600	1 MT	86	For All				
222	IS 13213	POLYURETHANE FULL GLOSS ENAMEL (TWO PACK)	80000	64000	40000	16000	100 LTS	48	For All				
223	IS 1322	Bitumen Felts for Water Proofing and Damp-proofing	71000	57000	35500	14200	100 METER	4.9	For All				
224	IS 13238	EPOXY BASED ZINC PHOSPHATE PRIMER TWO PACK - SPECIFICATION FIRST REVISION	74000	60000	37000	14800	1 LITRE	0.25	For All				
225	IS 13258	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gas - Code of Practice for Inspection and Reconditioning of Used Lpg Cylinders	72000	59000	36000	14400	1 PIECE	2.65	For All				
226	IS 1328	Veneered Decorative Plywood -Specification	66000	53000	33000	13200	1 SQ.M	0.55	For All				
227	IS 133 : PART 1	Enamel, Interior : (a) Undercoating (b) Finishing - Speification Part 1 for household and decorative purposes	72000	58000	36000	14400	1 LITRE	0.26	For All				
228	IS 13332	Metribuzin, technical - Specification First Revision	78000	63000	39000	15600	1 MT	80.85	For All				
229	IS 13334 : PART 1	SKIMMED MILK POWDER - SPECIFICATION PART 1 : STANDARD GRADE	80000	64000	40000	16000	ONE TONNE	25.9	1000	17.4	1000	8.6	Rest All

230	IS 13334 : PART 2	SKIMMED MILK POWDER SPECIFICATION PART 2 EXTRA GRADE	80000	64000	40000	16000	ONE TONNE	34.5	For All				
231	IS 13340 : PART 1	Shunt Power Capacitors of the Self-Healing Type for a.c. Systems Having a Rated Voltage up to and Including 1 000 V Part 1 General - Performance, Testing and Rating - Safety Requirements - Guide for Installation and Operation (Second Revision)	58000	47000	29000	11600	1 KVAR	0.9	For All				
232	IS 13349	Cast Iron Single Faced Thimble Mounted Sluice Gates	65000	52000	32500	13000	1 PIECE	108.35	For All				
233	IS 13352	STOCK FOR FORGINGS PRODUCED F ROM CONTINUOUSLY BAST BILLETS , BLOOMS, SLABS AND BARS	128000	103000	64000	25600	1 MT	20	For All				
234	IS 13382	CAST IRON SPECIALS FOR MECHANICAL AND PUSH-ON FLEXIBLE JOINTS FOR PRESSURE PIPES FOR WATER, GAS AND SEWAGE	67000	54000	33500	13400	1 MT	62.5	For All				
235	IS 13387	TOOL STEEL FORGINGS FOR METAL FORMING	72000	58000	36000	14400	1 MT	11	For All				
236	IS 1341	STEEL BUTT HINGES -	46000	37000	23000	9200	100 PIECE	1.75	For All				
237	IS 13422	Disposable Surgical Rubber Gloves	70000	56000	35000	14000	100 PAIR	1.74	For All				
238	IS 13428	PACKAGED NATURAL MINERAL WATER - SPECIFICATION Third Revision	125000	100000	62500	25000	1000 LITRE	20	6000	15	4000	10	Rest All

239	IS 13429 : PART 1	Solar Cooker - Box Type - Part 1 : Requirements	46000	37000	23000	9200	1 PIECE	6	For All				
240	IS 13450 : PART 1 : SEC 4	Medical Electrical Equipment : Part 1 General Requirements for Safety , Section 1 Collateral Standard - Safety Requirements for Medical Electrical System	382000	306000	191000	76400	1 PIECE	200	For All				
241	IS 13450 : PART 2 : SEC 12	Medical Electrical Equipment Part 2 Particular requirements for basic safety and essential performance Section 12 Critical care ventilators (First Revision)	543000	435000	271500	108600	1 PIECE	543	For All				
242	IS 13450 : PART 2 : SEC 13	Medical Electrical Equipment: Part 2 Particular Requirements for the Basic Safety and Essential Performance: Sec 13 Anaesthetic Workstation (First Revision)	388000	311000	194000	77600	1 PIECE	500	For All				
243	IS 13450 : PART 2 : SEC 16	Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 16 haemodialysis, haemodiafiltration and haemofiltration equipment	451000	361000	225500	90200	1 PIECE	75.5	For All				

244	IS 13450 : PART 2 : SEC 2	Medical electrical equipment Part 2 Particular requirements for basic safety and essential performance Section 2 High frequency surgical equipment and high frequency surgical accessories First revision	291000	233000	145500	58200	1 PIECE	150	For All				
245	IS 13450 : PART 2 : SEC 21	Medical Electrical Equipment Part 2 Particular Requirements for the Basic Safety and Essential Performance Section 21 Infant Radiant Warmer First Revision	207000	166000	103500	41400	1 PIECE	30	For All				
246	IS 13450 : PART 2 : SEC 25	MEDICAL ELECTRICAL EQUIPMENT PART 2 PARTICULAR REQUIREMENTS FOR THE BASIC SAFETY AND ESSENTIAL PERFORMANCE SECTION 25 ELECTROCARDIOGRAPHS	277000	222000	138500	55400	1 PIECE	90	For All				
247	IS 13450 : PART 2 : SEC 26	Medical electrical equipment Part 2 Particular requirements for basic safety and essential performance Section 26 Electroencephalographs	426000	341000	213000	85200	1 PIECE	100	For All				

248	IS 13450 : PART 2 : SEC 37	Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 37 ultrasonic medical diagnostic and monitoring equipment	260000	208000	130000	52000	1 PIECE	920	For All				
249	IS 13450 : PART 2 : SEC 4	Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 4 cardiac defibrillators (First Revision)	382000	306000	191000	76400	1 PIECE	200	For All				
250	IS 13450 : PART 2 : SEC 44	Medical electrical equipment: Part 2 particular requirements for the basic safety and essential performance: Sec 44 X-ray equipment for computed tomography (First Revision)	65000	52000	32500	13000	1 NO.	5420	For All				
251	IS 13457	Pesticide - Deltamethrin WP	58000	47000	29000	11600	ONE M.T.	1124	For All				
252	IS 13466	Brushes for Electrical Machines	46000	37000	23000	9200	100 PIECE	4.4	For All				
253	IS 13487	Irrigation Equipment - Emitters	55000	44000	27500	11000	1000 EMITTERS	8.6	For All				
254	IS 13488	Irrigation Equipment - emitting Pipes System	74000	61000	37000	14800	1 K.G	0.35	For All				
255	IS 13489	Textiles - Bed Mattress	66000	53000	33000	13200	1 NUMBER	1	For All				
256	IS 13502	PIG IRON- SPECIFICATION	46000	37000	23000	9200	1 TONNE	3	For All				

257	IS 13584	Brush Materials for Electrical Machinery	46000	37000	23000	9200	1 KG	0.36	For All				
258	IS 13585 : PART 1	Shunt Power Capacitors Of The Non -Self - Healing Type For ac Systems Having A Rated Voltage up to and Including 1 000 V--PART 1 GENERAL PERFORMANCE, TESTING AND RATING SAFETY--REQUIREMENTS GUIDE FOR INSTALLATION AND OPERATION	58000	47000	29000	11600	1 KVAR	0.9	For All				
259	IS 13592	Unplasticized Polyvinyl Chloride (PVC-U) Pipes for Soil and Waste Discharge System Inside and Outside Builidings Including Ventilation and Rainwater System	71000	57000	35500	14200	100 KG	20.4	For All				
260	IS 13601	Ethylene Vinyl Acetate (eva) Copolymers for Its Safe Use in Contact with Foodstuffs, Pharmaceuticals and Drinking Water	183000	147000	91500	36600	1 MT	8.45	For All				
261	IS 13620	Fusion Bonded Epoxy Coated Reinforcing Bars -	68000	55000	34000	13600	1 MT	4	For All				
262	IS 1363 : PART 1	Hexagon head bolts, screws and nuts of product grade C Part 1 Hexagon head bolts (Size range M5 to M64) (sixth revision)	59000	48000	29500	11800	1 TON	26	For All				

263	IS 1363 : PART 2	Hexagon head bolts, screws and nuts of product grade C Part 2 Hexagon head screws (Size range M5 to M64) (sixth revision)	59000	48000	29500	11800	1 TON	26	For All				
264	IS 1363 : PART 3	HEXAGON HEAD BOLTS, SCREWS AND NUTS OF PRODUCT GRADE C - PART 3 : HEXAGON NUTS (SIZE RANGE M5 TO M64)	59000	48000	29500	11800	1 TON	26	For All				
265	IS 1364 : PART 1	Hexagon head bolts, screws, and nuts of property grades A and B: Part 1 Hexagon head bolts (Size range M1.6 to M64) (sixth revision)	46000	37000	23000	9200	1 TON	26	For All				
266	IS 1364 : PART 2	Hexagon head bolts screws and nuts of product grades A and B Part 2 Hexagon head screws (Size range M1.6 to M64) (Sixth revision of IS 1364 (Part 2))	51000	41000	25500	10200	1 MT	26	For All				
267	IS 1364 : PART 3	Hexagon Head Bolts, Screws and Nuts of Product Grades A and B Part 3 Hexagon Nuts, Style 1 (Size Range M 1.6 To M 64)	118000	95000	59000	23600	1 MT	26	For All				
268	IS 13641	Pesticide - Metalaxyl WS	84000	68000	42000	16800	1 MT	280	For All				
269	IS 13656	Internal Combustion Engine Crankcase Oils for Automotive Application (Diesel and Gasoline)- Specification	79000	64000	39500	15800	1 LITRE	0.2	For All				
270	IS 13664	Polly pallets for bag storage godowns	87000	70000	43500	17400	1 PIECE	3.8	For All				

271	IS 13688	PACKAGED PASTEURIZED MILK	115000	92000	57500	23000	1000 LITRE	3	For All				
272	IS 13692	Metalaxyl Mancozeb WP	58000	47000	29000	11600	ONE TONNE	312	For All				
273	IS 1370	Transmission Belting - Friction Surface Rubber Belting	46000	37000	23000	9200	10 SQ.M	3.5	For All				
274	IS 13703 : PART 2 : SEC 1	Low-voltage fuses for voltages not exceeding 1 000 V AC or 1 500 V DC: Part 2 Fuses for use by authorized persons, Sec 1 Supplementary requirements	65000	53000	32500	13000	100 PIECE	5.3	For All				
275	IS 13713	Plastic chairs for general office purposes-	148000	119000	74000	29600	100 NUMBERS	8.25	For All				
276	IS 13714	Dunnage pallets - Ware housing	59000	48000	29500	11800	1 PIECE	3.5	For All				
277	IS 13730 : PART 13	Specifications for Particular Types of Winding Wires Part 13 Polyester or Polyesterimide Overcoated with Polyamide-Imide Enamelled Round Copper Wire, Class 200	46000	37000	23000	9200	1 TONNE	57.6	For All				
278	IS 13730 : PART 15	Particular types of winding wires : Part 15 Polyesterimide enamelled round aluminium wire, Class 180	69000	56000	34500	13800	1 TON	304	For All				

279	IS 13730 : PART 27	Specifications for Particular Types of Winding Wires Part 27 Paper Tape Covered Rectangular Copper Wire (First Revision)	57000	46000	28500	11400	1 MT	90	For All				
280	IS 13730 : PART 3	Specifications for Particular Types of Winding Wires Part 3 : Polyester Enamelled Round Copper Wire, Class 155	46000	37000	23000	9200	1 TON	57.6	For All				
281	IS 13730 : PART 45	Specifications For Particular Types Of Winding Wires : Part 45 Polyester Enamelled Round Copper Wire, Class 130	46000	37000	23000	9200	1 TON	57.6	For All				
282	IS 13730 : PART 8	Specification for Particular Types of Winding Wires Part 8 Polyesterimide Enamelled Round Copper Wire, Class 180	46000	37000	23000	9200	1 TON	57.6	For All				
283	IS 13774	Live Working Gloves of Insulating Material (Second Revision)	232000	186000	116000	46400	1 PAIR	0.2	For All				
284	IS 13779	ac STATIC WATTHOUR METERS CLASS 1 AND 2- Specification	181000	157000	90500	36200	1 PIECE	1.32	For All				
285	IS 13785	Pesticide - Dodine WP	55000	44000	27500	11000	01 KG.	2.6	For All				
286	IS 13787	Pesticide - Benomyl WP	55000	44000	27500	11000	ONE TONNE	2.6	For All				
287	IS 13801	Chequered Cement Concrete Tiles -	79000	64000	39500	15800	10 SQ. M	3.5	For All				
288	IS 1381 : PART 1	Laboratory Glassware - Narrow-Necked Boiling Flasks	50000	40000	25000	10000	1 PIECE	0.25	For All				

289	IS 1381 : PART 2	Laboratory glassware - Boiling flasks: Part 2 boiling flasks with conical ground joints (Third Revision)	68000	55000	34000	13600	100 PCS	20	For All				
290	IS 13893	POLYURETHANE SOLES SEMIRIGID	65000	52000	32500	13000	100 PAIRS	1.1	For All				
291	IS 1391 : PART 1	Room Air Conditioners Specification Part 1 Unitary Air Conditioners Fourth Revision	601000	481000	300500	120200	1 kW (Cooling Capacity)	1	For All				
292	IS 1391 : PART 2	Room Air Conditioners Specification Part 2 Split Air Conditioners Fourth Revision	79000	64000	39500	15800	01 KG.	6	For All				
293	IS 1391 : PART 2	Room Air Conditioners Specification Part 2 Split Air Conditioners Fourth Revision	601000	481000	300500	120200	1 kW (Cooling Capacity)	1	For All				
294	IS 13921	CHELATED ZINC (ZN-EDTA) AGRICULTURAL GRADE	46000	37000	23000	9200	1 MT	28.75	For All				
295	IS 1395	Low And Medium Alloy Steel Covered Electrodes For Manual Metal Arc Welding	183000	147000	91500	36600	1 KG	0.02	For All				
296	IS 13958	Bamboo Mat Board For General Purposes - specification	46000	37000	23000	9200	1 SQ.M	0.5	For All				
297	IS 1397	Kraft Paper	94000	76000	47000	18800	1 TONNE	12.5	For All				
298	IS 13983	Stainless Steel Sinks For Domestic Purposes	102000	82000	51000	20400	1 PIECE	4	For All				
299	IS 13997	Drums, Large Open Top - Specification	53000	43000	26500	10600	1 DRUM	1.8	For All				
300	IS 14106	DIRECT ACTION HANDPUMP	58000	47000	29000	11600	1 PIECE	8.7	For All				

301	IS 14128	N-(1,3-Dimethylbutyl)-N~-Phenyl paraphenylenediamine (6 PPD)	98000	79000	49000	19600	1 MT	17.6	For All				
302	IS 14151 : PART 1	Irrigation Equipment - Sprinkler Pipes - Part 1 : Polyethylene Pipes	108000	87000	54000	21600	ONE KG.	0.18	For All				
303	IS 14151 : PART 2	Irrigation Equipment - Sprinkler Pipes : Part 2 Quick Coupled Polyethylene Pipes and fittings	65000	53000	32500	13000	ONE SET	0.3	For All				
304	IS 14158	Cyfluthrin WP	63000	51000	31500	12600	100 KG.	414.7	For All				
305	IS 14166	Respiratory protective devices : Full face masks	121000	101000	60500	24200	100 NOS	45	For All				
306	IS 14182	Solvent Cement For Use With Unplasticized Polyvinylchloride Plastic Pipe And Fittings	68000	56000	34000	13600	ONE LITRE	0.5	For All				
307	IS 14183	Pesticide - Cartap Hydrochloride SP	53000	43000	26500	10600	ONE TONNE	792	For All				
308	IS 14184	Pesticide - Cartap Hydrochloride G	53000	45000	26500	10600	ONE TONNE	57.6	For All				
309	IS 14186	Diflubenzuron wettable powder WP - Specification First Revision	46000	37000	23000	9200	ONE TONNE	312	For All				
310	IS 14203	FIRE RESISTING RECORD PROTECTION CABINETS SPECIFICATION Second Revision of IS 14203	91000	75000	45500	18200	1 PIECE	56	For All				
311	IS 1422	Cotton Duck	53000	43000	26500	10600	100 SQ. METRE	11.6	For All				
312	IS 14220	OPENWELL SUBMERSIBLE PUMPSETS	46000	37000	23000	9200	1 PIECE	17.3	200	10	Rest All		

313	IS 14246	CONTINUOUSLY PRE-PAINTED GALVANIZED STEEL SHEETS AND STRIPS - SPECIFICATION Second Revision	46000	37000	23000	9200	1 TONNE	6	For All				
314	IS 14252	TEXTILES HIGH DENSITY POLYETHYLENE (HDPE)/ POLYPROPYLENE (PP) WOVEN SACKS FOR FILLING SAND	85000	68000	42500	17000	1 MT	340	For All				
315	IS 14255	Aerial Bunched Cables for working voltages upto and including 1100 Volts	180000	144000	90000	36000	100 M	20	For All				
316	IS 14261	Transmission Devices - V-belts - Endless Narrow V-belts for Industrial Use	46000	37000	23000	9200	100 PIECE	60	For All				
317	IS 14268	Uncoated stress relieved low relaxation seven-wire (ply) strand for prestressed concrete -Specification (Second Revision)	100000	84000	50000	20000	1 TON	34.6	For All				
318	IS 14276	CEMENT BONDED PARTICLE BOARDS -SPECIFICATION	58000	47000	29000	11600	1 SQ.M	0.18	For All				
319	IS 14300	Neem Based EC Containing Azadirachtin	57000	46000	28500	11400	100 LITRE	36	1000	18	Rest All		
320	IS 14314	Thinner General Purposes For Synthetic Paints And Varnishes	165000	132000	82500	33000	1 LITRE	0.15	For All				
321	IS 14333	Polyethylene Pipes for Sewerage and Industrial Chemicals and Effluent Specification (First Revision)	100000	84000	50000	20000	1 KG	0.22	For All				

322	IS 14364	Quarternary ammonium compound based surface cleaner, liquid	86000	69000	43000	17200	1 KL	7.2	For All				
323	IS 14394	Industrial Fasteners - Hexagon Nuts of Product Grade C - Hot-Dip Galvanized (Size Range M12 to M36)	46000	37000	23000	9200	ONE TONNE	27	For All				
324	IS 14399 : PART 1 AND 2	Hot Press Moulded Thermosetting Glass Fibre Reinforced Polyester Resin (GRP) Sectional Water Storage Tanks : Part 1 palels, Part 2 Guidelines for assembly, installation and test	65000	53000	32500	13000	1 KG	0.36	For All				
325	IS 14402	GRP pipes joints and fittings for use sewerage, industrial waste and water (other than potable)	65000	53000	32500	13000	1 KG	0.15	For All				
326	IS 14407	Aluminium cans for beverages -- Specification (first revision)	187000	150000	93500	37400	100 PIECES	0.06	For All				
327	IS 14411	Deltamethrin F	48000	39000	24000	9600	100 LITRES	62.4	For All				
328	IS 14426	Chlorinated Paraffins (CP)	114000	92000	57000	22800	100 LITRES	0.4	For All				
329	IS 14429	Braille Shorthand Machine,	46000	37000	23000	9200	1 PIECE	10	For All				
330	IS 14433	INFANT MILK SUBSTITUTES - SPECIFICATION (Second Revision of IS 14433)	156000	125000	78000	31200	1 TONNE	51.8	For All				

331	IS 14434	POLYCARBONATE MOULDING AND EXTRUSION MATERIALS SPECIFICATION	85000	68000	42500	17000	1 MT	21	For All				
332	IS 14439 : PART 2	Legal Metrology - Gas Volume Meters - Part 2 : Diaphragm Gas Meters	65000	52000	32500	13000	1 PIECE	0.45	For All				
333	IS 14443	Polycarbonate Sheets	131000	109000	65500	26200	100 KG	29	For All				
334	IS 14483 : PART 1	Fertilizer and chemical injector system - Part 1 Venturi injector	61000	50000	30500	12200	1 PIECE	1.6	For All				
335	IS 14483 : PART 3	FERTILIZER AND CHEMICAL INJECTOR SYSTEM PART 3 FERTILIZER TANK - SPECIFICATION	51000	41000	25500	10200	1 PIECE	1.05	For All				
336	IS 14490	Plain Copier Paper - Specification (Second Revision)	79000	64000	39500	15800	1 TONNE	12.5	For All				
337	IS 14493 : PART 5	Multicore and symmetrical pair / quad cables for digital communications: Part 5 symmetrical pair / quad cables with transmission characteristics up to 1000 MHz - Horizontal floor wiring - Secal specification	214000	172000	107000	42800	100 METERS	0.23	For All				
338	IS 14494	ELASTOMER INSULTATED FLEXIBLE CABLES FOR USE IN MINES (COMBINED REVISION OF IS:691 AND IS:1026)	139000	112000	69500	27800	100 METER	17.3	For All				
339	IS 14500	Linear Low Density Polyethylene (LLDPE) Films	78000	63000	39000	15600	1 KG	0.05	For All				

340	IS 14506	Epoxy red oxide zinc phosphate weldable primer, two component	64000	51200	32000	12800	LITRE	0.5	For All				
341	IS 14510	Lambda-cyhalothrin WP	52000	42000	26000	10400	1 KG.	6	For All				
342	IS 14542	PARTLY SKIMMED MILK POWDER	80000	64000	40000	16000	1 MT	26.5	For All				
343	IS 14543	Packaged Drinking Water Other than Packaged Natural Mineral Water Specification Third Revision	128000	102400	64000	25600	1000 LITRE	20	6000	15	4000	10	Rest All
344	IS 14544	LEATHER SAFETY FOOTWEAR WITH DIRECT MOULDED PVC SOLES	65000	53000	32500	13000	1 PAIR	0.65	For All				
345	IS 14550	Hexaconazole, EC	47000	38000	23500	9400	100 LTS.	40	For All				
346	IS 14551	Thiophanate Methyl, Technical	56000	45000	28000	11200	1 MT	49.15	For All				
347	IS 14552	Thiophanate methyl wettable powders - Specification (first revision)	53000	43000	26500	10600	1 KG.	1.35	For All				
348	IS 14561	Fire Resisting (Insulating) Filing Cabinets Specification	91000	75000	45500	18200	1 PIECE	38	For All				
349	IS 14587	Prelaminated Medium Density Fibre Board - Specification	118000	95000	59000	23600	1 TON	20	For All				
350	IS 14597	Synthetic tarpaulins (Heavy duty protective covers) made from coated nylon or polyester fabrics	165000	132000	82500	33000	100 SQ. M.	5.5	For All				
351	IS 14605	Irrigation Equipment - Micro Sprayer	88000	73000	44000	17600	100 PIECES	0.6	For All				
352	IS 14606	Irrigation Equipment - Media Filter	114000	93000	57000	22800	ONE MEDIA FILTER	16	For All				

353	IS 14609	Dry Chemical Powder for Fighting A,B,C, Class Fires - Specification	64000	51000	32000	12800	1 KG	0.16	For All				
354	IS 14611	Multilayered Cross Laminated Sheets/Tarpaulins/Covers/Agricultural Films - Specification (Second Revision)	112000	96000	56000	22400	1 MT	62.5	For All				
355	IS 14612	Commercial Burners Using LPG at Inlet Pressure up to 147.1 kN/m2 (1500 gf/cm2)	51000	41000	25500	10200	1 PIECE	0.4	For All				
356	IS 14613	Roasted Bengal Gram Flour (Channa Sattu)	49700	39800	24850	9940	KG	0.12	800000	0.04	Rest All		
357	IS 14616	Laminated veneer lumber - Specification	81000	69000	40500	16200	1 CUB.M	29	For All				
358	IS 14625	PLASTICS FEEDING BOTTLES	110000	88000	55000	22000	100 BOTTLES	3	For All				
359	IS 14635 : PART 1	FLUOROPOLYMER DISPERSIONS AND MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM	98000	78400	49000	19600	1 MT	43.8	For All				
360	IS 14643	Unsintered Polytetrafluoroethylene (PTFE) Tape for Thread Sealing Applications	253000	203000	126500	50600	100 ROLLS	1.4	For All				
361	IS 14650	UNALLOYED AND ALLOYED STEEL INGOT AND SEMI-FINISHED PRODUCTS FOR RE-ROLLING PURPOSES - SPECIFICATION (First Revision)	61000	49000	30500	12200	1 TONNE	3	For All				
362	IS 1466	Ferrovandium	79000	64000	39500	15800	1 MT	90	For All				
363	IS 1469	Ferromolybdenum	87000	70000	43500	17400	1 MT	195	For All				

364	IS 14697	ac STATIC TRANSFORMER OPERATED WATTHOUR METERS CLASS 02 S AND 05 S AND VAR-HOUR METERS CLASS 02 S 05 S AND 10 S - SPECIFICATION First Revision	151000	133000	75500	30200	1 PIECE	3.6	For All				
365	IS 1470	Silicomanganese	63000	51000	31500	12600	1 MT	6.8	For All				
366	IS 14707	METHYL ACRYLATE	145000	116000	72500	29000	1 MT	9.5	For All				
367	IS 14708	ETHYL ACRYLATE	80000	64000	40000	16000	1 MT	11.5	For All				
368	IS 14709	N-BUTYL ACRYLATE	80000	64000	40000	16000	1 MT	12	For All				
369	IS 14712	Wrought Aluminium and Its Alloys - Chequered/tread Sheets for General Engineering Purposes	95000	76000	47500	19000	1 MT	28.5	For All				
370	IS 14724	Water Purifiers with Ultra- violet Disinfection	87000	70000	43500	17400	1 PIECE	9.6	For All				
371	IS 14735	Unplasticized Polyvinyl Chloride (UPVC) Injection Moulded Fittings for Soil and Waste Discharge System for Inside and Outside Buildings Including Ventilation and Rain Water System -	79000	64000	39500	15800	100 PIECE	12.5	For All				
372	IS 14743	Irrigation equipment - Hydrocyclone filters - Specification (First Revision)	68000	55000	34000	13600	1 FILTER	8	For All				
373	IS 14746	Respiratory Protective Devices - Half Masks And Quarter Masks	91000	75000	45500	18200	100 NOS	8	For All				
374	IS 1475	Drinking Water Coolers - Specification (Fourth Revision)	46000	37000	23000	9200	1 PIECE	17.3	For All				

375	IS 1475 : PART 1	Self-contained Drinking Water Coolers - Part 1 : Energy Consumption And Performance	46000	37000	23000	9200	1 PIECE	17.3	For All				
376	IS 14756	Stainless Steel Utensils - Specification (THIRD REVISION)	51000	42000	25500	10200	1 KG	0.25	For All				
377	IS 14768 : PART 2	Conduit Fittings For Electrical Installations - Part 2 : Metal Conduit Fittings (superseding IS 2667)	69000	56000	34500	13800	100 PIECE	4.7	For All				
378	IS 14772	Boxes and Enclosures for Electrical Accessories for Household and Similar Fixed Electrical Installations	65000	53000	32500	13000	100 PIECES	9.2	For All				
379	IS 14806	Azospirillum Inoculant	46000	37000	23000	9200	1 MT	140	For All				
380	IS 14807	Phosphate Solubilizing Bacterial Inoculant (PSBI) - Specification (First Revision)	73000	59000	36500	14600	1 MT	152.6	For All				
381	IS 14845	Resilient Seated Cast Iron Air Relief Valves for Water Works Purposes -	66000	53000	33000	13200	1 PIECE	12.2	For All				
382	IS 14846	Sluice Valve for Water Works Purposes (50 to 1200 mm Size) -	74000	60000	37000	14800	1 PIECE	17.3	For All				
383	IS 14855 : PART 1	Plant Protection and Vector Control Equipment - Fogging Machines - Part 1 : Pulse-Jet-Type Thermal Fogger	315000	252000	157500	63000	1 MACHINE	40	For All				
384	IS 14856	Glass Fibre Reinforced Plastic (GRP) Panel Type Door Shutters for Internal Use -	111000	89000	55500	22200	1 SQUARE METER	6	For All				

385	IS 14858	Requirements for compression testing machine used for testing of concrete and mortar	51000	41000	25500	10200	1 MACHINE	200	For All				
386	IS 14862	Fibre Cement Flat Sheets -	46000	37000	23000	9200	1 TON	1.75	For All				
387	IS 14871	Products in Fibre Reinforced Cement - Long Corrugated or Asymmetrical Section Sheets and Fittings for Roofing and Cladding -	46000	37000	23000	9200	1 TON	12	For All				
388	IS 1488	Pesticides - 2, 4-D Sodium Salt, Technical	57000	46000	28500	11400	ONE TONNE	285	For All				
389	IS 14885	Polyethylene Pipes for the Supply of Gaseous Fuels ½ Specification (First Revision)	112000	96000	56000	22400	1 TON	96	For All				
390	IS 14887	Textiles - High Density Polyethylene (HDPE)/Polypropylene (PP) Woven Sacks for Packing 50 kg/25 kg Foodgrains - Specification	82000	66000	41000	16400	1 MT	150	For All				
391	IS 1489 : PART 1	PORTLAND POZZOLANA CEMENT - SPECIFICATION PART 1 FLY ASH BASED	68000	55000	34000	13600	1 TON	3	For All				
392	IS 1489 : PART 2	PORTLAND POZZOLANA CEMENT SPECIFICATION PART 2 CALCINED CLAY BASED	72000	58000	36000	14400	1 TON	3	For All				
393	IS 14898	ECO Criteria for Finished Leather	71000	59000	35500	14200	1 SQM	2.1	For All				
394	IS 14899	Liquefied Petroleum Gas (LPG) Containers for Automotive Use - Specification	136000	96000	68000	27200	1 PIECE	5	For All				

395	IS 14900	TRANSPARENT FLOAT GLASS	2451000	1961000	1225500	490200	ONE METRIC TONNE	12	For All				
396	IS 14912	Door Closers, Concealed Type (Hydraulically Regulated) -	209000	168000	104500	41800	1 PIECE	4.6	For All				
397	IS 14923	Polymerized 1,2 Dihydro 2,2,4- Tri Methyl Quinoline (TMQ)	153000	123000	76500	30600	1 MT	20	For All				
398	IS 14927 : PART 2	Cable Trunking and Ducting Systems for Electrical Installations : Part 2 Cable Trunking and Ducting Systems Intended for Mounting on Walls or Ceiling	58000	47000	29000	11600	100 M	2.1	For All				
399	IS 14928	Textiles - Composite Synthetic Fibre Ropes	47000	38000	23500	9400	1 M.T.	300	For All				
400	IS 14929	Mixed polyolefin fibre ropes	49000	40000	24500	9800	1 M.T.	260	For All				
401	IS 14932	Sulfamic Acid	101000	81000	50500	20200	1 KG	0.15	For All				
402	IS 14933	High Pressure Fire Fighting Hose -Specification	71000	59000	35500	14200	1 M	1.8	For All				
403	IS 14948	Paint Coal Tar Epoxy, Two Pack, Black and Brown (Base and Hardner)	168000	135000	84000	33600	1 MT	240	For All				
404	IS 14951	Fire Extinguisher - 135 Litres Capacity Mechanical Foam Type -	79000	64000	39500	15800	1 PIECE	288	For All				
405	IS 14953	Textiles - Polyester or Polyamide Mosquito Nets	88000	71000	44000	17600	100M	2.4	For All				
406	IS 14968	TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE)/POLYPROPYLENE (PP) WOVEN SACKS FOR PACKING 50 KG/25 KG SUGAR	58000	47000	29000	11600	1 MT	150	For All				

407	IS 15030	TEREPHTHALIC ACID - SPECIFICATION (First revision)	74000	65000	37000	14800	1 MT	4.2	For All				
408	IS 15041	Textiles - Flat Woven Webbing Slings Made of Man-Made Fibres for General Services	62000	51000	31000	12400	100 PIECES	8	For All				
409	IS 15058	PVC Water-Stops at Transverse Contraction Joints for Use in Masonry and Concrete Dams	90000	72000	45000	18000	1 TON	160	For All				
410	IS 1507	Specification for Copper Oxychloride Water Dispersible Powder Concentrates	49000	40000	24500	9800	1 TONNE	196	For All				
411	IS 15073 : PART 2	Packaging of electric detonator : Part 2 Corrugated fibreboard cases	83000	68000	41500	16600	100 BOXES	10	For All				
412	IS 15100	MULTIFUNCTION VALVE ASSEMBLY FOR PERMANENTLY FIXED LIQUEFIED PETROLEUM GAS (LPG) CONTAINERS FOR AUTOMOTIVE USE	71000	59000	35500	14200	1 PIECE	2.3	For All				
413	IS 15103	Fire Resistant Steel	104000	84000	52000	20800	1 MT	1.9	For All				
414	IS 15111 : PART 1 AND PART 2	Self Ballasted Lamps for General Lighting Services	223000	179000	111500	44600	100 PIECE	33	5000	16.5	Rest All		
415	IS 15138	Textiles - Jute Bags For Packing 50 Kg Sugar - Specification (second revision)	59000	48000	29500	11800	1 TONNE	18	For All				
416	IS 1515	Beehives	55000	44000	27500	11000	1 PIECE	2.9	For All				
417	IS 15155	BARWIRE WRAPPED STEEL CYLINDER PIPES WITH MORTAR LINING AND COATING INCLUDING SPECIALS SPECIFICATION	85000	68000	42500	17000	1 TON	9.45	For All				

418	IS 15160	Pretilachlor Emulsifiable Concentrate	47000	38000	23500	9400	100 LTS	22	2000	11	Rest All		
419	IS 15165	Tebuconazole, Technical	51000	41000	25500	10200	1 MT	100	For All				
420	IS 15169	Needles for Sewing Machines for Industrial Purpose	110000	88000	55000	22000	1000 PIECES	1.1	For All				
421	IS 15182	Propiconazole E.C.	49000	40000	24500	9800	100 LTS	130	For All				
422	IS 15219	Aluminium Phosphide Powder Formulation	46000	37000	23000	9200	1 KG.	1.1	For All				
423	IS 15225	Chlorinated Polyvinyl Chloride Compounds Used for Pipes and Fittings	114000	92000	57000	22800	1 MT	38	For All				
424	IS 15227	Deltamethrin ULV	47000	38000	23500	9400	100 LITRES	115	For All				
425	IS 15228	Cyfluthrin - Emulsion in Water (EW)	46000	37000	23000	9200	100 LITRES	230	For All				
426	IS 15236	Profenofos + Cypermethrin Emulsifiable Concentrate	57000	46000	28500	11400	100 LTS	124.2	For All				
427	IS 15240	Profenofos Emulsifiable Concentrate	54000	44000	27000	10800	100 LTS	50	For All				
428	IS 15265	Flexible PVC Pipes or Polymer Reinforced Thermoplastic Hoses for Suction and Delivery Lines of Agricultural Pumps - Specifcaton	115000	96000	57500	23000	1 TON	180	For All				
429	IS 15298 : PART 2	Personal Protective Equipment Part 2 Safety Footwear (ISO 20345 : 2021, MOD) (Third Revision)	126000	111000	63000	25200	1 PAIR	1.76	For All				
430	IS 15298 : PART 3	Personal Protective Equipment Part 3 Protective Footwear (ISO 20346 : 2021, MOD) (Third Revision)	146000	129000	73000	29200	1 PAIR	0.74	For All				

431	IS 15298 : PART 4	Personal Protective Equipment Part 4 Occupational Footwear (ISO 20347 : 2021, MOD) (Third Revision)	84000	69000	42000	16800	ONE PAIR	1.4	For All				
432	IS 15322	Particle Filters Used in Respiratory Protective Equipment	79000	64000	39500	15800	100 FILTERS	1.2	For All				
433	IS 15323	Gas Filters and Combined Filters Used in Respiratory Protective Equipment	46000	37000	23000	9200	1 PIECE	0.8	For All				
434	IS 15328	Unplasticized Non-Pressure Polyvinyl Chloride (PVC -U) Pipes for use in Underground Drainage and Sewerage Systems -	88000	72000	44000	17600	1 TON	79	For All				
435	IS 15334	Imidacloprid WS	84000	68000	42000	16800	1 MT	280	For All				
436	IS 15335	Imidacloprid SL	52000	42000	26000	10400	100 LITRES	55	For All				
437	IS 1534 : PART 1	Ballasts for fluorescent lamps:Part 1 For switch start circuits	46000	37000	23000	9200	ONE PIECES	0.18	For All				
438	IS 15351	TEXTILES - LAMINATED HIGH DENSITY POLYETHYLENE (HDPE) FABRIC FOR CANAL LINING	68000	56000	34000	13600	100 SQMTS	5	For All				
439	IS 15354 : PART 1	Single-use medical examination gloves Part 1 Specification for gloves made from rubber latex or rubber solution Second Revision	88000	71000	44000	17600	100 PAIR	0.3	For All				

440	IS 1536	Centrifugally cast (spun) iron pressure pipes for water, gas and sewage ½ Specification	85000	68000	42500	17000	1 TONNE	8.7	For All				
441	IS 1537	Vertically cast iron pressure pipes for water, gas and sewage	51000	41000	25500	10200	1 TONNE	8.7	For All				
442	IS 1538	Cast iron fittings for pressure pipes for water, gas and sewage	62000	50000	31000	12400	1 TONNE	41.35	For All				
443	IS 15380	Moulded Raised High Density Fibre (HDF) Panel Doors -	71000	59000	35500	14200	1 SQ.M	2.2	For All				
444	IS 15381	Fire Blanket - Specification (First Revision)	116000	93000	58000	23200	1 PIECE	0.8	For All				
445	IS 15391	Cold Rolled Non-Oriented Electrical Steel Sheet and Strip - Semi-Processed Type	46000	37000	23000	9200	1 MT	5	For All				
446	IS 15392	ALUMINIUM AND ALUMINIUM ALLOY BARE FOIL FOR FOOD PACKAGING	99000	80000	49500	19800	1 KG	0.4	For All				
447	IS 15410	Containers for Packaging of Natural Mineral Water and Packaged Drinking Water	73000	59000	36500	14600	100 PIECES	52	For All				
448	IS 1542	Sand For Plaster	78000	63000	39000	15600	1 TONNE	5	For All				
449	IS 15443	Imidacloprid Technical	49000	40000	24500	9800	1 TONNE	326.7	For All				
450	IS 15449 : PART 1	Household Zig-Zag Sewing Machine/Head Part 1 General Requirements (First Revision)	75000	62000	37500	15000	1 PIECE	5	For All				

451	IS 1545	Solid drawn copper and copper alloy tubes for condenser and heat exchangers	213000	171000	106500	42600	1 MT	80	For All				
452	IS 15450	Polyethylene-aluminium-polyethylene composite pressure pipes for hot and cold water supplies Specifications first revision of IS 15450	92000	79000	46000	18400	100 M	11	For All				
453	IS 15462	Polymer Modified Bitumen	58000	47000	29000	11600	1 MT.	28	For All				
454	IS 15466	Rubber Seals For Hydraulic Gates	121000	97000	60500	24200	1 METER	0.9	For All				
455	IS 15476	Bamboo Mat Corrugated Sheets -Specification	90000	74000	45000	18000	1 SQ.M	1.5	For All				
456	IS 15477	Adhesive for use with ceramic, mosaic and stone tiles	82000	68000	41000	16400	1 M.T	30	2300	7.5	Rest All		
457	IS 15489	Paint, Plastic Emulsion — Specification (Second Revision)	105000	84000	52500	21000	100 LTS	21	For All				
458	IS 15490	CYLINDERS FOR ON-BOARD STORAGE OF COMPRESSED NATURAL GAS AS A FUEL FOR AUTOMOTIVE VEHICLES	136000	96000	68000	27200	1 PIECE	10.4	For All				
459	IS 15500 : PART 2	Deepwell Handpumps, Components and Special Tools — Specification Part 2 Handpumps	46000	37000	23000	9200	1 PIECE	5.3	For All				
460	IS 15500 : PART 3	Deepwell Handpumps, Components and Special Tools — Specification Part 3 Handpump Sub-Assemblies	67000	55000	33500	13400	1 ASSEMBLY	4.4	For All				

461	IS 15500 : PART 4	Deepwell Handpumps, Components and Secial Tools — Specification Part 4 Steel Componenets	65000	53000	32500	13000	100 PIECES	121	For All				
462	IS 15500 : PART 5	Deepwell Handpumps, Components and Secial Tools — Specification Part 5 Cast Iron Componenets	46000	37000	23000	9200	100 PIECE	17.3	For All				
463	IS 15500 : PART 6	Deepwell Handpumps, Components and Secial Tools — Specification Part 6 Brass/Bonze or Stainless Steel Componenets	46000	37000	23000	9200	100 PIECE	20.8	For All				
464	IS 15500 : PART 7	Deepwell Handpumps, Components and Secial Tools â Specification Part 7 Rubber Components	46000	37000	23000	9200	100 PIECE	10.4	For All				
465	IS 1551	Carbon papers for typewriter	51000	41000	25500	10200	1 BOX OF 100 SHEETS	0.36	For All				
466	IS 15511	Cycle Chains - Characteristics and Test Methods	72000	58000	36000	14400	100 PIECE	5.6	For All				
467	IS 15532	Plastics Crates for Fruits and Vegetables	72500	58000	36250	14500	100 PIECES	45	For All				
468	IS 1554 : PART 1	PVC insulated (heavy duty) electric cables: Part 1 For working voltages upto and including 1 100 V	185000	148000	92500	37000	100 METER	18	For All				
469	IS 1554 : PART 2	PVC Insulated (Heavy Duty) Electric Cables - Part 2 : for Working Voltages from 3.3 kV up to and Including 11 kV	271000	217000	135500	54200	100 METER	184	For All				

470	IS 15542	Power-operated chaff cutter - Safety requirements	51000	41000	25500	10200	1 MACHINE	150	For All				
471	IS 15558	INSTANTANEOUS DOMESTIC WATER HEATER FOR USE WITH LPG SPECIFICATION First Revision of IS 15558	95000	76000	47500	19000	1 PIECE	2	For All				
472	IS 15559	Polyester Strapping	49000	40000	24500	9800	100 KG	25	For All				
473	IS 15573	POLYALUMINIUM CHLORIDE	57000	46000	28500	11400	1 MT	10	For All				
474	IS 15601	Cymoxanil + Mancozeb Wettable Powder	72000	58000	36000	14400	1 MT	45	For All				
475	IS 15603	Alphacypermethrin. WP	68000	55000	34000	13600	1 M.T	170	For All				
476	IS 15622	PRESSED CERAMIC TILES - (SUPERSEDING IS 13753:1993, IS 13754:1993, IS 13755:1993 AND IS 13756:1993)	113000	94000	56500	22600	10 SQ MT	3.8	27000	1.9	27000	0.95	Rest All
477	IS 15623	Melamine (2 , 4, 6 triamino 1, 3, 5 triazine)	57000	46000	28500	11400	1 MT	9.25	For All				
478	IS 15627	Automotive Vehicles - Pneumatic Tyres for Two and Three - Wheeled Motor Vehicles - Specification First Revision	243000	204000	121500	48600	1 PIECE	0.5	100000	0.35	100000	0.15	Rest All
479	IS 15633	Automotive vehicles - pneumatic tyres for passenger car vehicles - diagonal and radial ply	258000	217000	129000	51600	1 PIECE	2	100000	1.5	100000	1.35	Rest All
480	IS 15636	Automotive vehicles - Pneumatic tyres for commercial vehicles - Diagonal and radial ply	242000	203000	121000	48400	1 PIECE	2	100000	1.5	100000	1.35	Rest All
481	IS 15644	SAFETY OF ELECTRIC TOYS	146000	117000	73000	29200	1000 PCS	80	For All				

482	IS 15647	Hot rolled steel narrow width strip for selded tubes an pipes	46000	37000	23000	9200	1 MT	3	For All				
483	IS 15652	Insulating Mats For Electrical Purposes	75000	62000	37500	15000	1 SQ.M	3	For All				
484	IS 15658	Concrete Paving Blocks - Specification (First Revision)	94000	76000	47000	18800	100 PIECE	2	For All				
485	IS 1566	HARD-DRAWN STEEL WIRE FABRIC FOR CONCRETE REINFORCEMENT	61000	49000	30500	12200	1 MT	10.2	For All				
486	IS 15660	Refillable transportable seamless aluminium alloy gas cylinders	136000	109000	68000	27200	ONE CYLINDER	10.4	For All				
487	IS 15683	PORTABLE FIRE EXTINGUISHERS- PERFORMANCE AND CONSTRUCTION - SPECIFICATION	108000	90000	54000	21600	1 PIECE	9	For All				
488	IS 15692	Hexaconazole, suspension concentrate (SC)	52000	42000	26000	10400	1000 LITRE	180	For All				
489	IS 15694	Paotassium iodate, food grade	58000	47000	29000	11600	ONE MT	805.6	For All				
490	IS 15742	Textiles - Requirements for clothing made of limited flame spread materials and material assemblies affording protection against heat and flame	147000	118000	73500	29400	1 PIECE	0.65	For All				
491	IS 15748	Protective clothing - Clothing to protect against heat and flame - Minimum performance requirements (first revision)	128000	103000	64000	25600	1 MT	0.15	For All				

492	IS 15757	FOLLOW-UP FORMULA-COMPLEMENTARY FOODS - SPECIFICATION (First Revision of IS 15757)	154000	124000	77000	30800	1M.T.	245	250	123	250	62	Rest All
493	IS 15768	Textiles - Resistance to ignition of upholstered composites used for non-domestic furniture	226000	181000	113000	45200	100 SQ M.	16.15	For All				
494	IS 15769	Flux cored (tubular) electrodes for gas shielded and self-shielded metal welding of carbon or carbon-manganese steel	166000	133000	83000	33200	1 KG	0.05	For All				
495	IS 15770	Heating Oil(LDO) - Specification	104000	84000	52000	20800	1 KL	8.7	For All				
496	IS 15778	Chlorinated polyvinyl chloride (CPVC) pipes for potabvle hot and cold water distribution supplies -	189000	158000	94500	37800	1 TON	30	For All				
497	IS 15786	Prelaminated cement bonded particle board - Specification	101000	84000	50500	20200	1 SQ.M	0.3	For All				
498	IS 15787	Switch-socket-outlets (non-interlock type)	56000	46000	28000	11200	100 PIECE	3.5	For All				
499	IS 158	Ready Mixed Paint, Brushing, Bituminous, Black, Lead-free, Acid, Alkali And Heat Resisting	60000	48000	30000	12000	1 LITRE/ 1 KG	0.26	For All				
500	IS 1580	Bituminous Compound For Water-proofing And Caulking Purposes	46000	37000	23000	9200	1 TON	8.65	For All				
501	IS 15801	Polypropylene-random copolymer pipes for hot and cold water supplies -	160000	134000	80000	32000	1 TON	20	For All				

502	IS 15803	Respiratory protective devices - Self contained closed circuit breathing apparatus chemical oxygen (KO2) type self generating, self rescuers	51000	41000	25500	10200	1 PIECE	4.25	For All				
503	IS 15808	Multi-Grade Bitumen for use in pavement construction	51000	41000	25500	10200	1 MT	5.1	For All				
504	IS 15809	HIGH VISIBILITY WARNING CLOTHES	180000	144000	90000	36000	ONE PIECES	0.5	For All				
505	IS 15827	Cladding Films for Greenhouse / Polyhouse	149000	120000	74500	29800	100 SQ. M.	1.65	For All				
506	IS 15833	Stainless Steel Tower Bolts - specification	71000	57000	35500	14200	1 PIECE	0.3	For All				
507	IS 15834	Stainless Steel Sliding Door Bolts For Use With Padlocks - specification	55000	44000	27500	11000	1 PIECE	0.4	For All				
508	IS 15844 : PART 1	SPORTS FOOTWEAR PART -1 GENERAL PURPOSEFirst Revision	178000	143000	89000	35600	100 PAIRS	6	For All				
509	IS 15844 : PART 2	SPORTS FOOTWEAR PART -2 PERFORMANCE SPORTS FOOTWEAR	194000	156000	97000	38800	100 PAIRS	7.2	For All				
510	IS 15844 : PART 3	Sports Footwear Part 3 Professional Sports Footwear	213000	171000	106500	42600	100 PAIRS	8.6	For All				
511	IS 15848	Zinc sulphate, monohydrate, agricultural grade	63000	51000	31500	12600	1 TONNE	17.3	For All				
512	IS 15852	Textiles - Woven shirtings made of cotton man-made fibres/filaments and their blends	65000	52000	32500	13000	ONE METRE	0.15	For All				
513	IS 15853	Textiles - Woven suitings made of cotton man-made fibres/filaments and their blends	66000	53000	33000	13200	100 SQ MTRS	10.1	For All				

514	IS 15884	Alternating Current Direct Connected Static Prepayment Meters for Active Energy (Class 1 and 2)	332000	280000	166000	66400	1 PIECE	3	For All				
515	IS 15895	High alumina refractory cement - Specification (First Revision)	161000	129000	80500	32200	1 MT	3.5	For All				
516	IS 15905	HUBLESS CENTRIFUGALLY CAST (SPUN) IRON PIPES, FITTINGS AND ACCESSORIES - SPIGOT SERIES	71000	57000	35500	14200	ONE TONNE	9	For All				
517	IS 15907	Agro Textiles - High Density Polyethylene (HDPE) Woven Beds for Vermiculture	106000	88000	53000	21200	1 BED	1.5	60000	0.75	Rest All		
518	IS 15909	PVC GEOMEMBRANES FOR LINING SPECIFICATION	111000	92000	55500	22200	100 SQM TS	16	For All				
519	IS 15911	STRUCTURAL STEEL (ORDINARY QUALITY)	65000	52000	32500	13000	ONE METRIC TONNE	3.8	For All				
520	IS 15914	High Tensile Strength Flat Rolled Steel Plate (Up To 6 mm), Sheet and Strip for the Manufacture of Welded Gas Cylinder	71000	57000	35500	14200	1 TONNE	6.4	For All				
521	IS 1592	Asbestos Cement Pressure Pipes and Joints -	46000	37000	23000	9200	1 TON	8.65	For All				
522	IS 15927 : PART 3	Polyethylene Fittings for use with Polyethylene Pipes for the Supply of Gaseous Fuels - Part 3 Electro Fusion Fittings	255000	204000	127500	51000	1 TON	145.75	For All				
523	IS 1593	Fuel Oils	160000	128000	80000	32000	1 MT	4.1	For All				
524	IS 15939	Pesticide - Bifenthrin Wettable Powder	63000	51000	31500	12600	1 K.G	0.9	For All				

525	IS 15961	Hot Dip Aluminium-Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain)	61000	49000	30500	12200	ONE MT	6	For All				
526	IS 15962	Structural Steels for Building and Structures with Improved Seismic Resistance	46000	37000	23000	9200	1 MT	62	For All				
527	IS 15965	Pre-painted Aluminium Zinc Alloy Metallic Coated Steel Strip and Sheet (Plain)	65000	52000	32500	13000	MT	6.25	For All				
528	IS 15968	Ballasts for Tubular Fluorescent Lamps - Performance Requirements	46000	37000	23000	9200	1 PIECE	0.18	For All				
529	IS 15979	Cyphenothrin, EC -	56000	45000	28000	11200	1 KL	140	For All				
530	IS 15997	Low Nickel Austenitic Stainless Steel Sheet and Strip for Utensils and Kitchen Appliances - Specification	90000	72000	45000	18000	ONE MT	12	For All				
531	IS 16008 : PART 1	Agro Textiles - Shade Nets for Agriculture and Horticulture Purposes - Specification Part 1 Shade Nets Made from Tape Yarns (First Revision)	93000	77000	46500	18600	100 SQ MTRS	0.8	For All				
532	IS 16008 : PART 2	Agro Textiles - Shade Nets for Agriculture and Horticulture Purposes - Specification Part 2 Shade Nets Made from Mono Filament Yarns (First Revision)	116000	93000	58000	23200	100 SQ. METRE	0.8	For All				

533	IS 16011	Aluminium and Aluminium Alloy Foil for Pharmaceutical Packaging Specification	106000	85000	53000	21200	1 MT	21.5	For All				
534	IS 16014	MECHANICALLY WOVEN DOUBLE-TWISTED HEXAGONAL WIRE MESH GABIONS REVET MATTRESSES ROCK FALL NETTING AND OTHER PRODUCTS FOR CIVIL ENGINEERING PURPOSES GALVANIZED STEEL WIRE OR GALVANIZED STEEL WIRE WITH POLYMER COATING SPECIFICATION (Second Revision)	94000	78000	47000	18800	100 KG	15.28	For All				
535	IS 16015	MORTICE LOCKS AND LATCHES MECHANICALLY OPERATED SPECIFICATION REQUIREMENTS AND TEST METHODS	93000	75000	46500	18600	1 PIECE	0.15	For All				
536	IS 16018	Wheeled Fire Extinguishers Performance and Construction Specification	248000	199000	124000	49600	1 PIECE	10.35	For All				
537	IS 16058	Dunnage pallets made from recycled packaging wastes for warehousing application - Specification (First Revision)	216000	173000	108000	43200	1 PALLET	2.2	For All				
538	IS 16074	Steel Flush Door Shutters	178000	143000	89000	35600	1 SQM	3	For All				

539	IS 16088	Chlorinated Polyvinyl Chloride (CPVC) Pipes for Automatic Sprinkler Fire Extinguishing System - Specification	140000	117000	70000	28000	1 TON	400	For All				
540	IS 16090	Geo-Synthetics - Geo-Textiles Used as Protection (or Cushioning) Materials	117000	94000	58500	23400	100 SQ M.	1.3	For All				
541	IS 16098 : PART 1	Structured-Wall Plastics Piping Systems for Non-Pressure Drainage and Sewerage Part 1 Pipes and Fittings With Smooth External Surface, Type A	189000	159000	94500	37800	1 TON	174	For All				
542	IS 16098 : PART 2	Structured-Wall Plastics Piping Systems for Non-Pressure Drainage and Sewerage Part 2 Pipes and Fittings with Non-Smooth External Surface, Type B	209000	176000	104500	41800	100 M	23	For All				
543	IS 1610	HOUSEHOLD SEWING MACHINES - GENERAL REQUIREMENTS	73000	51000	36500	14600	1 PIECE	4	For All				
544	IS 16102 : PART 2	Self - Ballasted LED Lamps for General Lighting Services Part 2 Performance Requirements	211000	169000	105500	42200	100 PIECE	3.5	For All				
545	IS 16103 : PART 2	LED modules for general lighting Part 2 Performance requirements	460000	389000	230000	92000	1 PIECE	4.6	For All				
546	IS 16111	Elastic Bandage	54000	43000	27000	10800	100 M	1	For All				
547	IS 16112	BETA PICOLINE - SPECIFICATION	64000	52000	32000	12800	1 MT	14.45	For All				
548	IS 16113	GAMMA PICOLINE	64000	52000	32000	12800	1 MT	22.45	For All				

549	IS 16127	Behind the Ear (BTE) Hearing Aids - Digital - Specification	46000	37000	23000	9200	1 PIECE	4	For All				
550	IS 16131	Imidacloprid Suspension Concentrate (SC) - Specification	57000	46000	28500	11400	1000 LITRE	160	For All				
551	IS 16145	Fipronil Suspension Concentrate (SC)	54000	44000	27000	10800	1000 LITRE	180	For All				
552	IS 16150 : PART 1	Fish feed - Specification Part 1 Carp feed	77000	62000	38500	15400	1 TON	1.5	For All				
553	IS 16150 : PART 2	Fish Feed - Specification Part 2 Catfish Feed	68000	55000	34000	13600	1 TON	6	For All				
554	IS 16150 : PART 3	Fish Feed - Specification Part 3 Marine Shrimp Feed	69000	56000	34500	13800	1 TON	1	For All				
555	IS 16172	Reinforcement Couplers for Mechanical Splices of Steel Bars in Concrete ? Specification (first revision)	241000	193000	120500	48200	100 PIECES	20	For All				
556	IS 16176	Ratchet Pipe Threader for Taper Pipe Threads (R-Series) - Specification	46000	37000	23000	9200	1 SET	2	For All				
557	IS 16186	Textiles - Light Weight Jute Sacking Bags for Packing 50 Kg Foodgrains - Specification	73000	59000	36500	14600	ONE MT	7.1	For All				
558	IS 16187	Textiles —High Density Polyethylene (HDPE)/ Polypropylene (PP) Leno Woven Sacks for Packaging and Storage of Fruits and Vegetables — Specification	84000	68000	42000	16800	1 MT	104.25	For All				

559	IS 16190	Agro Textiles - High Density Polyethylene (HDPE) Laminated Woven lay Flay Tube for Irrigation Purpose - Specification	185000	148000	92500	37000	ONE MT	280	For All				
560	IS 16192 : PART 1	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO NAD THREE WHEELED VEHICLES PART 1 LIGHT ALLOY WHEEL RIMS - METHODS RIMS - METHODS OF TESTS AND REQUIREMENTS	399000	320000	199500	79800	1 PIECE	0.2	For All				
561	IS 16192 : PART 2	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES PART 2 SHEETS METAL WHEEL RIMS - METHODS OF TESTS AND REQUIREMENTS	245000	196000	122500	49000	1 PIECE	0.05	For All				
562	IS 16192 : PART 3	AUTOMOTIVE VEHICLES - WHEEL RIMS FOR TWO AND THREE WHEELED VEHICLES: PART 3 SPOKE WHEEL RIMS -- -METHOD OF TESTS AND REQUIREMENTS	195000	156000	97500	39000	1 PIECE	0.25	For All				
563	IS 16202	Argo Textile - Woven Ground Covers for Horticulture Application - Specification	197000	158000	98500	39400	100 SQ M.	2.8	For All				
564	IS 16205 : PART 24	CONDUIT SYSTEMS FOR CABLE MANAGEMENT PART 24 PARTICULAR REQUIREMENTS CONDUIT SYSTEMS BURIED UNDER GROUND	89000	72000	44500	17800	100M	8.1	For All				

565	IS 16208	TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE)/ POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING 10 kg, 15 kg, 20 kg, 25 kg AND 30 kg FOODGRAINS - SPECIFICATION	118000	95000	59000	23600	1 MT	310	For All				
566	IS 16227 : PART 2	INSTRUMENT TRANSFORMERS PART 2 ADDITIONAL REQUIREMENTS FOR CURRENT TRANSFORMERS	46000	37000	23000	9200	1 PIECE	7	For All				
567	IS 16232	Iron Fortified Iodized Salt (Double Fortified Salt) - Food Grade - Specification	58000	47000	29000	11600	ONE MT	0.8	For All				
568	IS 16240	REVERSE OSMOSIS RO BASED POINT-OF-USE POU WATER TREATMENT SYSTEM FOR DRINKING PURPOSES SPECIFICATION first revision	234000	188000	117000	46800	1 PIECE	13	For All				
569	IS 16246	ELASTOMER INSULATED CABLES WITH LIMITED CIRCUIT INTEGRITY WHEN AFFECTED BY FIRE - SPECIFICATION	235000	188000	117500	47000	100 METERS	20	For All				
570	IS 1626 : PART 2	Asbestos cement building pipes and pipe fittings, gutters and gutter fittings and roofing fittings - Part 2 (Gutter and gutter fittings)	46000	37000	23000	9200	1 TON	21	For All				

571	IS 1626 : PART 3	Asbestos Cement Building types and Pipe Fittings, Gutters and Gutter Fittings and Roofing Fittings - Part 3 : Roofing Fittings	51000	41000	25500	10200	1 TON	21	For All				
572	IS 16286	Spoons Specification	138000	111000	69000	27600	100 PIECES	1.8	For All				
573	IS 16289	Medical Textiles Surgical Face Masks Specification	79000	63200	39500	15800	100 PIECES	0.2	For All				
574	IS 16352	GEOSYNTHETICS - HIGH DENSITY POLYETHYLENE (HDPE) GEOMEMBRANES FOR LINING - SPECIFICATION	186000	149000	93000	37200	1 TONNE	26.6	For All				
575	IS 16353	PORTLAND CEMENT CLINKER - SPECIFICATION NO OF REVISION :	98000	79000	49000	19600	1 TON	1.5	For All				
576	IS 16362	Geosynthetics - Geotextiles for Subsurface Drainage, Subgrade Separation, Subgrade Stabilization, Filtration and Erosion Control (In Hard Armor Systems) Applications - Specification (second revision)	159000	128000	79500	31800	100 SQ M.	2	For All				
577	IS 16391	Geosynthetics – Geotextiles used in sub-grade separation in pavement structures – Specification	173000	139000	86500	34600	100 SQ M.	2	For All				
578	IS 16392	Geosynthetics - Geotextiles for permanent erosion control in hard armor systems - Specification	175000	140000	87500	35000	100 SQ M.	2	For All				

579	IS 16393	Geosynthetics - Geotextiles used in subsurface drainage application - Specification	173000	139000	86500	34600	100 SQ M.	2	For All				
580	IS 164	Ready mixed paint for road marking-Specification	64000	52000	32000	12800	1 LITRE/1 KG	0.26	For All				
581	IS 16415	Composite Cement - Specification	72000	58000	36000	14400	1 MT	3	For All				
582	IS 16440	Stainless Steel Milk Cans - Specification	88000	71000	44000	17600	1 CAN	1.2	For All				
583	IS 16444 : PART 1	a.c. Static Direct Connected Watthour Smart Meter Class 1 and 2 - Specification	560000	448000	280000	112000	1 PIECE	1	For All				
584	IS 16444 : PART 2	A.C. STATIC TRANSFORMER OPERATED WATTHOUR AND VAR-HOUR SMART METERS, CLASS 0.2 S, 0.5 S AND 1.0 S PART 2 SPECIFICATION TRANSFORMER OPERATED SMART METERS	407000	326000	203500	81400	1 PIECE	6.38	For All				
585	IS 16481	Textiles Synthetic Micro Fibres for Use in Cement Based Matrix Specification First Revision	163000	131000	81500	32600	1 MT	8.9	For All				
586	IS 16484	LIQUID OFF - TAKE VALVE FITTING TO GAS CYLINDERS OR TANKS (MOBILE OR STATIC) FOR LIQUID PETROLEUM GAS (LPG) - SPECIFICATION	79000	64000	39500	15800	1 VALVE	0.9	For All				

587	IS 16513	AGRO TEXTILES - INSECT NETS FOR AGRICULTURE AND HORTICULTURE PURPOSES - SPECIFICATION	119000	96000	59500	23800	100 SQ MTRS	2.2	For All				
588	IS 16532	APP MODIFIED BITUMINOUS WATERPROOFING AND DAMP-PROOFING MEMBRANE WITH POLYESTER REINFORCEMENT - SPECIFICATION	79000	64000	39500	15800	100 SQ M.	7.9	For All				
589	IS 16534	CHLORINATED POLYVINUYL CHLORIDE (CPVC) PIPE FITTINGS FOR AUTOMATIC SPRINKLER FIRE EXTINGUISHING SYSTEM	163000	131000	81500	32600	100 PCS	5.2	For All				
590	IS 16544	ALL GLASS EVACUATED TUBES SOLAR WATER HEATING SYSTEM	87000	70000	43500	17400	1 PIECE	34	For All				
591	IS 1656	MILK-CEREAL BASED COMPLEMENTARY FOODS SPECIFICATION (Fifth Revision of IS 1656)	133000	107000	66500	26600	ONE TONNE	172.8	For All				
592	IS 1658	Fibre hardboards - Specification	46000	37000	23000	9200	1 TON	8.7	For All				
593	IS 16581	High density polyethylene (HDPE)/polypropylene (PP) woven sacks for packing of solid ammonium nitrate for explosives - Specification	127000	102000	63500	25400	1 MT	214	For All				

594	IS 16585	MAGNETIC MATERIALS - SPECIFICATION FOR INDIVIDUAL MATERIALS - FE-BASED AMORPHOUS STRIP DELIVERED IN THE SEMI-PROCESSED STATE	51000	41000	25500	10200	1 TONNE	17.5	For All				
595	IS 1659	Block Boards -Specification	73000	59000	36500	14600	1 SQ. M	0.36	For All				
596	IS 16591 : PART 1	Plastics - Mixtures of polypropylene (Pp) and polyethylene (Pe) recycle derived from pp and pe used for flexible and rigid consumer packaging: Part 1 designation system and basis for specification	88000	71000	44000	17600	1 MT	6.9	For All				
597	IS 16593 : PART 1	Arc welding equipment: Part 1 Welding power source	278000	223000	139000	55600	1 PIECE	23.5	For All				
598	IS 1660	Wrought and Cast Aluminium Utensils — Specification (Second Revision)	47000	38000	23500	9400	1 TON	17.3	For All				
599	IS 16627	AGRO TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE) LAMINATED WOVEN LAY FLAT TUBE FOR USE IN MAINS AND SUBMAINS OF DRIP IRRIGATION SYSTEM - SPECIFICATION	164000	132000	82000	32800	1 MT	235	For All				
600	IS 1664	Mineral Mixtures for Supplementing Cattle Feeds	84000	68000	42000	16800	1 TONNE	58.3	For All				

601	IS 16644	STEEL RELIEVED LOW RELAXATION STEEL WIRES FOR PRESTRESSED CONCRETE	157000	126000	78500	31400	1 TON	21.85	For All				
602	IS 16647	ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC- O) PIPES FOR WATER SUPPLY	199000	160000	99500	39800	1 TON	79.75	For All				
603	IS 16651	HIGH STRENGTH DEFORMED STAINLESS STEEL BARS AND WIRES FOR CONCRETE REINFORCEMENT - SPECIFICATION	78000	63000	39000	15600	1 TON	6.2	For All				
604	IS 16653	Geosynthetics – Needle punched nonwoven geobags for coastal and waterways protection – Specification	123000	99000	61500	24600	1 MT	340	For All				
605	IS 16654	Geosynthetics - Polypropylene multifilament woven geobags for coastal and waterways protection - Specification	131000	105000	65500	26200	1 TONNE	65.5	For All				
606	IS 16655	Textiles - Protective clothing for use in welding and allied processes	153000	123000	76500	30600	1 PIECE	12	For All				
607	IS 16703	TEXTILES - HIGH DENSITY POLYETHYLENE (HDPE) POLYPROPYLENE (PP) WOVEN SACKS FOR PACKAGING OF 25 KG POLYMER MATERIALS	133000	107000	66500	26600	1M.T.	38	For All				

608	IS 16709	Textiles - Polypropylene (PP) woven, laminated, block bottom valve sacks for packaging of 50 kg cement - Specification	175000	140000	87500	35000	1 MT	97.25	For All				
609	IS 16714	GROUND GRANULATED BLAST FURNACE SLAG FOR CEMENT MORTAR AND CONCRETE	150000	120000	75000	30000	1 TON	0.5	For All				
610	IS 16715	ULTRAFINE GROUND GRANULATED BLAST FURNACE SLAG - SPECIFICATION	237000	190000	118500	47400	1 MT	2.4	For All				
611	IS 16720	PULVERIZED FUEL ASH- CEMENT BRICKS- SPECIFICATION	72000	58000	36000	14400	100 NOS	0.8	For All				
612	IS 16723	COMBINATION LOCK- SPECIFICATION	57000	46000	28500	11400	1 PIECE	1.75	For All				
613	IS 16733	Ferritic-Pearlitic Engineering Steels for Precipitation Hardening from Hot-Working Temperatures	69000	56000	34500	13800	1 MT	7	For All				
614	IS 1677	Rubber Hoses for Agricultural Spraying (Third Revision)	78000	63000	39000	15600	100 METERS	3.2	For All				
615	IS 1678	Prestressed concrete poles for overhead power, traction and telecommunication lines	70000	56000	35000	14000	1 PIECE	0.2	For All				
616	IS 168	Ready mixed paint, air drying, for general purpose	56000	45000	28000	11200	ONE LITRE	0.25	For All				
617	IS 16874	TEXTILES - PROTECTIVE GLOVES FOR FIREFIGHTERS	178000	143000	89000	35600	1 PAIR	8	For All				

618	IS 16890	Textiles - Protective Clothing for Firefighters - Specification (First revision)	184000	148000	92000	36800	1 PIECE	36	For All				
619	IS 16919	MANCOZEB + CARBENDAZIM, WETTABLE POWDER (WP)	60000	48000	30000	12000	1 MT	35.3	For All				
620	IS 16920	HEXAACONAZOLE+ZINEB, WETTABLE POWDER (WP)	61000	49000	30500	12200	1 MT	30.45	For All				
621	IS 1694	Tartrazine, Food Grade	63000	51000	31500	12600	1 KG	1.6	For All				
622	IS 16948	Medical textile – Permeable nonwoven surgical adhesive tape – Specification	98000	79000	49000	19600	100 SQ M.	0.5	For All				
623	IS 1695	Sunset Yellow,FCF, Food Grade - Specification	80000	64000	40000	16000	1 KG	1.3	For All				
624	IS 1697	Erythrosine, Food Grade	88000	71000	44000	17600	1 KG	7.25	For All				
625	IS 1698	Indigo Carmine, Food Grade	62000	50000	31000	12400	1 KG	1.3	For All				
626	IS 16983	Solid Bleached Sulphate Board ½ Specification (First Revision)	195000	156000	97500	39000	1 MT	5.35	For All				
627	IS 16984	Coated Folding Box Board for General Consumer Product Packaging “ Specification (First Revision)	195000	156000	97500	39000	1 MT	5.7	For All				
628	IS 16988	COMPRESSED NATURAL GAS CYLINDER VALVE INTEGRATED WITH SOLENOID OPERATION (REMOTELY CONTROLLED) FOR AUTOMOTIVE USE	121000	97000	60500	24200	1 VALVE	1.25	For All				
629	IS 16993	MICROFINE ORDINARY PORTLAND CEMENT - SPECIFICATION	163000	131000	81500	32600	1 MT	9	For All				
630	IS 170	ACETONE	84000	68000	42000	16800	1 MT	6	For All				

631	IS 17012	HIGH ANKLE TACTICAL BOOTS WITH PU - RUBBER SOLE - SPECIFICATION	203000	163000	101500	40600	1 PAIR	0.45	For All				
632	IS 17016	CATIONIC MODIFIED BITUMEN EMULSION	65000	52000	32500	13000	1 MT	4.65	For All				
633	IS 17018 : PART 1	Solar Photovoltaic Water Pumping Systems Part 1 Centrifugal Pumps Specification	232000	186000	116000	46400	1 PIECE	21.25	For All				
634	IS 1703	Water Fittings - Copper Alloy Float Valves (Horizontal Plunger Type) -	57000	46000	28500	11400	1 PIECE	0.4	For All				
635	IS 17034	SPECIFICATION FOR JAIPUR FOOT	65000	52000	32500	13000	1 PIECE	1	For All				
636	IS 17037	ANTI RIOT SHOES - SPECIFICATION	158000	127000	79000	31600	1 PAIR	0.5	For All				
637	IS 17042 : PART 1	DIESEL ENGINES NOX REDUCTION AGENT AUS 32 PART 1 QUALITY REQUIREMENTS	107000	86000	53500	21400	1 KL	6	For All				
638	IS 17043	DERBY SHOES - SPECIFICATION	148000	119000	74000	29600	1 PAIR	0.5	For All				
639	IS 17043 : PART 1	Shoes - Specification Part 1 Shoes for Services	148000	119000	74000	29600	1 PAIR	0.5	For All				
640	IS 17043 : PART 2	Shoes: Shoes for General Purpose	227000	182000	113500	45400	100 PAIR	9	For All				
641	IS 17048	HALOGEN FREE FLAME RETARDANT (HFFR) CABLES FOR WORKING VOLTAGES UP TO AND INCLUDING 1 100 VOLTS - SPECIFICATION	271000	217000	135500	54200	100 METERS	0.5	For All				
642	IS 17051	TEXTILES BULLET RESISTANT JACKETS PERFORMANCE REQUIREMENTS	441000	353000	220500	88200	1 PIECE	5	For All				

643	IS 17077 : PART 1	PLASTICS ACRYLONITRILE-BUTADIENESTYRENE ABS MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS	64000	52000	32000	12800	1 MT	17.5	For All				
644	IS 1709	Capacitors for Electric Fan Motors	88000	72000	44000	17600	1 PIECE	0.07	For All				
645	IS 17111	HEAT TREATED STEELS, ALLOY STEELS AND FREE-CUTTING STEELS - BALL AND ROLLER BEARING STEELS	99000	80000	49500	19800	1 MT	5	For All				
646	IS 1712	Cottonseed Oilcake as Livestock Feed Ingredient	74000	60000	37000	14800	1 MT	2.5	For All				
647	IS 17150	MINI DOMESTIC WATER HEATER FOR USE WITH PIPED NATURAL GAS (PNG) SPECIFICATION	170000	136000	85000	34000	1 PIECE	2	For All				
648	IS 17153	DOMESTIC GAS STOVES FOR USE WITH PIPED NATURAL GAS (PNG)	141000	113000	70500	28200	1 PIECE	2	For All				
649	IS 17154	Battery Operated Motorized Tricycle - Specification (First Revision)	59000	48000	29500	11800	1 PIECE	21	For All				
650	IS 17155	Tricycle, single hand propelled (Right/Left?) (Junior Size?) ? specification	157000	126000	78500	31400	1 PIECE	12	For All				
651	IS 17157	MULTI UTILITY TRICYCLE SPECIFICATION	59000	48000	29500	11800	1 PIECE	7	For All				
652	IS 17190	Grouts for Filling of Joints of Tiles and Stones - Specification	171000	137000	85500	34200	100 KG	3.5	For All				

653	IS 17216	POLYETHYLENE MULCH FILMS FOR AGRICULTURE AND HORTICULTURE - SPECIFICATION	141000	113000	70500	28200	01 KG.	0.15	For All				
654	IS 1726	cast iron manhole covers and frames	58000	47000	29000	11600	1 TON	19.35	For All				
655	IS 17261	Textiles - Polyester continuous filament fully drawn yarns - Specification (first revision)	90000	72000	45000	18000	1 MT	12.5	For All				
656	IS 17262	Textiles - Polyester partially oriented yarn (POY) - Specification (first revision)	63000	51000	31500	12600	1 MT	11.65	For All				
657	IS 17263	Textiles - Polyester staples fibres - Specification (first revision)	230000	184000	115000	46000	1 MT	8.55	For All				
658	IS 17264	Textiles - Polyester industrial yarn - Specification (first revision)	100000	80000	50000	20000	1 MT	8.7	For All				
659	IS 17265	Textiles 100 Percent Polyester Spun Grey and White Yarns Specification Second Revision	72000	58000	36000	14400	1 MT	50	For All				
660	IS 17266	Textiles - Viscose Staple Fibres	79000	64000	39500	15800	1 MT	10.4	For All				
661	IS 17286	Textiles – Water-proof multipurpose rain poncho with convertibility as bivouac – Specification	167000	134000	83500	33400	1 PIECE	1.75	For All				
662	IS 1729	SAND CAST IRON SPIGOT AND SOCKET PIPES, FITTINGS AND ACCESSORIES 1½ SPECIFICATION	62000	50000	31000	12400	1 TONNE	34.45	For All				

663	IS 17293	Electric Cables for Photovoltaic Systems for Rated Voltage 1 500 V d.c.	359000	288000	179500	71800	100M	8	For All				
664	IS 17334	MEDICAL TEXTILES - SURGICAL GOWNS AND SURGICAL DRAPES - SPECIFICATION	161000	129000	80500	32200	1 PIECE	0.2	For All				
665	IS 17349	Medical textiles – Shoe covers – Specification	67000	54000	33500	13400	100 PAIRS	0.4	For All				
666	IS 17358 : PART 1	Agro Textiles - Fencing Nets for Agriculture and Horticulture Purposes - Specification Part 1 Fencing Nets Made from Extruded Polymer Mesh	112000	90000	56000	22400	1 MT	75	For All				
667	IS 17370	p-Xylene - Specification (First Revision)	114000	92000	57000	22800	1 MT	3.75	For All				
668	IS 17371	GEOSYNTHETICS - GEOGRIDS FOR FLEXIBLE PAVEMENTS - SPECIFICATION	146000	117000	73000	29200	100 SQ M.	2.45	For All				
669	IS 17372	GEOSYNTHETICS - POLYMERIC STRIP/GEOSTRIP USED AS SOIL REINFORCEMENT IN RETAINING STRUCTURES - SPECIFICATION	137000	110000	68500	27400	1 MT	11.45	For All				
670	IS 17373	GEOSYNTHETICS - GEOGRIDS USED IN REINFORCED SOIL RETAINING STRUCTURES - SPECIFICATION	144000	116000	72000	28800	100 SQ M.	0.6	For All				
671	IS 17374	Geosynthetics â Reinforced HDPE membrane for effluents and chemical resistance lining â Specification	269000	216000	134500	53800	100 SQ M.	6.75	For All				

672	IS 17397 : PART 1	PLASTICS THERMOPLASTIC POLYURETHANES FOR MOULDING AND EXTRUSION PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS	65000	52000	32500	13000	100 KG	2.15	For All				
673	IS 17404	ELECTROGALVANIZED HOT ROLLED AND COLD REDUCED CARBON STEEL SHEETS AND STRIPS - SPECIFICATION	51000	41000	25500	10200	1 MT	5.6	For All				
674	IS 1741	Latex foam rubber products	66000	51000	33000	13200	ONE TONNE	86	For All				
675	IS 17423	Medical Textiles — Bio- Protective Coveralls — Specification (First Revision)	69000	56000	34500	13800	1000 PCS	40	For All				
676	IS 17427	Wooden (Timber) Pallets for Packaging, Storage and Transportation “	121000	97000	60500	24200	1 PIECE	1.45	For All				
677	IS 17435	Ballistic Shields - Specification	169000	136000	84500	33800	1 PIECE	20	For All				
678	IS 17442	Vinyl Chloride Monomer “	51000	41000	25500	10200	1 MT	4.2	For All				
679	IS 17450	1,3 Phenylenediamine “	78000	63000	39000	15600	1 MT	30.7	For All				
680	IS 1746	Shoe polish, paste	76000	61000	38000	15200	1 KG	0.26	For All				
681	IS 17480	High Density Polyethylene Multi Squeezable Tube for Packaging - Specification	128000	103000	64000	25600	10000 PIECES	1.7	For All				

682	IS 17483 : PART 2	GEOSYNTHETICS - GEOCELLS - SPECIFICATION - PART -2 SLOPE EROSION PROTECTION APPLICATION	142000	114000	71000	28400	100 SQ M.	0.65	For All				
683	IS 175	SHEETING TICKINGS AND BEDSHEETS SPECIFICATION	87000	70000	43500	17400	100 METERS	14.5	For All				
684	IS 17505 : PART 1	Specification for Thermosetting Insulated Fire Survival Cables for Fixed Installation having Low Emission of Smoke and Corrosive Gases when Affected by Fire for Working Voltages upto and including 1100 Vac and 1500 Vdc	292000	234000	146000	58400	100 M	6	For All				
685	IS 17508	Disposable Adult Incontinence Diaper - Specification	111000	89000	55500	22200	100 PCS	1.2	For All				
686	IS 17509	Disposable Baby Diaper Specification	111000	89000	55500	22200	100 PCS	0.1	For All				
687	IS 17513	Agro Textiles - Plant Support Nets for Agriculture and Horticulture Purposes - Specification	129000	104000	64500	25800	1 MT	53.75	For All				
688	IS 17514	Reusable Sanitary PadSanitary Napkin Period panties Specification	103000	83000	51500	20600	100 PCS	20	For All				
689	IS 17526	STAINLESS STEEL VACUUM FLASKS - SPECIFICATION	71000	57000	35500	14200	1 PIECE	0.06	For All				
690	IS 17541	Modular panel for security of premises specification	130000	104000	65000	26000	1 Panel	20	For All				

691	IS 17544	Multilayer PE-AL-PE Plastic Piping Systems for Indoor Gas Installations with a Maximum Operating Pressure up to and Including 500 KPA 5 bar - Specificaiton	205000	164000	102500	41000	1 TON	120.6	For All				
692	IS 17545	WHITE CEMENT BASED POLYMERIC PUTTY	98000	79000	49000	19600	1 MT	1.65	For All				
693	IS 17546	Chlorinated polyvinyl chloride CPVC fittings for potable hot and cold water distribution supplies Specification	171000	137000	85500	34200	100 PCS	4	For All				
694	IS 17550 : PART 1	Household Refrigerating Appliances - Characteristics and Test Methods Part 1 General Requirements (First Revision)	936000	749000	468000	187200	1 PIECE	1.2	For All				
695	IS 17566	Key locks for security Equipment-Specification	93000	75000	46500	18600	1 NO.	1.75	For All				
696	IS 17569	Insulated Containers for Food Storage â Specification	169000	136000	84500	33800	100 PIECES	6	For All				
697	IS 17570 : PART 1	Air Filters for general ventilation Part 1 Technical specifications requirements and classification system based upon particulate matter efficiency ePM Adoption of ISO 16890-1:2016	299000	240000	149500	59800	1 PIECE	1.75	For All				
698	IS 1759	Powrahs	46000	37000	23000	9200	100 PIECE	10.25	For All				

699	IS 17630	Medical Textiles Bedsheet and Pillow Cover Specification	196000	157000	98000	39200	100 SQ M.	0.55	For All				
700	IS 17631	Work Chairs - Specification	293000	235000	146500	58600	1 PIECE	4.9	For All				
701	IS 17632	General Purpose Chairs and Stools - Specification	247000	198000	123500	49400	100 PIECES	41.2	For All				
702	IS 17633	Tables and Desks - Specification	133000	107000	66500	26600	100 PIECES	44.35	For All				
703	IS 17634	Storage Units - Specification	223000	179000	111500	44600	1 PIECE	1.45	For All				
704	IS 17658	POLY VINYL CHLORIDE PVC HOMOPOLYMERS SPECIFICATION	164000	132000	82000	32800	1 MT	6.95	For All				
705	IS 17659	SPECIFICATION FOR POLYESTER POLYOL	124000	10000	62000	24800	1 MT	29.55	For All				
706	IS 17681	Specification for Bottled water dispensers	412000	330000	206000	82400	1 PIECE	3.3	For All				
707	IS 17682	ALUMINIUM COMPOSITE PANEL SPECIFICATION	267000	214000	133500	53400	100 SQ M.	14.4	For All				
708	IS 17693	Non-electric Cooling Cabinet Made of Clay	118000	95000	59000	23600	1 PIECE	0.5	For All				
709	IS 177	Cotton Drills	46000	37000	23000	9200	100 LINEAR METERS	6.25	For All				
710	IS 17706	PULL HANDLES SPECIFICATION	147000	118000	73500	29400	1 SET	0.8	For All				
711	IS 17713	In-Vitro Diagnostic Devices - ELISA Plate Reader	215000	172000	107500	43000	1 PIECE	179.2	For All				
712	IS 17717 : PART 1	In-Vitro Diagnostic Device - Automated Clinical chemistry Analyzer - Part 1 Wet Chemistry Analyzer	201000	161000	100500	40200	1 PIECE	201	For All				
713	IS 1772	Eletroplated coatings of copper	87000	70000	43500	17400	1 SQUARE METER	6.25	For All				

714	IS 17728	Agro Textiles - High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube and Fittings for use in Rain Irrigation System - Specification	168000	135000	84000	33600	100 M	1.5	For All				
715	IS 17729	Agro-Textiles Flexible Water Storage Tank for Agriculture and Horticulture Purposes Specification	159000	128000	79500	31800	1 KL	0.18	For All				
716	IS 17730 : PART 1	Agro-Textiles Hail Protection Nets for Agriculture and Horticulture Purposes Specification Part 1 Warp Knitted Hail Protection Nets	127000	102000	63500	25400	100 SQ M.	1.8	For All				
717	IS 17730 : PART 2	Agro-Textiles Hail Protection Nets for Agriculture and Horticulture Purposes Specification Part 2 Woven Hail Protection Nets	130000	104000	65000	26000	100 SQ M.	1.8	For All				
718	IS 17731	Agro-Textiles Laminated Woven Orchard Protection Covers Specification	147000	118000	73500	29400	1 MT	260	For All				
719	IS 17735	Aluminium Chlorohydrate — Specification	101000	81000	50500	20200	1 MT	15.6	For All				
720	IS 17781	VITAMIN MINERAL PREMIX FOR MANUFACTURING FORTIFIED RICE KERNELS-SPECIFICATION	110000	88000	55000	22000	1 MT	22	For All				

721	IS 17782	FORTIFIED RICE KERNELS-SPECIFICATION	90000	72000	45000	18000	1 MT	25	For All				
722	IS 17787	Medical Textiles Nonwoven Wipes Specification	77000	62000	38500	15400	1000 packs	2.4	For All				
723	IS 17788	Medical Textiles — Nonwoven Fabric for Wipes — Specification	55000	44000	27500	11000	1 MT	18.1	For All				
724	IS 17790	INSULATED FLASK FOR DOMESTIC USE SPECIFICATION	167000	134000	83500	33400	100 PIECES	6	For All				
725	IS 17794	Petroleum naphtha - Specification	144000	116000	72000	28800	1 MT	3.55	For All				
726	IS 17803	POTABLE WATER BOTTLES (COPPER, STAINLESS STEEL, ALUMINIUM) â SPECIFICATION	109000	88000	54500	21800	1 NO.	0.06	For All				
727	IS 17814	Corrugated Metal Flexible Safety Gas Hose Assemblies Specification	107000	86000	53500	21400	1 PIECE	0.45	For All				
728	IS 1783 : PART 1	Drums Large, Fixed Ends Specification Part 1 Grade A Drums	62000	50000	31000	12400	1 PIECE	0.35	For All				
729	IS 1783 : PART 2	Drums, Large, Fixed Ends - Specification Part 2 Grade B Drums	60000	48000	30000	12000	ONE DRUM	1.8	For All				
730	IS 1784	Screwed Closures For Drums	46000	37000	23000	9200	100 PIECES	3.5	For All				
731	IS 1785 : PART 1	Plain Hard-drawn Steel Wire For Prestressed Concrete: Part 1 Cold Drawn Stress-relieved Wire	76000	61000	38000	15200	1 TON	21	For All				
732	IS 1785 : PART 2	Plain Hard-drawn Steel Wire For Prestressed Concrete: Part 2 As Drawn Wire	50000	40000	25000	10000	1 TON	19	For All				

733	IS 17853	EQUIPMENT FOR MANUFACTURE OF FORTIFIED RICE KERNEL - SPECIFICATION	71000	57000	35500	14200	1 PIECE	500	For All				
734	IS 17854	EQUIPMENT FOR MANUFACTURE OF FORTIFIED RICE - SPECIFICATION	71000	57000	35500	14200	1 PIECE	142	For All				
735	IS 1786	High strength deformed steel bars and wires for concrete reinforcement-	105000	84000	52500	21000	1 TON	3	For All				
736	IS 17861	TEXTILE BOOTS WITH POLYMERIC SOLE JUNGLE BOOTS - SPECIFICATION Third Revision	147000	118000	73500	29400	1 PAIR	1.5	For All				
737	IS 17875	Stainless Steel seamless pipes and tubes for general service	87000	70000	43500	17400	1 MT	17.5	For All				
738	IS 17876	Stainless steel welded pipes and tubes for general service	87000	70000	43500	17400	1 MT	10	For All				
739	IS 17879	Textiles - Polyester textured yarn - Specification	163000	131000	81500	32600	1 MT	10.3	For All				
740	IS 17880	Geosynthetics Polymer Gabions for Coastal and Waterways Protection Specification	205000	164000	102500	41000	1 MT	300	For All				
741	IS 17897	Stone-Polymer Composite Flooring Tiles and Planks - Specification	107000	86000	53500	21400	10 SQ. M	0.75	For All				
742	IS 17916	Toluene Diisocyanate (TDI- 80) - Specification	78000	63000	39000	15600	1 MT	17.15	For All				

743	IS 17927 : PART 1	PLASTICS ETHYLENE-VINYL ACETATE EVA MOULDING AND EXTRUSION MATERIALS PART 1 DESIGNATION SYSTEM AND SPECIFICATIONS	156000	125000	78000	31200	1 MT	10.75	For All				
744	IS 17945	FOOD FOR SPECIAL MEDICAL PURPOSE INTENDED FOR INFANTS 1½ SPECIFICATION	132000	106000	66000	26400	1 MT	33.33	For All				
745	IS 17953	uPVC Profiles for Windows And Doors Specification	137000	110000	68500	27400	1 MT	14.3	For All				
746	IS 17954	TELESCOPIC BALL BEARING DRAWER SLIDE SPECIFICATION	211000	169000	105500	42200	100 PIECES	5.8	For All				
747	IS 17988	CHLORINATED POLYVINYL CHLORIDE CPVC RESIN SPECIFICATION	94000	76000	47000	18800	1 MT	9.8	For All				
748	IS 1804	Steel Wire Ropes - Fibre Main Cores	54000	44000	27000	10800	1 MT	45	For All				
749	IS 1806	MALTED MILK FOODS	56000	45000	28000	11200	1 TONNE	34.5	For All				
750	IS 18118	Textiles - Flat Woven Webbing Slings Made from Blend of Polyester Multifilament and High Strength Mixed Polyolefin Tapes - Specification	148000	119000	74000	29600	1 PIECE	0.3	For All				
751	IS 18161	Textiles Light weight jute sacking bags for packing 50 kg mustard seed niger seed and ragi Specification	75000	60000	37500	15000	1 MT	9.2	For All				

752	IS 18162	Textiles Light weight jute sacking bags for packing 50 kg pulses and soyabean Specification	73000	59000	36500	14600	1 MT	9.2	For All				
753	IS 18163	Textiles Light weight jute sacking bags for packing 35 kg groundnut with shell Specification	74000	59000	37000	14800	1 MT	9.2	For All				
754	IS 18174	Polyether polyols - Specification	98000	79000	49000	19600	1 MT	13.6	For All				
755	IS 18189	Portland Calcined Clay Limestone Cement Specification	141000	113000	70500	28200	1 MT	3	For All				
756	IS 1824	Specification for Insecticidal Space Spray	90000	72000	45000	18000	100 LITRE	34.5	For All				
757	IS 1825	Specification for Aluminium Alloy Milk Cans	62000	50000	31000	12400	1 CAN	2.1	For All				
758	IS 18266	Textiles - Medical Respirator - Specification	143000	115000	71500	28600	100 PIECES	1.4	For All				
759	IS 1827	Pesticides - Dimethyl Amine SL Salts of 2, 4-D	51000	41000	25500	10200	ONE KL	346	For All				
760	IS 18286	Agricultural irrigation equipment - Manually operated serviceable plastics valves - Specification	162000	130000	81000	32400	1 MT	162	For All				
761	IS 18287	Sterilization of health care products Common requirements for sterilizers for terminal sterilization of medical devices in health care facilities	285000	228000	142500	57000	1 PIECE	1125	For All				
762	IS 18291	Ophthalmic instruments iç½ Perimeters (ISO 12866: 1999 + AMD 1: 2008, MOD)	255000	204000	127500	51000	1 PIECE	170	For All				

763	IS 18297	Cabinet Hinges	180000	144000	90000	36000	100 PIECES	2.5	For All				
764	IS 18309	Geosynthetics- Prefabricated Vertical Drains for Quick Consolidation for Very Soft Plastic Soil - Specification	172000	138000	86000	34400	1000M	1	For All				
765	IS 18316	HOT ROLLED AND COLD ROLLED STEEL STRIPS INTENDED FOR PROCESSING OF SEMIFULLY PROCESSED NON-GRAIN ORIENTED ELECTRICAL STEEL OR FULLY PROCESSED GRAIN ORIENTED ELECTRICAL STEEL SPECIFICATION	83000	67000	41500	16600	1 MT	5.6	For All				
766	IS 1832	Specification for Malathion, Technical	55000	44000	27500	11000	ONE TONNE	86.4	For All				
767	IS 1834	Hot Applied Sealing Compounds for Joints in Concrete- Specification	57000	46000	28500	11400	1 TONNE	70	For All				
768	IS 18340	Vinyl Sulphone - Specification	98000	79000	49000	19600	1 MT	25.1	For All				
769	IS 1835	Round Steel Wire for Ropes	56000	45000	28000	11200	1 TONNE	15.6	For All				
770	IS 1838 : PART 1	preformed fillers for expansion joint in concrete pavement and structures (non extruding and resilient type): Part 1 Bitumen impregnated fibre - Specification	46000	37000	23000	9200	1 SQ.M	0.55	For All				

771	IS 1838 : PART 3	Preformed Fillers for Expansion Joints in Concrete Pavements and Structures(non-extruding and resilient type) Part 3 Polymer Based	46000	37000	23000	9200	1 SQ. M	0.4	For All				
772	IS 18384	Hot-Rolled Steel Strip, Sheet and Plates for Welded Steel Pipe for Pipeline Transportation Systems Ã~Ã½ Specification	118000	95000	59000	23600	1 TONNE	6	For All				
773	IS 18385	Hot-Dip Galvanized/Galvannealed Steelsheet, Plate and Strip for Automotive Applications â Specification	77000	62000	38500	15400	1 MT	2.8	For All				
774	IS 18427	Three piece round open top metal cans for foods and beverages -- Specification	181000	145000	90500	36200	100 PCS	0.15	For All				
775	IS 18471 : PART 1	Fasteners Ã~Ã½ Cross Recessed Drilling Screws with Tapping Screw Thread Part 1 Pan Head	119000	96000	59500	23800	1 MT	26	For All				
776	IS 18471 : PART 2	Fasteners Ã~Ã½ Cross Recessed Drilling Screws with Tapping Screw Thread Part 2 Countersunk Head	121000	97000	60500	24200	1 MT	26	For All				
777	IS 18476	Fasteners Ã~Ã½ Hexagon Washer Head Drilling Screws with Tapping Screw Thread	120000	96000	60000	24000	1 MT	26	For All				
778	IS 1848	Writing and printing paper	60000	48000	30000	12000	1 TONNE	8.6	For All				

779	IS 18480 : PART 1	Cross Recessed Tapping Screws: Part 1 Pan Head	122000	98000	61000	24400	1 MT	26	For All				
780	IS 18480 : PART 2	Cross Recessed Tapping Screws Part 2 Countersunk Flat Head	118000	95000	59000	23600	1 MT	26	For All				
781	IS 18482	Textiles - Sandwich extrusion laminated polypropylene PP woven sacks for packaging bulk commodities - Specification	196000	157000	98000	39200	1 MT	78.4	For All				
782	IS 18507	Drywall Screws $\frac{1}{2}$ Specification	118000	95000	59000	23600	1 MT	26	For All				
783	IS 18508	Chipboard Screws $\frac{1}{2}$ Specification	119000	96000	59500	23800	1 MT	26	For All				
784	IS 18513	Hot-Dip Zinc- Aluminium-Magnesium Alloy Coated Steel Sheets Plates and Strips - Specification	156000	125000	78000	31200	1 MT	6.55	For All				
785	IS 1855	STRANDED STEEL WIRE ROPES FOR WINDING AND MAN-RIDING HAULAGES IN MINES - SPECIFICATION (Fourth Revision)	87000	70000	43500	17400	1 TON	17.4	For All				
786	IS 1856	Steel wire ropes for haulage purposes - Specification Fourth Revision	56000	45000	28000	11200	1 TON	17.3	For All				
787	IS 18573	Cold formed welded carbon steel square and rectangular hollow sections for mechanical, general engineering and decorative purposes $\frac{1}{2}$ Specification	74000	60000	37000	14800	1 MT	5.55	For All				

788	IS 1865	Iron castings with spheroidal or nodular graphite	68000	55000	34000	13600	1 MT	14	For All				
789	IS 18663	Note Sorting Machines-Specifications	172000	138000	86000	34400	1 PIECE	38.9	For All				
790	IS 18669	TEXTILES ELASTOMERIC YARN SPECIFICATION	131000	105000	65500	26200	1 MT	27	For All				
791	IS 187	Textiles - Cotton Long Cloth - Specification (third revision)	77000	62000	38500	15400	100 METER	5	For All				
792	IS 18731	FUMED SILICA SPECIFICATION	123000	99000	61500	24600	1 MT	57.9	For All				
793	IS 18739	Textiles Bedsheets Pillow cover and Blanket Cover Specification	155000	124000	77500	31000	100 SQMTS	0.55	For All				
794	IS 18741	Concrete Nails ½ Specification	94000	76000	47000	18800	1 MT	65.3	For All				
795	IS 1875	Carbon steel billets, blooms, slabs and bars for forgings	60000	48000	30000	12000	1 TONNE	3.6	For All				
796	IS 1879	Malleable cast iron pipe fittings_ Specification	71000	57000	35500	14200	1 TONNE	26	For All				
797	IS 18800	Stainless steel feeding bottle for infants -- Specification	178000	143000	89000	35600	1 PIECE	0.06	For All				
798	IS 18809	Wear and abrasion resistant steel sheet and plate ½ Specification	101000	81000	50500	20200	1 MT	9	For All				
799	IS 1884	Automotive vehicles - Electric horns	58000	47000	29000	11600	1 PIECE	0.36	For All				
800	IS 18892	Textiles ½ Continuous Multifilament Polypropylene Yarns ½ Specification	184000	148000	92000	36800	1 MT	43.85	For All				
801	IS 1891 : PART 2	Conveyor and elevator textile belting-Specification : Part 2 Heat resistant belting	224000	180000	112000	44800	1 MT	374.85	For All				

802	IS 1891 : PART 3	Rubber Conveyor and Elevator Textile Belting - Part 3 : Oil Resistant Belting	195000	156000	97500	39000	1 MT	187.45	For All				
803	IS 1891 : PART 4	Rubber Conveyor and Elevator Belting - Part IV : Hygienic Belting	175000	140000	87500	35000	1 MT	196.8	For All				
804	IS 1891 : PART 5	Conveyor And Elevator Textile Belting :part 5 Fire Resistant Belting For Surface Application	227000	182000	113500	45400	1 MT	432.55	For All				
805	IS 1897	Copper strip for electrical purposes	104000	84000	52000	20800	1000 KG	70	For All				
806	IS 191	Copper	86000	69000	43000	17200	1 TONNE	36.6	For All				
807	IS 1912	Textiles Country jute twine Specification	56000	45000	28000	11200	ONE TONNE	17.3	For All				
808	IS 1919	Sodium Hydrosulphite	68000	56000	34000	13600	1 M.T	100	600	50	600	25	Rest All
809	IS 1921	Rosin-cored solder wire	107000	86000	53500	21400	01 KG.	0.15	For All				
810	IS 1929	Hot Forged Steel Rivets for Hot Closing (12 to 36 mm Diameter)	46000	37000	23000	9200	1 TON	24	For All				
811	IS 1932	Mustard and Rape Seed Oilcake as Livestock Feed Ingredient	69000	56000	34500	13800	1 TONNE	16	2000	8	2000	4	Rest All
812	IS 1943	Textiles- A-twill jute bags	55000	44000	27500	11000	1 TONNE	17.3	For All				
813	IS 1970	Crop Protection Equipment - Hand-Operated Compression - Knapsack Sprayer - Specification (Sixth Revision)	83000	67000	41500	16600	1 SPRAYER	9.6	For All				
814	IS 1971	Crop Protection Equipment ï¿½ Hand-operated stirrup-type ï¿½ Specification (sixth revision)	67000	54000	33500	13400	1 PUMP	5	For All				

815	IS 1989 : PART 1	LEATHER SAFETY BOOTS AND SHOES - PART 1 : FOR MINERS	67000	54000	33500	13400	1 PAIR	0.5	For All				
816	IS 1989 : PART 2	LEATHER SAFETY BOOTS AND SHOES - PART 2 : FOR HEAVY METAL INDUSTRIES	68000	55000	34000	13600	1 PAIR	0.5	For All				
817	IS 1993	COLD-REDUCED TINMILL PRODUCTS - ELECTROLYTIC TINPLATE	51000	41000	25500	10200	1 TONNE	4.95	For All				
818	IS 1997	Laboratory Glassware - Burettes	56000	45000	28000	11200	1 PIECE	1.4	For All				
819	IS 2002	Steel Plate for Pressure Vessel for Intermediate and High Temperature Service Including Boilers - Specification (Fourth Revision)	72000	58000	36000	14400	1 TONNE	3.3	For All				
820	IS 2004	Carbon steel forgings for general engineering purposes	99000	80000	49500	19800	1 TONNE	3.75	For All				
821	IS 2012	Red Phosphorus - Specification	82000	66000	41000	16400	1 MT	76	For All				
822	IS 2028	Open-Jaw Wrenches (Spanners)	52000	42000	26000	10400	1 PIECE	0.2	For All				
823	IS 2029	Ring Wrenches (Spanners)	52000	42000	26000	10400	1 PIECE	0.2	For All				
824	IS 2036	Phenolic Laminated Sheets	77000	64000	38500	15400	10 KG	1.6	For All				
825	IS 2039 : PART 1 TO 3	Steel Tubes for Bicycle and Cycle Rickshaws	74000	60000	37000	14800	1 TONNE	12.35	For All				
826	IS 204 : PART 1	Tower Bolts - Specification: Part-1 Ferrous Metals	46000	37000	23000	9200	100 PIECE	8.7	For All				
827	IS 204 : PART 2	Tower Bolts - Specification Part-2 Non-Ferrous Metals	47000	38000	23500	9400	100 PIECE	8.7	For All				

828	IS 2041	Steel Plates and Strips for Pressure Vessels Used at Moderate and Low Temperature Specification (Fourth Revision)	93000	75000	46500	18600	1 TONNE	4.35	For All				
829	IS 2046	Decorative Thermosetting Synthetic Resin Bonded Laminated Sheets	136000	120000	68000	27200	ONE SQ. METRE	0.6	For All				
830	IS 2047	Aluminium alloy hardeners (Master alloys)	96000	77000	48000	19200	1 MT	44.2	For All				
831	IS 205	Non-Ferrous Metal Butt Hinges -Specification	46000	37000	23000	9200	100 PIECE	5.6	For All				
832	IS 2052	Compounded feeds for cattle ½ Specification	75000	60000	37500	15000	1 TONNE	3.45	For All				
833	IS 2061	Bicycle - Front forks	46000	37000	23000	9200	100 PIECE	3.5	For All				
834	IS 2062	Hot Rolled Medium and High Tensile Structural Steel	72000	58000	36000	14400	1 TONNE	4	For All				
835	IS 2074	Ready Mixed Paint Air Drying Red Oxide Zinc Chrome Priming -Specification (Fourth Revision)	84000	68000	42000	16800	1 LITRE/ 1 KG	0.26	For All				
836	IS 2074 : PART 1	Ready Mixed Paint, Air Drying, Red Oxide - Zinc Chrome, Priming - Specification Part 1 For Domestic and Decorative Applications (Third Revision)	84000	68000	42000	16800	1 LITRE/ 1 KG	0.26	For All				
837	IS 2076	Unsupported Flexible Polyvinyl Chloride Sheeting	84000	68000	42000	16800	SQ METER	0.08	For All				
838	IS 208	Door Handles -Specification	47000	38000	23500	9400	100 PIECE	8.7	For All				

839	IS 2080	Specification for stabilized hydrogen peroxide First Revision	61000	49000	30500	12200	1 MT	1.85	For All				
840	IS 2082	STATIONARY STORAGE TYPE ELECTRIC WATER HEATERS	130000	104000	65000	26000	1 PIECE	6	For All				
841	IS 2089	Common proofed canvas/duck and paulins (tarpaulins)	65000	52000	32500	13000	100 SQ. METRE	8.6	For All				
842	IS 209	Refined Zinc - Specification (Fifth Revision)	83000	67000	41500	16600	1 MT	3.5	For All				
843	IS 2095 : PART 1	Gypsum Plaster Boards Specification Part 1 Plain Gypsum Plaster Boards	51000	41000	25500	10200	1 TONNE	5.25	For All				
844	IS 2095 : PART 3	Gypsum Plaster Boards - Specification Part 3 Reinforced Gypsum Plaster Boards Tiles Cornices and Mouldings Third Revision of IS 2095 Part 3	196000	157000	98000	39200	1 SQM	0.6	For All				
845	IS 2096	Asbestos cement flat sheets -	46000	37000	23000	9200	1 TON	10	For All				
846	IS 2097	Low Expansion Foam Making Branch Pipe and Portable Foam Inductor - Specification (Third Revision)	91000	76000	45500	18200	1 PIECE	5.4	For All				
847	IS 2098	Asbestos Cement Building Boards -	49000	40000	24500	9800	1 TON	5.25	For All				
848	IS 21	Wrought Aluminium and Aluminium Alloys for Manufacture of Utensils - Specification (Fifth Revision)	64000	52000	32000	12800	1 TONNE	160	For All				
849	IS 210	Grey Iron Castings	49000	40000	24500	9800	1 TONE	72	For All				
850	IS 2124	Sodium Bicarbonate	55000	44000	27500	11000	1 TONNE	3.5	For All				

851	IS 2141	Hot Dip Galvanized Stay Strand	69000	56000	34500	13800	1 TON	69	For All				
852	IS 2142	Bromine, Technical	51000	41000	25500	10200	1 TONNE	51	For All				
853	IS 2181	Sewing Machine Needles for Household Purposes - Specification (Second Revision)	106000	85000	53000	21200	1000 PIECES	1.1	For All				
854	IS 2185 : PART 1	Concrete masonry units - : Part 1 Hollow and solid concrete blocks	82000	75000	41000	16400	1 TON	26.8	For All				
855	IS 2185 : PART 3	Concrete Masonry Units Part 3 Autoclaved Cellular Aerated Concrete Blocks	59000	48000	29500	11800	10 CUBIC METER	17.3	1000	8.7	Rest All		
856	IS 2191 : PART 2	WOODEN FLUSH DOOR SHUTTERS (CELLULAR, HOLLOW AND TUBULAR CORE TYPE) - SPECIFICATION PART 2 PARTICLE BOARD, HIGH DENSITY FIBRE BOARD, MEDIUM DENSITY FIBRE BOARD AND FIBRE HARDBOARD FACE PANELS (Fourth Revision)	179000	144000	89500	35800	1 SQM	2	For All				
857	IS 2202 : PART 1	WOODEN FLUSH DOOR SHUTTERS SOLID CORE TYPE SPECIFICATION PART 1 PLYWOOD FACE PANELS Seventh Revision	88000	71000	44000	17600	1 SQ.M	0.9	For All				
858	IS 2202 : PART 2	WOODEN FLUSH DOOR SHUTTERS SOLID CORE TYPE SPECIFICATION PART 2 PARTICLE BOARD HIGH DENSITY FIBRE BOARD MEDIUM DENSITY FIBRE BOARD AND HARDBOARD FACE PANELS Fourth Revision	199000	160000	99500	39800	1 SQM	2.25	For All				

859	IS 2215	Starters for Fluorescent Lamps	46000	37000	23000	9200	1000 PIECE	10.4	For All				
860	IS 2257	Paper Adhesives, Liquid Gum and Office Paste Type- Specification	46000	37000	23000	9200	1 LITRE	0.18	For All				
861	IS 2266	STEEL WIRE ROPES FOR GENERAL ENGINEERING PURPOSE - SPECIFICATION (Sixth Revision)	75000	60000	37500	15000	1 TON	34.1	For All				
862	IS 2269	Hexagon Socket Head Cap Screws	102000	82000	51000	20400	1 MT	17	For All				
863	IS 229	Ethyl acetate - Specification (Fourth Revision)	168000	135000	84000	33600	1 MT	7	For All				
864	IS 2312	Propeller type ac ventilating fans	96000	77000	48000	19200	1 PIECE	2.2	For All				
865	IS 2339	Aluminium paints for general purposes - Specification	59000	48000	29500	11800	1 LITRE/ KG	0.3	For All				
866	IS 2347	DOMESTIC PRESSURE COOKER - SPECIFICATION	46000	37000	23000	9200	1 PIECE	0.87	For All				
867	IS 2358	Formulations Based on Stabilized Methoxy Ethyl Mercury Chloride (MEMC) Concentrate	46000	37000	23000	9200	ONE TONNE	255.6	For All				
868	IS 2365	STEEL WIRE ROPES FOR LIFTS - MINIMUM REQUIREMENTS (Third revision)	68000	55000	34000	13600	1 TON	34.6	For All				
869	IS 2373	Water Meters (Bulk Type)	46000	37000	23000	9200	1 PIECE	17.3	For All				
870	IS 2385	Hot-Rolled Mild Steel Sheet and Strip in Coil Form for Cold-Reduced Tinplate and Cold-Reduced Blackplate	68000	55000	34000	13600	1 MT	6	For All				

871	IS 2386 : PART 1	Methods of Test for Aggregates for Concrete - Part I : Particle Size and Shape	46000	37000	23000	9200	1 PIECE	3.5	For All				
872	IS 2386 : PART 3	Methods of test for aggregates for concrete Part 3 Specific gravity, density, voids, absorption and bulking	46000	37000	23000	9200	1 PIECE	3.5	For All				
873	IS 2396	Rubber Hose for Fuel Dispensing	64000	52000	32000	12800	100 METER	25.9	For All				
874	IS 2403	Short-Pitch Transmission Precision Roller and Bush Chains, Attachments and Associated Chain Sprockets (Fourth Revision)	50000	40000	25000	10000	100 PIECE	1.75	For All				
875	IS 2404	Malt Extract	64000	52000	32000	12800	1 TONNE	20.7	For All				
876	IS 2414	Cycle and rickshaw pneumatic tyres	73000	59000	36500	14600	100 PIECES	14.6	For All				
877	IS 2415	CYCLES - RUBBER TUBES	95000	76000	47500	19000	100 PIECE	6.85	For All				
878	IS 2418 : PART 1	TUBULAR FLUORESCENT LAMPS FOR GENERAL LIGHTING SERVICE - PART I : SAFETY REQUIREMENTS	80000	60000	40000	16000	1 PIECE	0.06	For All				
879	IS 2418 : PART 2	TUBULAR FLUORESCENT LAMPS FOR GENERAL LIGHTING SERVICE - PART II : PERFORMANCE REQUIREMENTS	80000	60000	40000	16000	1 PIECE	0.06	For All				
880	IS 245	Trichloroethylene, Technical	52000	42000	26000	10400	1 TONNE	25.9	For All				
881	IS 2465	Cables for motor vehicles	46000	37000	23000	9200	100 METER	0.42	For All				
882	IS 2480 : PART 1	General purpose glass thermometers: Part 1 Solid stem thermometers	146000	117000	73000	29200	100 PCS	4	For All				

883	IS 2494 : PART 1	V-Belts - Endless V-Belts for Industrial Purposes - Part 1 : General Purpose	51000	41000	25500	10200	100 PIECE	3.5	For All				
884	IS 2494 : PART 2	V-belts - Endless V-belts for industrial purposes:Part 2 Fire resistant and antistatic V-belts	188000	151000	94000	37600	100 PCS	50	For All				
885	IS 2501	Solid Drawn Copper Tubes for General Engineering Purposes	163000	131000	81500	32600	1 MT	81.5	For All				
886	IS 2507	COLD-ROLLED STEEL STRIPS FOR SPRINGS	64000	52000	32000	12800	1M.T.	5.5	For All				
887	IS 2508	Polyethylene Films and Sheets - Specification (Fourth Revision)	83000	67000	41500	16600	1 KG	0.8	For All				
888	IS 251	Soda Ash, Technical - Specification (fifth revision)	47000	38000	23500	9400	1 TONNE	1.5	For All				
889	IS 2512	Miners Cap Lamp Batteries (lead-acid Type)	46000	37000	23000	9200	1 PIECE	0.18	For All				
890	IS 252	CAUSTIC SODA - SPECIFICATION	58000	47000	29000	11600	1 TONNE	15.9	For All				
891	IS 253	Specification for Common Salt	64000	52000	32000	12800	1 TONNE	2.15	For All				
892	IS 2546	Specification for galvanized mild steel fire bucket	56000	45000	28000	11200	1 PIECE	1.7	For All				
893	IS 2547 : PART 1	gypsum building plaster: Part 1 Excluding premixed lightweight plaster	82000	66000	41000	16400	1 TON	5	For All				
894	IS 2548 : PART 2	Plastic Seats And Covers For Water-closets: Part 2 Thermo Plastic Seats And Covers	61000	49000	30500	12200	1 PIECE	0.9	For All				
895	IS 2551	Danger Notice Plates	87000	70000	43500	17400	1 PIECE	0.35	For All				

896	IS 2552	Steel Drums (galvanized And Ungalvanized)	46000	37000	23000	9200	ONE PIECE	0.18	For All				
897	IS 2553 : PART 1	SAFETY GLASS PART 1 ARCHITECTURAL, BUILDING AND GENERAL USES	66000	53000	33000	13200	1 MT	5.8	For All				
898	IS 2553 : PART 2	SAFETY GLASS - PART 2 : FOR ROAD TRANSPORT	108000	87000	54000	21600	ONE SQUARE METRE	0.9	For All				
899	IS 2553 : PART 3	Safety glass - Specification: Part 3 solar applications	289000	232000	144500	57800	1 SQM	0.05	For All				
900	IS 2556 : PART 14	vitreous sanitary appliances (vitreous china): Part 14 Specific requirements of integrated squatting pans	46000	37000	23000	9200	1 TON	14	For All				
901	IS 2556 : PART 15	Vitreous China Sanitary Appliances â€”Specification Part 15 Specific Requirements of Universal Water Closets (Third Revision)	46000	37000	23000	9200	1 TON	14	For All				
902	IS 2556 : PART 16	Vitreous China Sanitary Appliances â€”Specification Part 16 Specific Requirements of Washdown Wall Mounted Water Closets (First Revision)	67000	54000	33500	13400	1 TON	14	For All				
903	IS 2556 : PART 17	Vitreous Sanitary Appliances (Vitreous China) - - Part 17 : Specific Requirements of Wall Mounted Bidets	46000	37000	23000	9200	1 TON	14	For All				

904	IS 2556 : PART 2	Vitreous China Sanitary Appliances – Specification Part 2 Specific Requirements of Washdown Water Closets (Sixth Revision)	46000	37000	23000	9200	1 TON	14	For All				
905	IS 2556 : PART 3	Vitreous Sanitary Appliances (Vitreous China) - - Part 3: Specific Requirements of Squatting Pans	52000	42000	26000	10400	1 TON	36	For All				
906	IS 2556 : PART 4	Vitreous Sanitary Appliances (Vitreous China) - - Part 4: Specific Requirements of Wash Basins	46000	37000	23000	9200	1 TON	14	For All				
907	IS 2556 : PART 5	vitreous sanitary appliances (vitreous china): Part 5 Specific requirements of laboratory sinks	46000	37000	23000	9200	1 TON	14	For All				
908	IS 2556 : PART 6	Vitreous China sanitary appliances - Specification: Part 6 Specific requirements of urinal and partition plates (fifth revision)	46000	37000	23000	9200	1 TON	14	For All				
909	IS 2556 : PART 7	Vitreous Sanitary Appliances (vitreous china) - - Part 7 : Specific Requirements of Accessories for Sanitary Appliances	46000	37000	23000	9200	1 TON	14	For All				

910	IS 2556 : PART 8	Vitreous Sanitary Appliances (Vitreous China) -- Part 8 : Specific Requirements of Pedestal Close Coupled Washdown and Syphonic Water Closets	46000	37000	23000	9200	1 TON	14	For All				
911	IS 2556 : PART 9	Vitreous Sanitary Appliances (Vitreous China) -- Part 9: Specific Requirements of Pedestal Type Bidets	46000	37000	23000	9200	1 TON	14	For All				
912	IS 2557	Annatto Colour for Food Products	56000	45000	28000	11200	ONE KG	0.8	For All				
913	IS 2558	Ponceau 4R, Food Grade	65000	50000	32500	13000	1 KG	1.3	For All				
914	IS 2566	Textiles - B-twill jute bags for packing foodgrains	63000	51000	31500	12600	1 TONNE	17.3	For All				
915	IS 2567	Specification for Malathion Emulsifiable Concentrates	52000	42000	26000	10400	100 LITRE	34.5	For All				
916	IS 2568	Specification for Malathion Dusting Powders	51000	41000	25500	10200	1 TONNE	60	For All				
917	IS 2569	Specificaion for Malathion Water Dispersible Powder Concentrates	64000	52000	32000	12800	1 TONNE	160	For All				
918	IS 2573	LEATHER GAUNTLETS AND MITTENS SPECIFICATION	68000	55000	34000	13600	1 PAIR	0.2	For All				
919	IS 2581	Round Strand Galvanized Steel Wire Ropes for Shipping Purposes	54000	44000	27000	10800	1 TON	34.6	For All				
920	IS 2590	Primary aluminium ingots for remelting for general engineering purposes	49000	40000	24500	9800	1 MT	11	For All				
921	IS 2593	Flexible Cables for Miners Cap-lamps	79000	64000	39500	15800	100 M	18.8	For All				

922	IS 2596	Bulbs (Lamps) for Miners' Cap-Lamps	46000	37000	23000	9200	100 PIECE	1.75	For All				
923	IS 261	COPPER SULPHATE SPECIFICATION	53000	43000	26500	10600	1 TONNE	35.35	For All				
924	IS 2618	Laboratory glassware - Test tubes (Third Revision)	50000	40000	25000	10000	100 PCS	1	For All				
925	IS 2619	GLASS BEAKERS	55000	44000	27500	11000	1 PIECE	0.16	For All				
926	IS 2630	NITROBENZENE SPECIFICATION	70000	56000	35000	14000	1 MT	5.65	For All				
927	IS 2631	iso Propyl Alcohol	68000	55000	34000	13600	1 MT	4.8	For All				
928	IS 2641	Electrical Welding Accessories	55000	44000	27500	11000	1 PIECE	1	For All				
929	IS 2645	Integral Waterproofing Compounds for Cement Mortar and Concrete - Specification	70000	56000	35000	14000	1 TON	70	For All				
930	IS 265	HYDROCHLORIC ACID SPECIFICATION Fifth Revision	58000	47000	29000	11600	1 KG	0.26	For All				
931	IS 2653	Safety Matches in Boxes	48000	39000	24000	9600	10000 BOXES	8	For All				
932	IS 266	Sulphuric Acid	73000	59000	36500	14600	1 KG	0.26	For All				
933	IS 2681	Non-ferrous metal sliding door bolts (aldrops) for with padlocks -Specification	46000	37000	23000	9200	1 PIECE	0.27	For All				
934	IS 269	Ordinary Portland Cement	72000	58000	36000	14400	1 TON	3	For All				
935	IS 2692	ferrules for water services	53000	43000	26500	10600	1 PIECE	1.1	For All				
936	IS 27	Primary Lead - Specification (Fifth Revision).	81000	65000	40500	16200	1 MT	4.8	For All				
937	IS 2712	Gaskets and packings - compressed asbestos fibre jointing	65000	53000	32500	13000	1000 KG	4.4	For All				

938	IS 2713 : PART 1 TO 3	Tubular Steel Poles for Overhead Power Lines	46000	37000	23000	9200	1 PIECE	3.5	For All				
939	IS 2721	Galvanized Steel Chain Link Fence Fabric	67000	54000	33500	13400	10 SQ.M	1.8	For All				
940	IS 2730	Magnesium sulphate (epsom salt)	50000	40000	25000	10000	1 TONNE	25	For All				
941	IS 274 : PART 1 AND 2	Shovels - Part 1 : General Purpose Shovels - Part II : Heat-Treated Shovels	49000	40000	24500	9800	1 PIECE	0.4	For All				
942	IS 2745	Specification for Non-Metal Helmet for Firemen and Civil Defence Personnel	55000	44000	27500	11000	1 PIECE	1.2	For All				
943	IS 276	Austenitic-Manganese Steel Castings	67000	54000	33500	13400	ONE MT	93.1	For All				
944	IS 277	GALVANIZED STEEL STRIPS AND SHEETS (PLAIN AND CORRUGATED)	47000	38000	23500	9400	1 TONNE	4.5	For All				
945	IS 278	Galvanized Steel Barbed Wire for Fencing- Specification	50000	40000	25000	10000	1 TON	66.7	For All				
946	IS 2785	CHEESE - SPECIFICATION (Second Revision of IS 2785)	50000	40000	25000	10000	1 TONNE	34.5	For All				
947	IS 2791	SOLUBLE COFFEE POWDER - SPECIFICATION (FOURTH REVISION OF IS 2791)	59000	48000	29500	11800	1 KG	0.6	For All				
948	IS 280	Mild Steel Wire for General Engineering Purposes	65000	52000	32500	13000	1 TONNE	3	For All				
949	IS 2802	ICE CREAM AND KULFI - SPECIFICATION (First Revision of IS 2802)	68000	55000	34000	13600	100 LITRES	10	For All				
950	IS 281	Mild Steel Sliding Door Bolts for Use With Padlocks - Specification	46000	37000	23000	9200	1 PIECE	0.15	For All				

951	IS 2830	Carbon steel cast billet ingots, billets, blooms and slabs for re-rolling into steel for general structural purposes - Specification	59000	48000	29500	11800	1 TONNE	3.6	For All				
952	IS 2831	Carbon Steel Cast Billet Ingots, Billets, Blooms and Slabs For Re-rolling into Structural Steel (Ordinary Quality)-	56000	45000	28000	11200	1 TONNE	3	For All				
953	IS 2833	ANILINE, TECHNICAL	64000	52000	32000	12800	1 MT	9.65	For All				
954	IS 2835	FLAT TRANSPARENT SHEET GLASS	132000	106000	66000	26400	1 MT	8	For All				
955	IS 285	Laundry Soaps	59000	48000	29500	11800	1 TONNE	50	For All				
956	IS 2871	Branch Pipe, Universal For Fire fighting Purpose- Specification	93000	73000	46500	18600	1 PIECE	4.2	For All				
957	IS 2879	Mild steel for metal arc welding electrodes	74000	60000	37000	14800	1 TONNE	3	For All				
958	IS 2888	Toilet soap	54000	44000	27000	10800	1 TONNE	540	For All				
959	IS 2923	Carmoisine, food grade - Specification (Third Revision)	65000	52000	32500	13000	1 KG	1.45	For All				
960	IS 2925	Specification for Industrial Safety Helmets	70000	56000	35000	14000	1 PIECE	0.36	For All				
961	IS 2932	ENAMEL, SYNTHETIC, EXTERIOR : (A) UNDERCOATING (B) FINISHING	81000	65000	40500	16200	1 LITRE	0.26	For All				
962	IS 2932 : PART 1		81000	65000	40500	16200	1 LITRE	0.26	For All				
963	IS 2933	Enamel exterior (a) undercoating, (b) finishing	68000	55000	34000	13600	1 LITRE	0.27	For All				
964	IS 2980	Non-Pressure Stoves	60000	48000	30000	12000	1 PIECE	0.27	For All				
965	IS 299	Alumino-Ferric - Specification	71000	57000	35500	14200	1 TONNE	11.85	For All				
966	IS 2993	A.C. motor capacitors	46000	37000	23000	9200	1 PIECE	0.9	For All				

967	IS 2993 : PART 1	a.c. Motor Capacitors Part 1 General - Performance, Testing and Rating - Safety Requirements - Guidance for Installation and Operation (Third Revision)	669000	536000	334500	133800	1 PIECE	0.15	For All				
968	IS 2993 : PART 2	a.c. Motor Capacitors Part 2 Motor Start Capacitors (Third Revision)	470000	376000	235000	94000	1 PIECE	0.15	For All				
969	IS 2997	Air circulator type electric fans and regulators	65000	53000	32500	13000	1 PIECE	7.2	For All				
970	IS 3017	Thermostats for use with electric water heaters	90000	72000	45000	18000	1 PIECE	0.55	For All				
971	IS 302 : PART 1	Household and Similar Electrical Appliances Safety Part 1 General Requirements (Seventh Revision)	155000	124000	77500	31000	1 PIECE	2	For All				
972	IS 302 : PART 2 : SEC 11	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 11 Tumbler dryers	167000	134000	83500	33400	1 PIECE	1	For All				
973	IS 302 : PART 2 : SEC 14	SAFETY OF HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES: PART 2 PARTICULAR REQUIREMENTS. SECTION 14 ELECTRIC KITCHEN MACHINES	147000	118000	73500	29400	1 PIECE	2	For All				
974	IS 302 : PART 2 : SEC 15	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 15 Appliances for heating liquids	158000	127000	79000	31600	1 PIECE	0.9	For All				

975	IS 302 : PART 2 : SEC 201	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 201 Electric immersion water heater	66000	53000	33000	13200	1 PIECE	1.3	For All				
976	IS 302 : PART 2 : SEC 202	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 202 Electric stoves	75000	60000	37500	15000	1 PIECE	0.8	For All				
977	IS 302 : PART 2 : SEC 21	Household and Similar Electrical Appliances Safety Part 2 Particular Requirements Section 21 Storage Water Heaters	130000	104000	65000	26000	1 PIECE	6	For All				
978	IS 302 : PART 2 : SEC 23	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 23 Appliances for skin or hair care	222000	178000	111000	44400	1 PIECE	0.15	For All				
979	IS 302 : PART 2 : SEC 3	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 3 Electric iron	73000	59000	36500	14600	1 PIECE	1.3	For All				
980	IS 302 : PART 2 : SEC 30	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 30 Room Heaters	85000	68000	42500	17000	1 PIECE	1.3	For All				

981	IS 302 : PART 2 : SEC 31	Safety of household and similar electrical appliances: Part 2 Particular requirements, Section 31 Range Hoods	165000	132000	82500	33000	1 PIECE	3.3	For All				
982	IS 302 : PART 2 : SEC 35	Safety of Household and Similar Electrical Appliances - Part 2 : Particular Requirements - Section 35 : Electric Instantaneous Water Heaters	104000	84000	52000	20800	1 PIECE	2.6	For All				
983	IS 302 : PART 2 : SEC 59	Safety of Household and Similar Electrical Appliances - Part 2 : Particular Requirements - Section 59 : Insect Killers	59000	48000	29500	11800	1 PIECE	0.2	For All				
984	IS 302 : PART 2 : SEC 7	Safety of Household And Similar Electrical Appliances Part 2 Particular Requirements Section 7: Domestic Electric Clothes Washing Machines	331000	265000	165500	66200	1 PIECE	2	For All				
985	IS 302 : PART 2 : SEC 75	Safety of Household and Similar Electrical Appliances Part 2 Particular Requirements Section 75 Commercial Dispensing Appliances and Vending Machines	238000	191000	119000	47600	1 PIECE	83.55	For All				
986	IS 302 : PART 2 : SEC 76	Safety of Household and Similar Electrical Appliances - Part 2 : Particular Requirements - Section 76 : Electric Fence Energizers	270000	216000	135000	54000	1 PIECE	12	For All				

987	IS 302 : PART 2 : SEC 80	Safety of Household and Similar Electrical Appliances - Part : 2 Particular Requirements - Section : 80 Fans	154000	124000	77000	30800	1 PIECE	0.65	For All				
988	IS 302 : PART 2 : SEC 9	Safety of household and similar electrical appliances: Part 2 Particular requirements: Section 9 Toasters, Grills, Roasters and similar appliances	114000	92000	57000	22800	1 NO.	0.95	For All				
989	IS 3024	GRAIN ORIENTED ELECTRICAL STEEL SHEETS AND STRIPS	59000	48000	29500	11800	ONE MT	17.5	For All				
990	IS 303	Plywood for General Purposes - Specification (Fourth Revision)	67000	54000	33500	13400	1 SQ.M	0.15	For All				
991	IS 3055 : PART 1	Clinical thermometers Part 1: solid stem type	59000	48000	29500	11800	1 PIECE	0.4	For All				
992	IS 3055 : PART 2	Clinical thermometers-Part 2: Enclosed scale type- Specification	59000	48000	29500	11800	1 PIECE	0.5	For All				
993	IS 3062	Crop Protection Equipment - Rocker Sprayer	63000	51000	31500	12600	1 SPRAYER	4.6	For All				
994	IS 3074	Steel Tubes for Automotive Purposes	70000	56000	35000	14000	ONE TONNE	8.7	For All				
995	IS 3087	Particle boards of wood and other lignocellulosic materials (medium density) for general purposes - Specification	99000	80000	49500	19800	1 SQ.M	0.2	For All				
996	IS 3099 : PART 1 TO 2	Microscopes - Slips and slides: Specification: Part 1 Microscope slips : Part 2 Microscope slides	46000	37000	23000	9200	500 PIECE	1.75	For All				

997	IS 3104 : PART 1	Density hydrometers: Part I Requirements	57000	46000	28500	11400	1 PIECE	0.4	For All				
998	IS 3117	Bitumen Emulsion for Roads and Allied Applications (Anionic Type)	65000	52000	32500	13000	1 MT	4.35	For All				
999	IS 3118	Electric Bacteriological Incubators	107000	86000	53500	21400	1 PIECE	26	For All				
1000	IS 3119	Hot Air Sterilizers	108000	87000	54000	21600	1 PIECE	26	For All				
1001	IS 3181	Conveyor belts - Fire resistant conveyor belting for underground mines and such other hazardous applications	149000	120000	74500	29800	1 SQ MTR	0.85	For All				
1002	IS 3195	STEEL FOR THE MANUFACTURE OF VOLUTE AND HELICAL SPRINGS (FOR RAILWAY ROLLING STOCK)	72000	58000	36000	14400	1 MT	12	For All				
1003	IS 3196 : PART 1	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 1 : Cylinders for liquefied Petroleum Gases (LPG)	136000	96000	68000	27200	1 PIECE	3.5	50000	2.65	Rest All		
1004	IS 3196 : PART 2	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 2 : Cylinders for Liquefiable Non-Toxic Gases Other Than LPG	136000	96000	68000	27200	1 PIECE	3.5	50000	2.65	Rest All		

1005	IS 3196 : PART 4	Welded Low Carbon Steel Cylinders Exceeding 5 Litre Water Capacity for Low Pressure Liquefiable Gases - Part 4 : Cylinders for Toxic and Corrosive Gases (Amalgamation of IS 7680,7681 and 7682)	136000	98000	68000	27200	1 PIECE	27.2	For All				
1006	IS 3224	VALVE FITTINGS FOR COMPRESSED GAS CYLINDERS EXCLUDING LIQUEFIED PETROLEUM GAS LPG CYLINDERS SPECIFICATION Fourth Revision of IS 3224	103000	83000	51500	20600	1 PIECE	1.6	For All				
1007	IS 3309	SOLUBLE COFFEE-CHICORY POWDER - SPECIFICATION (THIRD REVISION OF IS 3309)	50000	40000	25000	10000	1 KG	0.26	For All				
1008	IS 3312	Steel Shelving Cabinets (Adjustable Type) - Specification (Third Revision)	87000	70000	43500	17400	1 PIECE	12	For All				
1009	IS 3314	steel clothes lockers - Specification	92000	74000	46000	18400	1 PIECE	19	For All				
1010	IS 3315	Direct Evaporative Air Cooler â€” Specification (Fourth Revision)	202000	162000	101000	40400	1 PIECE	0.85	For All				
1011	IS 3319	Blades, Surgical, Detachable (Bard Parker Type) and Handles	71000	57000	35500	14200	1000 PIECE	10.4	For All				
1012	IS 3323	Bi-pin lampholders for tubular fluorescent lamps	46000	37000	23000	9200	100 PIECE	3.5	For All				
1013	IS 3327	Pedal-operated Paddy Threshers	75000	60000	37500	15000	1 PADDY THRESHER	6.8	For All				
1014	IS 335	NEW INSULATING OILS	86000	71000	43000	17200	1 KL	8.7	For All				
1015	IS 336	Ether- specification	74000	60000	37000	14800	1 MT	135	For All				

1016	IS 3383	Wettable Sulphur Powder	54000	44000	27000	10800	ONE TONNE	45	For All				
1017	IS 3390	Sphygmomanometers, Mercurial	72000	58000	36000	14400	1 METER	3.5	For All				
1018	IS 3401	SILICA GEL SPECIFICATION	115000	92000	57500	23000	1 KG	0.2	For All				
1019	IS 341	Black japan, Types A, B and C	90000	72000	45000	18000	1 LITRE/1 KG	0.26	For All				
1020	IS 3419	Fittings For Rigid Non-metallic Conduits	81000	65000	40500	16200	100 PIECE	1.15	For All				
1021	IS 3431	STEEL FOR THE MANUFACTURE OF VOLUTE, HELICAL AND LAMINATED SPRINGS FOR AUTOMOTIVE SUSPENSION	46000	37000	23000	9200	1 MT	5.6	For All				
1022	IS 3443	Crane Rail Sections -	46000	37000	23000	9200	1 TONNE	8.75	For All				
1023	IS 3450	Carbon Papers, Handwriting	53000	43000	26500	10600	1 BOX OF 100 SHEETS	0.36	For All				
1024	IS 3459	Small Wire Ropes	71000	59000	35500	14200	1 TON	28.75	For All				
1025	IS 3462	Unbacked Flexible Pvc Flooring	46000	37000	23000	9200	1 SQ.M	0.22	For All				
1026	IS 3466	Specification For Masonry Cement	64000	45000	32000	12800	1 TON	2	For All				
1027	IS 3470	HEXANE, FOOD GRADE	156000	125000	78000	31200	ONE KILO LITRE	3.95	For All				
1028	IS 3480	Flexible Steel Conduits For Electrical Wiring	106000	85000	53000	21200	100 METERS	2.8	For All				
1029	IS 3499 : PART 1	Metal Chairs For Office Purposes Specification Part 1 Non-revolving And Non-tilting	107000	86000	53500	21400	1 PIECE	8	For All				
1030	IS 3499 : PART 2	metal chairs for office purposes Specification Part 2 Revolving and tilting	107000	86000	53500	21400	1 PIECE	9	For All				

1031	IS 3502	Steel Chequered Plates	50000	40000	25000	10000	1 MT	3	For All				
1032	IS 3513 : PART 1	Resin treated compressed wood laminates (compregs) - Specification Part 1 For electrical purposes	221000	177000	110500	44200	1 SQM	4.05	For All				
1033	IS 3513 : PART 3	Resin Treated Compressed Wood Laminates (Compregs) - Specification Part 3 : For General Purposes	71000	59000	35500	14200	1 SQ.M	3.5	For All				
1034	IS 3521	Industrial safety belts and harnesses - Specification	46000	37000	23000	9200	1 PIECE	0.9	For All				
1035	IS 3521 : PART 2	Personal Fall Arrest Systems Specification Part 2 Lanyards and Energy Absorbers	79000	64000	39500	15800	1 NO.	0.3	For All				
1036	IS 3521 : PART 3	Personal Fall Arrest Systems Specification Part 3 Self-retracting lifelines	79000	64000	39500	15800	1 NO.	1.75	For All				
1037	IS 3521 : PART 4	Personal Fall Arrest Systems Specification Part 4 Vertical rails and vertical lifelines incorporating a sliding-type fall arrester	79000	64000	39500	15800	1 NO.	3.95	For All				
1038	IS 3521 : PART 5	Personal Fall Arrest Systems Specification Part 5 Connectors with self-closing and self-locking gates	79000	64000	39500	15800	1 NO.	0.2	For All				
1039	IS 3521 : PART 7	Personal Fall Arrest Systems Specification Part 7 Single point anchor devices	79000	64000	39500	15800	1 NO.	1.1	For All				

1040	IS 3521 : PART 8	Personal Fall Arrest Systems Specification Part 8 Flexible horizontal lifeline systems	79000	64000	39500	15800	1 NO.	3.3	For All				
1041	IS 3521 : PART 9	Personal Fall Arrest Systems Specification Part 9 Descending devices	93000	75000	46500	18600	1 NO.	7.15	For All				
1042	IS 3536	Ready mixed paint, brushing, wood primer - Specification (Second Revision)	78000	63000	39000	15600	1 LITRE	0.2	For All				
1043	IS 3549	Rubber Hoses and Hose Assemblies for Water Suction and Discharge $1\frac{1}{2}$ Specification (Third Revision)	89000	72000	44500	17800	100 METRE	161.8	For All				
1044	IS 3564	Hydraulically Regulated Door Closers -Specification	84000	68000	42000	16800	1 PIECE	2.6	For All				
1045	IS 3565	Teats for Feeding Bottles	97000	78000	48500	19400	1000 PIECES	5	For All				
1046	IS 3566	TEXTILES - VISCOSE RAYON CUT STAPLE SPUN YARN - SPECIFICATION (SECOND REVISION)	47000	38000	23500	9400	1 MT	18.1	For All				
1047	IS 3575	Bitumen Drums	49000	40000	24500	9800	ONE PIECE	0.3	For All				
1048	IS 3589	Steel Pipes for Water and Sewage (168.3 to 2 540 mm Outside Diameter)	127000	102000	63500	25400	1 TONNE	8.7	For All				
1049	IS 3601	Steel tubes for mechanical and general engineering purposes	73000	59000	36500	14600	1 TONNE	8.7	For All				
1050	IS 361	Normal Butyl Alcohol, Technical	51000	41000	25500	10200	1 TONNE	9.3	For All				

1051	IS 3614	Specification of Fire Doors and Assembly First Revision of IS 3614 Parts 1 2	262000	210000	131000	52400	1 Door	17.5	For All				
1052	IS 3617	Textiles Gents pullover knitted Specification Second Revision	73000	59000	36500	14600	1 PIECE	0.4	For All				
1053	IS 362	Parliament Hinges - specification	47000	38000	23500	9400	100 PIECES	1.75	For All				
1054	IS 3623	Guide and Rubbing Ropes	74000	60000	37000	14800	1 TON	30.85	For All				
1055	IS 3626	Locked Coil Winding Ropes â€” Specification (Third Revision)	46000	37000	23000	9200	ONE TONNE	87	For All				
1056	IS 3650	Combination Side Cutting Pliers	49000	40000	24500	9800	1 PIECE	0.32	For All				
1057	IS 3652	Crop Protection Equipment - Foot Sprayer	78000	63000	39000	15600	1 SPRAYER	5	For All				
1058	IS 366	Electric Irons	87000	70000	43500	17400	1 PIECE	1.3	For All				
1059	IS 367	Electric kettles and jugs for household and similar use	133000	107000	66500	26600	1 PIECE	1	For All				
1060	IS 3677	Unbonded Rock and Slag Wool for Thermal Insulation	127000	102000	63500	25400	1 MT	24	For All				
1061	IS 368	Electric Immersion Water Heaters - Specification	89000	72000	44500	17800	1 PIECE	1.3	For All				
1062	IS 3686	Student-type Microscope	46000	37000	23000	9200	1 PIECE	3.5	For All				
1063	IS 369	HOUSEHOLD ELECTRIC DIRECT ACTING ROOM HEATERS	100000	80000	50000	20000	1 PIECE	1.7	For All				
1064	IS 371	Ceiling Roses	61000	49000	30500	12200	100 PIECE	2.3	For All				
1065	IS 3725	Resistance wires, tapes and strips for heating elements	48000	39000	24000	9600	1 KG	1.75	For All				
1066	IS 3735	CANVAS SHOES, RUBBER SOLE	121000	97000	60500	24200	1 PAIR	0.36	For All				

1067	IS 3736	Canvas Boots, Rubber Sole	72000	58000	36000	14400	1 PAIR	1.2	For All				
1068	IS 374	ELECTRIC CEILING TYPE FANS	176000	141000	88000	35200	1 PIECE	0.65	For All				
1069	IS 3745	Yoke Type Medical Cylinder Valve with Pin Index Connection (Third Revision)	55000	44000	27500	11000	1 PIECE	0.42	For All				
1070	IS 3748	Tool Steels - Specification	86000	69000	43000	17200	1 MT	9.2	For All				
1071	IS 3757	High Strength Structural Bolts	48000	39000	24000	9600	1 TON	13.35	For All				
1072	IS 3762	Metal Waste Paper Bins - Specification	94000	76000	47000	18800	1 PIECE	0.9	For All				
1073	IS 3768	Ventilation Ducting - Vinyl Coated, Flexible and Semi-Rigid	79000	63200	39500	15800	1 METER	3.17	For All				
1074	IS 3812 : PART 1	Pulverized Fuel Ash - Part 1 : For Use as Pozzolana in Cement, Cement Mortar and Concrete	125000	100000	62500	25000	1 TON	9.2	For All				
1075	IS 3818	Continuous (Piano) hinges - Specification	46000	37000	23000	9200	100 PIECE	8.65	For All				
1076	IS 3829 : PART 1	Horizontal Cylindrical and Horizontal Rectangular Steam Sterilizers, Pressure Type (for Hospital and Pharmaceutical Use)	53000	43000	26500	10600	1 PIECE	400	For All				
1077	IS 3829 : PART 2	Steam Sterilizers - Part 2 : Horizontal Cylindrical High Speed Steam Sterilizers, Pressure Type (REDISGNATION OF IS 4510 : 1978)	53000	43000	26500	10600	1 PIECE	530	For All				
1078	IS 3829 : PART 3	Steam Sterilizers - Part 3 : Pressure Sterilizers, Vertical Cylindrical Type	46000	37000	23000	9200	1 PIECE	103.7	For All				

1079	IS 383	SPECIFICATION FOR COARSE AND FINE AGGREGATES FROM NATURAL SOURCES FOR CONCRETE	94000	76000	47000	18800	1 TON	0.45	For All				
1080	IS 3830	Water Stills for Pyrogen-Free Distilled Water	51000	41000	25500	10200	1 PIECE	140	For All				
1081	IS 3831	Sterilizer, Shallow (dressing drum)	46000	37000	23000	9200	1 PIECE	1.75	For All				
1082	IS 3832	Hand-Operated Chain Pulley Blocks	80000	64000	40000	16000	1 PIECE	17.3	For All				
1083	IS 3854	Switches for Domestic and Similar Purposes - Specification (Third Revision)	69000	56000	34500	13800	100 PIECE	3.5	For All				
1084	IS 3899	Zineb water dispersible powder - Specification (Second Revision)	58000	47000	29000	11600	1 TONNE	193.35	For All				
1085	IS 3902	Dimethoate, Technical	58000	47000	29000	11600	ONE TONNE	172.8	For All				
1086	IS 3903	Dimethoate Emulsifiable Concentrates	51000	41000	25500	10200	100 LITRE	34.5	For All				
1087	IS 3906	Crop Protection Equipment - Hand-operated Knapsack Sprayer, Piston Type	53000	43000	26500	10600	ONE SPRAYER	3.45	For All				
1088	IS 3930	FLAME AND INDUCTION HARDENING STEELS	153000	123000	76500	30600	1 MT	5.7	For All				
1089	IS 3950	surface boxes for sluice valves	53000	43000	26500	10600	1 PIECE	3.1	For All				
1090	IS 3975	Mild steel wires, formed wires and tapes for armouring of cables	49000	40000	24500	9800	1 TONNE	10.4	For All				
1091	IS 3976	PROTECTIVE RUBBER CANVAS BOOTS FOR MINERS	147000	118000	73500	29400	1 PAIR	0.95	For All				

1092	IS 398 : PART 1	Aluminium conductors for overhead transmission purposes: Part 1 Aluminium stranded conductors	53000	43000	26500	10600	1 TON	34.6	For All				
1093	IS 398 : PART 2	Aluminium conductors for overhead transmission purposes: Part 2 Aluminium conductors, galvanized steel reinforced	53000	43000	26500	10600	1 TON	90	For All				
1094	IS 398 : PART 4	Aluminium conductors for overhead transmission purposes: Part 4 Aluminium alloy stranded conductors (aluminium magnesium silicon type)	46000	37000	23000	9200	1 TON	46	For All				
1095	IS 398 : PART 5	Aluminium conductors for overhead transmission purposes: Part 5 Aluminium conductors - galvanized steel reinforced for extra high voltage (400 kV and above)_	60000	48000	30000	12000	1 TON	34.6	For All				
1096	IS 398 : PART 6	Aluminium Conductors For Overhead Transmission Purposes Part 6: High conductivity aluminium alloy stranded conductors	225000	180000	112500	45000	1 MT	40	For All				
1097	IS 3989	CENTRIFUGALLY CAST (SPUN) IRON SPIGOT AND SOCKET PIPES, FITTINGS AND ACCESSORIES ½ SPECIFICATION (Fourth Revision)	61000	49000	30500	12200	1 TONNE	8.7	For All				

1098	IS 3992	Trays, Kidney	46000	37000	23000	9200	1 PIECE	0.3	For All				
1099	IS 3993	Trays, Instruments	46000	37000	23000	9200	1 PIECE	1.4	For All				
1100	IS 4003 : PART 1	Pipe Wrenches - Specification Part 1 General Purpose(Second revision)	53000	43000	26500	10600	1 PIECE	0.36	For All				
1101	IS 4003 : PART 2	Pipe Wrenches - Part 2 : Heavy Duty	59000	48000	29500	11800	1 PIECE	5.25	For All				
1102	IS 4026	ALUMINIUM INGOTS BILLETS AND WIRE BARS EC GRADE	49000	40000	24500	9800	1 MT	11	For All				
1103	IS 4035	Trolleys, Stretcher	51000	41000	25500	10200	1 BED	3.4	For All				
1104	IS 4038	Foot Valves For Water Works Purposes	46000	37000	23000	9200	1 PIECE	1.75	For All				
1105	IS 405 : PART 1	Lead sheets and strips - Part 1 : For chemical purposes	97000	78000	48500	19400	100 KG	1.4	For All				
1106	IS 407	Brass Tubes for General Purposes	88000	71000	44000	17600	1 MT	100	For All				
1107	IS 4072	STEEL FOR SPRING WASHERS	73000	59000	36500	14600	1 MT	24.35	For All				
1108	IS 410	Cold Rolled Brass Sheet, Strip And Foil	83000	67000	41500	16600	1 MT	90	For All				
1109	IS 4105	Styrene (vinyl benzene) - Specification (Third Revision)	117000	94000	58500	23400	1 MT	10.05	For All				
1110	IS 4109	KADAHI - SPECIFICATION	46000	37000	23000	9200	100 PIECES	59	For All				
1111	IS 411	Titanium dioxide, anatase, for paints	53000	43000	26500	10600	100 KG	1.4	For All				
1112	IS 4123	Chain Pipe Wrenches	53000	43000	26500	10600	1 PIECE	5.25	For All				
1113	IS 4135	Hospital Rubber Sheetings	65000	53000	32500	13000	100 SQ. METER	28.8	For All				
1114	IS 4148	Surgical Rubber Gloves	54000	44000	27000	10800	100 PAIRS	1.74	For All				
1115	IS 4151	PROTECTIVE HELMET FOR TWO WHEELER RIDERS	46000	37000	23000	9200	1 PIECE	0.45	For All				

1116	IS 4159	Mineral Filled Sheathed Heating Elements	81000	65000	40500	16200	1 PIECE	1.75	For All				
1117	IS 4171	Copper rods and bars for general engineering purposes	111000	89000	55500	22200	1 MT	73	For All				
1118	IS 418	Tungsten Filament Lamp for Domestic and Similar General Lighting Purposes	157000	126000	78500	31400	100 PIECE	1.6	For All				
1119	IS 419	Putty, For Use On Window Frames	49000	40000	24500	9800	1 LITRE/KG	0.05	For All				
1120	IS 4199	Toilet Soap, Liquid	50000	40000	25000	10000	ONE KILO LITRE	43.2	For All				
1121	IS 4223	STEEL WIRE FOR UMBRELLA RIBS	64000	52000	32000	12800	1 MT	15.25	For All				
1122	IS 4246	Domestic Gas Stoves for use with Liquefied Petroleum Gases	113000	91000	56500	22600	1 PIECE	3.5	For All				
1123	IS 4250	Electric Food-Mixers (Liquidizers and Grinders) and Centrifugal Juicers ½ Specification (Second Revision)	79000	64000	39500	15800	1 PIECE	3.5	For All				
1124	IS 4265	4,4'-Diaminostilbene-2,2'-Disulphonic Acid	118000	95000	59000	23600	100 KG	2.4	For All				
1125	IS 4266	Lockers, Bedside for Hospital Use	46000	37000	23000	9200	1 PIECE	2.5	For All				
1126	IS 427	Distemper, Dry, Colour as Required - Specification	68000	55000	34000	13600	1 LITRE/1 KG	0.26	For All				
1127	IS 4270	STEEL TUBES USED FOR WATER WELLS	71000	57000	35500	14200	1 TONNE	8.7	For All				
1128	IS 428	Washable Distemper - Specification	68000	55000	34000	13600	1 LITRE/1 KG	0.26	For All				
1129	IS 4283	Hot Air Fan	89000	72000	44500	17800	1 PIECE	1.75	For All				

1130	IS 4296 : PART 2	Tools for Pressing Punches Part 2 Punches with Cylindrical Head and Straight or Reduced Shank (second revision)	49000	40000	24500	9800	1 PIECE	0.85	For All				
1131	IS 4306	Hexamethylenetetramine (hexamine)	122000	98000	61000	24400	1 MT	12.2	For All				
1132	IS 4308	DRY CHEMICAL POWDERS FOR FIRE FIGHTING- BC , ABC AND D TYPES	61000	49000	30500	12200	1 KG	0.2	For All				
1133	IS 432 : PART 1	Mild Steel and Medium Tensile Steel Bars and Hard- Drawn Steel Wire for Concrete Reinforcement: Part 1 Mild Steel and Medium Tensile Steel Bars	47000	38000	23500	9400	1 TON	3	For All				
1134	IS 432 : PART 2	Mild Steel and Medium Tensile Steel Bars and Hard- Drawn Steel Wire for Concrete Reinforcement: Part 2 Hard-Drawn Steel Wire	53000	43000	26500	10600	1 TON	3	For All				
1135	IS 4320	Thiram technical - Specification Second Revision	48000	39000	24000	9600	1 TONNE	250	For All				
1136	IS 4328	Monocular Dissecting Microscope	46000	37000	23000	9200	1 PIECE	3.5	For All				
1137	IS 4351	Steel Door Frames -	56000	45000	28000	11200	1 TON	137.5	For All				
1138	IS 4367	Alloy steel forgings for general industrial use	79000	63000	39500	15800	1 MT	21	For All				
1139	IS 4368	Alloy steel billets, blooms and slabs for forging for general engineering purposes	87000	70000	43500	17400	1 TON	4	For All				
1140	IS 4375	Cotton Knitted Sports Shirts	46000	37000	23000	9200	100 NUMBERS	2.75	For All				

1141	IS 4381	Pathological Microscope	46000	37000	23000	9200	1 PIECE	8.7	For All				
1142	IS 439	Industrial Coke	65000	52000	32500	13000	1 MT	3.05	For All				
1143	IS 4398	CARBON-CHROMIUM STEEL FOR THE MANUFACTURE OF BALLS, ROLLERS AND BEARING RACES	70000	56000	35000	14000	ONE TONNE	5.85	For All				
1144	IS 44	Iron Oxide Pigments for Paints	83000	67000	41500	16600	ONE KG	0.07	For All				
1145	IS 4409	Ferronickel	127000	102000	63500	25400	1 MT	369	For All				
1146	IS 4412	Copper wires for general engineering purposes	106000	85000	53000	21200	1 MT	88.5	For All				
1147	IS 4431	CARBON AND CARBON MANGANESE FREE CUTTING STEELS	93000	75000	46500	18600	1 MT	5.5	For All				
1148	IS 4432	CASE HARDENING STEELS	86000	69000	43000	17200	1 TONNE	3	For All				
1149	IS 444	RUBBER HOSES, TEXTILE-REINFORCED, FOR GENERAL-PURPOSE WATER APPLICATIONS	46000	37000	23000	9200	100 METRE	25.9	For All				
1150	IS 4447	Sodium Benzoate, Food Grade	59000	48000	29500	11800	1 KG.	0.2	For All				
1151	IS 4448	Benzoic Acid Food Grade - Specification	46000	37000	23000	9200	1 TONNE	260	For All				
1152	IS 4454 : PART 1	Steel Wires for Mechanical Springs - Part I : Patented and Cold Drawn Steel Wires - Unalloyed	75000	60000	37500	15000	1 TONNE	7.5	For All				
1153	IS 4454 : PART 2	Steel Wires for Mechanical Springs - Part II : Oil Hardened and Tempered Spring Steel Wire and Valve Spring Wire - Unalloyed	97000	78000	48500	19400	1 MT	10.1	For All				

1154	IS 4454 : PART 4	STEEL WIRES FOR MECHANICAL SPRINGS - PART 4 : STAINLESS STEEL WIRE	102000	87000	51000	20400	1 MT	27	For All				
1155	IS 4457	Ceramic unglazed vitreous acid resisting tile -	200000	160000	100000	40000	10 SQ.M	3.8	60000	1.9	60000	0.95	
1156	IS 4467	Caramel	75000	60000	37500	15000	ONE KG.	0.2	For All				
1157	IS 447	Rubber Hose For Welding	55000	44000	27500	11000	100 METRE	25.9	For All				
1158	IS 4505	SODIUM FORMALDEHYDE SULPHOXYLATE	46000	37000	23000	9200	1 MT	300	1000	200	5000	100	Rest All
1159	IS 4508	OPEN ENDED SLUGGING WRENCHES (SPANNERS) - SPECIFICATION (Second Revision)	48000	39000	24000	9600	1 PIECE	0.6	For All				
1160	IS 4509	RING SLUGGING WRENCHES (SPANNERS) - SPECIFICATION (second revision)	47000	38000	23500	9400	1 PIECE	0.5	For All				
1161	IS 4521	Wire Ropes Used in Oil Wells and Oil Well Drilling and Other Applications of Petroleum and Natural Gas Industries - Specification (Third Revision)	107000	86000	53500	21400	1 TON	103.7	For All				
1162	IS 4533	Suction Apparatus	77000	62000	38500	15400	1 PIECE	14	For All				
1163	IS 455	PORTLAND SLAG CEMENT - SPECIFICATION	73000	59000	36500	14600	1 TON	3	For All				
1164	IS 4566	Methylene Chloride (dichloromethane), Technical	56000	45000	28000	11200	1 MT	3	For All				
1165	IS 4572	Fibre ropes - Polyamide 3- 4- 8- and 12- strand ropes (fifth revision)	46000	37000	23000	9200	1 MT	290	150	145	Rest All		

1166	IS 458	Precast Concrete Pipes (with and without Reinforcement) -	46000	37000	23000	9200	1 TON	8.7	For All				
1167	IS 4581	PHOSPHORUS TRICHLORIDE PURE AND ANALYTICAL REAGENT-SPECIFICATION Second Revision IS 4581	78000	63000	39000	15600	1 MT	6.7	For All				
1168	IS 4588	Rubber, Raw, Natural	46000	37000	23000	9200	1 TONNE	25.9	For All				
1169	IS 459	Corrugated and semi-Corrugated Asbestos Cement Sheets -	46000	37000	23000	9200	1 TON	1.75	For All				
1170	IS 4603	Phenyl Ethyl Alcohol	100000	80000	50000	20000	1 MT	21	For All				
1171	IS 4605	CREPE BANDAGE	47000	38000	23500	9400	100 SQ. METRE	9.4	For All				
1172	IS 4606	Steel shots for use in foundries	100000	80000	50000	20000	1 MT	5.8	For All				
1173	IS 4654	Paraffin Wax	56000	45000	28000	11200	1 TONNE	13.8	For All				
1174	IS 4658	SPECIFICATION FOR COATED PAPER AND BOARD (ART AND CHROMO)	98000	79000	49000	19600	1 MT	4.85	For All				
1175	IS 4684	Edible Groundnut Flour (Expeller Pressed)	95000	76000	47500	19000	1 TONNE	24	2000	12	Rest All		
1176	IS 4752	Sodium Metabisulphite, Food Grade	61000	49000	30500	12200	1 KG	0.2	For All				
1177	IS 4759	Hot-dip zinc coatings on structural steel and other allied products	53000	43000	26500	10600	1 MT	7.2	For All				
1178	IS 4761	Unsupported PVC Rainwear	56000	44800	28000	11200	1 PIECE	0.23	For All				
1179	IS 4766	Thiram water dispersible powder for slurry seed treatment - Specification (second revision)	54000	44000	27000	10800	1 TONNE	270	For All				
1180	IS 4808	Pyrethrum Emulsifiable Concentrates	66000	53000	33000	13200	100 LTS.	66	For All				

1181	IS 4824	Bead wires for tyres - Specification	79000	64000	39500	15800	1 MT	6.5	For All				
1182	IS 4835	Specification Polyvinyl Acetate Dispersion Based Adhesives for Wood	102000	85000	51000	20400	1 TON	86	For All				
1183	IS 4923	HOLLOW STEEL SECTIONS FOR STRUCTURAL USE - SPECIFICATION	74000	60000	37000	14800	1 TONNE	8.7	For All				
1184	IS 493 : PART 1	Specification for general purpose machinery and spindle oils: Part 1 machinery oils (Second Revision)	63000	51000	31500	12600	1 KL	10	For All				
1185	IS 4941	Extracted Honey	66000	53000	33000	13200	1 MT	16	For All				
1186	IS 4947	Specification for Gas cartridges for use in fire extinguishers -	79000	64000	39500	15800	1 PIECE	1.75	For All				
1187	IS 4948	Welded Steel Wire Fabric for General Use - Specification (Third Revision)	53000	43000	26500	10600	1 TON	30	For All				
1188	IS 4955	Household Laundry Detergent Powders	52000	42000	26000	10400	1 MT	37.15	For All				
1189	IS 4964	Textiles - Vest, Cotton, Plain (Single Jersey) Knitted	64000	52000	32000	12800	100 VESTS	9	For All				
1190	IS 4984	POLYETHYLENE PIPES FOR WATER SUPPLY	50000	40000	25000	10000	1 TON	86.4	For All				
1191	IS 4985	UNPLASTICIZED PVC PIPES FOR POTABLE WATER SUPPLIES SPECIFICATION Fourth Revision	58000	47000	29000	11600	1 TON	86.4	For All				
1192	IS 4989	FORM CONCENTRATE FOR PRODUCING MECHANICAL FOAM FOR FIRE FIGHTING	46000	37000	23000	9200	1 LITRE	0.2	For All				

1193	IS 4990	PLYWOOD FOR CONCRETE SHUTTERING WORKS SPECIFICATION (Fourth Revision)	90000	72000	45000	18000	1 SQ.M	0.25	For All				
1194	IS 4992	Door Handles for Mortice Locks â€” Specification (Second Revision)	51000	41000	25500	10200	1 PIECE	0.1	For All				
1195	IS 4996	Reinforced Concrete Fence Posts	60000	48000	30000	12000	1 PIECE	4.45	For All				
1196	IS 5012	Cellulose Film	59000	48000	29500	11800	1 TONNE	32	For All				
1197	IS 5022	Sterilizers, Instruments (table Model)	46000	37000	23000	9200	1 PIECE	1.75	For All				
1198	IS 5029	Bedsteads, Hospital, General Purposes	121000	97000	60500	24200	1 PIECE	17.3	For All				
1199	IS 5030 : PART 2	Metal Cutting Bandsaw Blades - Part II : Tolerances	87000	70000	43500	17400	1 M	0.15	For All				
1200	IS 5035	Sterilizers, Bowl and Utensil (Pedal Type)	46000	37000	23000	9200	1 PIECE	140	For All				
1201	IS 5082	Wrought aluminium and aluminium alloy bars, rods, tubes and sections for electrical purposes	60000	48000	30000	12000	1 MT	24	For All				
1202	IS 513	Cold reduced low carbon steel sheets and strips	73000	59000	36500	14600	ONE M.T.	3.5	For All				
1203	IS 513 : PART 1	COLD REDUCED CARBON STEEL SHEET AND STRIP PART 1 COLD FORMING AND DRAWING PURPOSES	73000	59000	36500	14600	1 M.T.	3.5	For All				
1204	IS 513 : PART 2	COLD REDUCED CARBON STEEL SHEET AND STRIP PART 2 HIGH TENSILE AND MULTI-PHASE STEEL	79000	64000	39500	15800	1 M.T.	4.3	For All				
1205	IS 5135 : PART 1	Hand-Rotary Duster - Part 1 : Belly-Mounted Type	55000	44000	27500	11000	ONE DUSTER	3.3	For All				

1206	IS 5143	Adjustable Axillary Crutches Specification (Third Revision)	48000	39000	24000	9600	1 PIECE	0.4	For All				
1207	IS 5149	Specification for Maleic Anhydride, Technical (Second Revision)	57000	46000	28500	11400	1 MT	9.55	For All				
1208	IS 5158	PHTHALIC ANHYDRIDE, TECHNICAL	66000	53000	33000	13200	1M.T.	7.1	For All				
1209	IS 5168	GLASS FEEDING BOTTLES	105000	84000	52500	21000	100 BOTTLES	9	For All				
1210	IS 517	METHANOL (METHYL ALCOHOL)	78000	63000	39000	15600	1 MT	1.3	For All				
1211	IS 5175	Fibre ropes - Polypropylene split film monofilament and multifilament PP 2 and polypropylene high tenacity multifilament PP 3 3- 4- 8- and 12- strand ropes (fourth revision)	47000	38000	23500	9400	1 TONNE	43.2	For All				
1212	IS 5191	Sodium Alginate, Food Grade	88000	71000	44000	17600	1 KG	0.42	For All				
1213	IS 5192 : PART 2	Natural rubber compounds : Part 2 for extruded products	68000	55000	34000	13600	1 KG	0.2	For All				
1214	IS 5204	Research Microscope	46000	37000	23000	9200	1 PIECE	36	For All				
1215	IS 5206	Covered electrodes for manual metal arc welding of stainless steel and other similar high alloy steels	117000	97000	58500	23400	ONE TONNE	60	For All				
1216	IS 5244	Safe Deposit Locker Cabinets Specification	203000	163000	101500	40600	1 PIECE	79.8	For All				
1217	IS 5271	Paraformaldehyde	132000	106000	66000	26400	1 MT	6.95	For All				
1218	IS 5277	Dichlorvos Emulsifiable Concentrates	54000	44000	27000	10800	100 LITRE	34.5	For All				
1219	IS 5278	Dicofol, Technical	46000	37000	23000	9200	1 TONNE	306.7	For All				

1220	IS 5279	Dicofol Emulsifiable Concentrates	49000	40000	24500	9800	100 LITRE	34.5	For All				
1221	IS 5290	Specification for landing valves	62000	50000	31000	12400	1 PIECE	5.6	For All				
1222	IS 5291	Tables, Operation, Hydraulic, Major	46000	37000	23000	9200	1 PIECE	103.7	For All				
1223	IS 5295	Ethylene Glycol - Specification (Third Revision)	126000	101000	63000	25200	100 KG	0.65	For All				
1224	IS 5301	Sodium Chlorate	60000	48000	30000	12000	1 MT	4.95	For All				
1225	IS 5312 : PART 1	SWING CHECK TYPE REFLUX (NON-RETURN] VALVES FOR WATER WORKS PURPOSES - PART 1 : SINGLE-DOOR PATTERN	66000	53000	33000	13200	1 PIECE	6	For All				
1226	IS 5342	Ascorbic Acid, Food Grade	65000	52000	32500	13000	ONE KG	1.4	For All				
1227	IS 5346	Synthetic Food Colour - Preparations and Mixtures	54000	44000	27000	10800	1 KG (FORPOWDER), 1 LITRE (FOR LIQUID)	0.45	For All				
1228	IS 537	TOLUENE -SPECIFICATION	141000	113000	70500	28200	1 MT	5.6	For All				
1229	IS 538	Phenol (Carbolic Acid)	62000	50000	31000	12400	1 MT	5.95	For All				
1230	IS 5382	RUBBER SEALS JOINT RINGS FOR WATER SUPPLY, DRAINAGE AND SEWERAGE PIPELINES SPECIFICATION FOR MATERIALS	76000	61000	38000	15200	1 PIECE	0.26	For All				
1231	IS 539	Naphthalene	52000	42000	26000	10400	01 KG.	0.26	For All				
1232	IS 5405	Disposable Sanitary Napkin/Panty Liner/Maternity Pad/Period Panty - Specification (Third Revision)	46000	37000	23000	9200	1000 PIECE	10	For All				

1233	IS 5410	Cement Paint - Specification	46000	37000	23000	9200	100 KG	8.6	For All				
1234	IS 542	Coconut oil - Specification (Third Revision)	124000	100000	62000	24800	1 MT	20.7	For All				
1235	IS 5430	AMMONIA PRESERVEDCONCENTRATED NATURAL RUBBERLATEX	57000	46000	28500	11400	1 TONNE (DRC BASIS)	51.8	For All				
1236	IS 5437	Figured Rolled And Wired Glass	92000	74000	46000	18400	1 MT	2	For All				
1237	IS 5456	Positive Displacement Type Air Compressors and Exhausters Testing and Acceptance (Third Revision)	46000	37000	23000	9200	1 PIECE	26	For All				
1238	IS 5470	Dicalcium Phosphate, Animal Feed Grade	67000	54000	33500	13400	ONE TONNE	17.3	For All				
1239	IS 5484	EC GRADE ALUMINIUM ROD PRODUCED BY CONTINUOUS CASTING AND ROLLING - SPECIFICATION	60000	48000	30000	12000	1 MT	34.6	For All				
1240	IS 5487	Metal Polish, Liquid	57000	46000	28500	11400	ONE KILO LITRE	51.8	For All				
1241	IS 5489	CARBURIZING STEELS FOR USE IN BEARING INDUSTRY	72000	58000	36000	14400	1 MT	30	For All				
1242	IS 550 : PART 1	Safes: Part 1 specification Fifth Revision	46000	37000	23000	9200	1 PIECE	173	For All				
1243	IS 5504	Spiral Welded Pipes	55000	44000	27500	11000	1 TONNE	8.7	For All				
1244	IS 5509	Fire Retardant Plywood - Specification (Third Revision)	70000	56000	35000	14000	1 SQ.M	0.7	For All				
1245	IS 5513	Specification for vicat apparatus	53000	43000	26500	10600	1 PIECE	6	For All				

1246	IS 5514	Specification Apparatus Used in 'Le-chatelier' Test	46000	37000	23000	9200	1 PIECE	0.82	For All				
1247	IS 5516	Specification variable flow type air-permeability apparatus (Blaine type)	51000	41000	25500	10200	1 PIECE	5.6	For All				
1248	IS 5517	Steels for Hardening and Tempering	94000	76000	47000	18800	1 TONNE	3	For All				
1249	IS 5518	STEELS FOR DIE BLOCKS FOR DROP FORGING	93000	75000	46500	18600	1 MT	12	For All				
1250	IS 5522	Stainless Steel Sheets and Strips for Utensils Specification	55300	44300	27650	11060	ONE MT	17	For All				
1251	IS 553	Rosin (gum rosin)	70000	56000	35000	14000	ONE TONNE	50	For All				
1252	IS 5531	Cast iron specials for asbestos-cement pressure pipes for water, gas and sewage - Specification	77000	62000	38500	15400	1 TONNE	17.3	For All				
1253	IS 555	Electric Table Type Fans Regulators	154000	124000	77000	30800	1 PIECE	0.65	For All				
1254	IS 5557	Industrial and protective rubber knee and ankle boots - Specification (Fourth Revision)	95000	76000	47500	19000	1 PAIR	0.8	For All				
1255	IS 5557 : PART 2	ALL RUBBER GUM BOOTS AND ANKLE BOOTS PART 2 OCCUPATIONAL PURPOSES	100000	80000	50000	20000	1 PAIR	1	For All				
1256	IS 5604	Specification for Hand-operated Universal Gearless Pulling and Lifting Machines	46000	37000	23000	9200	1 PIECE	17.3	For All				
1257	IS 5631	Trolley, Instrument, Plain and Curved	46000	37000	23000	9200	1 PIECE	2.3	For All				

1258	IS 5672	Mineral Mixtures for Supplementing Poultry Feeds	77000	62000	38500	15400	1 TONNE	38.5	For All				
1259	IS 5676	MOULDED SOLID RUBBER SOLES AND HEELS	58000	47000	29000	11600	100 PAIRS	9.4	For All				
1260	IS 5679	Miners' cap lamp assemblies (incorporating lead acid type batteries)	46000	37000	23000	9200	1 PIECE	0.55	For All				
1261	IS 5719	GELATIN, FOOD GRADE	68000	55000	34000	13600	1 KG.	0.2	For All				
1262	IS 573	Trisodium Phosphate	46000	37000	23000	9200	1 M.T	44	For All				
1263	IS 5758	PRECAST CONCRETE KERBS, CHANNELS, EDGINGS, QUADRANTS AND GUTTER APRONS	93000	75000	46500	18600	1 MT	5.4	For All				
1264	IS 5820	precast concrete cable covers	46000	37000	23000	9200	1 TON	40	For All				
1265	IS 5852	Protective Steel Toe Caps for Footwear	47000	38000	23500	9400	100 PAIRS	4.3	For All				
1266	IS 5872	Steel strapping for packaging (Third Revision)	62000	50000	31000	12400	ONE TONNE	6.05	For All				
1267	IS 5884	Textile Floor Covering - Tufted Carpets	46000	37000	23000	9200	1 SQ METER	0.9	For All				
1268	IS 5915	Single Texture Rubberized Waterproof Fabrics	77000	62000	38500	15400	1 SQ. METER	0.38	For All				
1269	IS 5950	Shot firing cables (for use other than in shafts)	82000	66000	41000	16400	100 M	1.8	For All				
1270	IS 5982	Plantation White Sugar	63000	51000	31500	12600	ONE TONNE	48	5000	24	Rest All		
1271	IS 5983	Eye-protectors	46000	37000	23000	9200	1 PAIR	1.5	For All				
1272	IS 5986	HOT ROLLED STEEL FLAT PRODUCTS FOR STRUCTURAL FORMING AND FLANGING PURPOSES	70000	56000	35000	14000	1 TONNE	3.75	For All				
1273	IS 6003	Indented Wire For-- Prestressed Concrete	55000	44000	27500	11000	1 TON	10.49	For All				

1274	IS 6006	Uncoated Stress Relieved Strand For Prestressed Concrete - Specification	54000	44000	27000	10800	1 TON	20.8	For All				
1275	IS 6014	Emulsifiable Larvicidal Oil, Pyrethrum Based	65000	52000	32500	13000	100 LTRS.	39	For All				
1276	IS 6022	Fast Green FCF, Food Grade	46000	37000	23000	9200	1 KG	1.3	For All				
1277	IS 6031	Calcium Propionate, Food Grade	46000	37000	23000	9200	1 KG	0.18	For All				
1278	IS 6034	Insulating Oil Conditioning Plants	84000	68000	42000	16800	1 NO.	700	For All				
1279	IS 6046	Indian Standard Gypsum for Agricultural Use-Specification (Second revision)	53000	43000	26500	10600	ONE M.T	2	For All				
1280	IS 6047	Scouring products for utensil cleaning - Specification	59000	48000	29500	11800	ONE TONNE	25.9	For All				
1281	IS 6072	Autoclaved reinforced cellular concrete wall slabs Specifications First Revision	297000	238000	148500	59400	1CUB.MT R.	9.9	For All				
1282	IS 6073	Autoclaved Reinforced Cellular Concrete Floor And Roof Slabs -	46000	37000	23000	9200	10 SQ.M	3.5	For All				
1283	IS 6100	SPECIFICATION FOR SODIUM TRIPOLYPHOSPHATE ANHYDROUS TECHNICALSecond Revision of IS 6100	142000	114000	71000	28400	1 MT	23.7	For All				
1284	IS 612	Roasted Chicory Powder	51000	41000	25500	10200	1 TONNE	20.8	For All				
1285	IS 6149	Single-ended Open-jaw Adjustable Wrenches	46000	37000	23000	9200	1 PIECE	0.42	For All				

1286	IS 617	Aluminium and Aluminium Alloys Ingots for Remelting and Castings for General Engineering Purposes – Specification (Fourth Revision)	46000	37000	23000	9200	1 TONNE	42.6	For All				
1287	IS 6192	Textiles- Monoaxially oriented high density polyethylene tapes- Specification	53000	43000	26500	10600	1 MT	36.8	For All				
1288	IS 6218	Bicycle - Mudguards	59000	48000	29500	11800	100 PAIRS	5.6	For All				
1289	IS 623	Bicycle - Bicycle frames (Amalgamating SI 3404: 1979)	46000	37000	23000	9200	100 PIECE	3.5	For All				
1290	IS 624	Bicycles - Rims	46000	37000	23000	9200	100 PIECE	3.5	For All				
1291	IS 6240	Hot Rolled Steel Plate (up to 6 mm) Sheet and Strip for the Manufacture of Low Pressure Liquefiable Gas Cylinders	77000	62000	38500	15400	1 TONNE	3.9	For All				
1292	IS 6265	Quinizarine, Technical	130000	104000	65000	26000	1 KG	0.3	For All				
1293	IS 629	Bicycle Hub Assembly - Specification	78000	63000	39000	15600	100 PIECES	7	For All				
1294	IS 6290	Steam Irons	221000	177000	110500	44200	1 PIECE	1.3	For All				
1295	IS 6312	Polyethylene containers for the transport of materials	85640	68512	42820	17128	1 NO.	0.14	For All				
1296	IS 6315	Floor springs (hydraulically regulated) for heavy doors -	46000	37000	23000	9200	1 PIECE	5.25	For All				
1297	IS 636	Non-Percolating Flexible Fire Fighting Delivery Hose - Specification	80000	64000	40000	16000	100 METRE	17.3	For All				

1298	IS 638	Sheet Rubber Jointing and Rubber Insertion Jointing	64000	52000	32000	12800	1 TONNE	200	For All				
1299	IS 6385	Saccharin, Food Grade	71000	57000	35500	14200	1 KG	3.2	For All				
1300	IS 6392	Steel Pipes Flanges — Specification (First Revision)	51000	41000	25500	10200	1 PIECE	1.75	For All				
1301	IS 6406	Brilliant Blue FCF, Food Grade	84000	68000	42000	16800	1 KG	1.5	For All				
1302	IS 6419	Welding rods and bare electrodes for gas shielded arc welding of structural steel	179000	143200	89500	35800	KG.	0.12	For All				
1303	IS 6438	Aluminium Phosphide Formulations	46000	37000	23000	9200	1 TONNE	69.1	For All				
1304	IS 6444	Sulphur Dusting Powders - Specification second revision	46000	37000	23000	9200	1 TONNE	19	For All				
1305	IS 6452	Specification for high alumina cement for structural use	56000	46000	28000	11200	1TONNE	4	For All				
1306	IS 646	Liquid Chlorine, Technical	51000	41000	25500	10200	1 MT	0.55	For All				
1307	IS 648	Cold rolled non-oriented electrical steel sheet and strip - Fully processed type - Specification Sixth Revision	46000	37000	23000	9200	1 TONNE	3	For All				
1308	IS 650	Specification for Standard Sand for Testing of Cement	46000	37000	23000	9200	1 TON	15.1	For All				
1309	IS 651	Glazed Stoneware Pipe and Fittings -	67000	54000	33500	13400	1 TON	8.7	For All				
1310	IS 6527	Stainless Steel Wire Rod	64000	52000	32000	12800	1 MT	15.4	For All				
1311	IS 6528	Stainless steel wire - Specification (Second Revision)	60000	48000	30000	12000	1 MT	20.5	For All				

1312	IS 6529	STAINLESS STEEL BLOOMS, BILLETS AND SLABS FOR FORGING	85000	68000	42500	17000	1 MT	48.6	For All				
1313	IS 6590	ROPES FOR MOUNTAINEERING ~½ SPECIFICATIONS	65000	52000	32500	13000	100 METERS	4.8	For All				
1314	IS 6593	Electric Serological Water- baths	97000	78000	48500	19400	1 PIECE	26	For All				
1315	IS 6595 : PART 1	Horizontal Centrifugal Pumps for Clear, Cold Water - Part 1 : Agricultural and Rural Water Supply Purposes	65000	52000	32500	13000	1 PIECE	5.3	For All				
1316	IS 6595 : PART 2	Horizontal centrifugal pumps for clear, cold water: Part 2 General purposes other than agricultural and rural water supply	46000	37000	23000	9200	1 PIECE	5.3	For All				
1317	IS 6603	Stainless Steel Semi-Finished Products, Bars, Wire Rods and Bright Bars ~” Specification (Second Revision)	78000	63000	39000	15600	1 MT	12	For All				
1318	IS 6623	High Strength Structural Nuts	48000	39000	24000	9600	1 TON	13.35	For All				
1319	IS 6649	Hardened and Tempered Washers for High Strength Structural Bolts and Nuts	46000	37000	23000	9200	1 TON	13.35	For All				
1320	IS 6664	Microcellular Rubber Sheets for Outsoles	66000	53000	33000	13200	100 KG	0.9	For All				
1321	IS 6685	Life Jackets	186000	149000	93000	37200	1 PIECE	1	For All				
1322	IS 6701	Tungsten filament miscellaneous electric lamps	125000	100000	62500	25000	100 PIECE	1.1	For All				
1323	IS 6719	Moulded PVC Unit Outsoles	56000	45000	28000	11200	100 PAIRS	0.85	For All				

1324	IS 6721	SANDAL AND SLIPPERS SPECIFICATION First revision	135000	108000	67500	27000	1 PAIR	0.05	For All				
1325	IS 6760	Slotted Countersunk Head Wood Screws	46000	37000	23000	9200	1000 PIECE	1.2	For All				
1326	IS 6803	Special Proofed Canvas and Duck	84000	68000	42000	16800	100 SQ. METRE	36	For All				
1327	IS 6831	Caustic Potash	102000	82000	51000	20400	1 MT	8	For All				
1328	IS 6899	Textiles - High density polyethylene (HDPE) woven fabrics	69000	56000	34500	13800	100 SQ M.	5	For All				
1329	IS 6901	GAS WELDING EQUIPMENT - PRESSURE REGULATORS FOR GAS CYLINDERS USED IN WELDING, CUTTING AND ALLIED PROCESSES UP TO 300 BAR	46000	37000	23000	9200	1 PIECE	3.5	For All				
1330	IS 6902	STEEL WIRE FOR SPOKES	65000	52000	32500	13000	1 MT	15.5	For All				
1331	IS 6908	asbestos cement pipes and fittings for sewerage and drainage	46000	37000	23000	9200	1 TON	16	For All				
1332	IS 6909	Supersulphated cement	79000	64000	39500	15800	1 TONNE	3	For All				
1333	IS 6911	STAINLESS STEEL PLATE, SHEET AND STRIP	96000	77000	48000	19200	ONE TONNE	12	For All				
1334	IS 6913	Stainless steel tubes for the food and beverage industry	143000	115000	71500	28600	1 MT	15	For All				
1335	IS 694	POLYVINYL CHLORIDE INSULATED UNSHEATHED AND SHEATHED CABLES CORDS WITH RIGID AND FLEXIBLE CONDUCTOR FOR RATED VOLTAGES UP TO AND INCLUDING 1100 V	93000	75000	46500	18600	100 METER	0.44	For All				
1336	IS 695	ACETIC ACID	78000	63000	39000	15600	1 MT	1.75	For All				
1337	IS 6956	Cover Paper	63000	51000	31500	12600	1 TONNE	55	For All				

1338	IS 6971	2-ethyl Hexan-1-ol	94000	76000	47000	18800	1 MT	8.5	For All				
1339	IS 6994 : PART 1	Protection of Arms and Hands Part 1 Protective Gloves against Dangerous Chemicals and Micro-organisms-Terminology and performance requirements for chemical risks (First revision)	128000	103000	64000	25600	100 PAIRS	1	For All				
1340	IS 6994 : PART 6	Protection of Arms and Hands Part 6 Protective gloves against mechanical risks	206000	165000	103000	41200	100 PAIRS	4	For All				
1341	IS 702	SPECIFICATION FOR INDUSTRIAL BITUMEN	63000	51000	31500	12600	1 TONNE	17.5	For All				
1342	IS 7021	PROTEIN-RICH FOOD SUPPLEMENTS FOR INFANTS AND PRESCHOOL CHILDREN	80000	64000	40000	16000	ONE TONNE	20	For All				
1343	IS 704	Crow-bars and Claw-bars	52000	42000	26000	10400	1 PIECE	0.14	For All				
1344	IS 7056	Textiles ½ Cotton Towelling and Towels ½ Specification (Second revision)	69000	56000	34500	13800	1 PIECE	0.25	For All				
1345	IS 7058	Table Wines	46000	37000	23000	9200	100 LITRES	40	For All				
1346	IS 7069	Benzothiazyl-2-Cyclohexyl Sulphenamide (CBS)	188000	151000	94000	37600	1 MT	117.5	For All				
1347	IS 7079	Automotive vehicles - Brake hose assemblies for hydraulic braking systems used with non-petroleum base brake fluid	46000	37000	23000	9200	100 PIECE	8.7	For All				

1348	IS 7080 : PART 3	MTP Suction Apparatus - Part 3 : Electrically Operated	51000	41000	25500	10200	1 PIECE	16	For All				
1349	IS 7083	Trolley, Medicine	46000	37000	23000	9200	1 PIECE	2.4	For All				
1350	IS 7092 : PART 2	Aluminium Alloy Tube for Irrigation Purposes - Part 2 : Extruded Tube	83000	67000	41500	16600	1 TONNE	87	For All				
1351	IS 7098 : PART 1	Crosslinked polyethylene insulated PVC sheathed cables: Part 1 For working voltage upto and including 1 100 V	128000	103000	64000	25600	100 M	12	For All				
1352	IS 7098 : PART 2	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables - Part 2 for Working Voltages from 3.3 kV up to and Including 33 kV	152000	122000	76000	30400	100 M	17.3	For All				
1353	IS 7098 : PART 3	Cross-linked polyethylene insulated thermoplastic sheathed cables: Part 3 For working voltages from 66 kV upto and including 220 kV	81000	78000	40500	16200	1 M	3.5	For All				
1354	IS 710	MARINE PLYWOOD - SPECIFICATION (Third Revision)	84000	68000	42000	16800	1 SQ M	0.18	For All				
1355	IS 711	FERRIC CHLORIDE TECHNICAL SPECIFICATION	55000	44000	27500	11000	1 TONNE	8	For All				
1356	IS 712	Specification for Building Limes	46000	37000	23000	9200	1 TON	1.75	For All				
1357	IS 7123	Hair Oils	46530	37224	23265	9306	100 LITRE	60	For All				
1358	IS 7129	POTASSIUM CARBONATE ANHYDROUS SPECIFICATION (Second Revision)	68000	55000	34000	13600	1 MT	6.2	For All				

1359	IS 713	Zinc Base Alloy Ingots For Die Casting	79000	64000	39500	15800	1 MT	31.1	For All				
1360	IS 7138	Steel Tubes For Furniture Purposes	63000	51000	31500	12600	1 MT	9	For All				
1361	IS 7142	Welded low carbon steel cylinders for low pressure liquifiable gases not exceeding 5 litre water capacity - Specification	136000	96000	68000	27200	1 PIECE	2.65	50000	1.75	Rest All		
1362	IS 717	Carbon Disulphide, Technical	51000	41000	25500	10200	1 MT	5	For All				
1363	IS 7181	Horizontally cast iron double flanged pipes for water, gas and sewage	72000	58000	36000	14400	1 TONNE	40	For All				
1364	IS 7224	Iodized salt, vacuum evaporated iodized salt and refined iodized salt	67000	54000	33500	13400	1 TONNE	1.73	For All				
1365	IS 7226	COLD ROLLED MEDIUM, HIGH CARBON AND LOW ALLOY STEEL STRIP FOR GENERAL ENGINEERING PURPOSES	78000	63000	39000	15600	1 MT	4.15	For All				
1366	IS 723	Steel Countersunk Head Wire Nails 1½ Specification (Second Revision)	46000	37000	23000	9200	1 TONNE	90	For All				
1367	IS 7231	Plastic Flushing Cisterns for Water Closets and Urinals - Specification	72000	58000	36000	14400	1 PIECE	0.9	For All				
1368	IS 7283	Hot rolled bars for production of bright bars and machined parts for engineering applications	71000	57000	35500	14200	1 TONNE	4.2	For All				
1369	IS 7285 : PART 1	REFILLABLE SEAMLESS STEEL GAS CYLINDERS - PART 1 : NORMALIZED STEEL CYLINDERS	136000	109000	68000	27200	1 PIECE	10.4	For All				

1370	IS 7285 : PART 2	REFILLABLE SEAMLESS STEEL GAS CYLINDERS - PART 2 : QUENCHED AND TEMPERED STEEL CYLINDERS WITH TENSILE STRENGTH LESS THAN 1 100 MPA (112 KGF/MM2)	136000	109000	68000	27200	1 PIECE	10.4	For All				
1371	IS 7291	High Speed Tool Steels	104000	84000	52000	20800	1 MT	12.8	For All				
1372	IS 73	Paving Bitumen	72000	58000	36000	14400	ONE MT	24	For All				
1373	IS 7302	Valve fittings for self contained breathing apparatus (SCBA) and self contained underwater breathing apparatus (SCUBA) - Specification (First Revision)	65000	52000	32500	13000	1 VALVE	3	For All				
1374	IS 7312	WELDED AND SEAMLESS STEEL DISSOLVED ACETYLENE GAS CYLINDERS	136000	96000	68000	27200	1 PIECE	10.4	For All				
1375	IS 7320	Specifacaiton for concrete slump test apparatus	46000	37000	23000	9200	1 PIECE	2	For All				
1376	IS 7328	Specification for Polyethylene Material for Moulding and Extrusion (Third Revision)	54000	44000	27000	10800	1 MT	6.6	For All				
1377	IS 733	Wrought Aluminium and Aluminium Alloy Bars, Rods and Sections (for General Engineering Purposes)	72000	58000	36000	14400	1 MT	34.3	For All				
1378	IS 7347	Performance of Small Size Spark Ignition Engines for agricultural sprayers and similar applications	46000	37000	23000	9200	1 PIECE	2.2	For All				

1379	IS 736	Wrought aluminium and aluminium alloy plate for general engineering purposes	55000	44000	27500	11000	1 MT	22	For All				
1380	IS 737	WROUGHT ALUMINIUM AND ALUMINIUM ALLOY SHEET AND STRIP FOR GENERAL ENGINEERING PURPOSES SPECIFICATION (Fifth Revision)	65000	52000	32500	13000	1 MT	15.4	For All				
1381	IS 7372	Lead-acid storage batteries for motor vehicles	46000	37000	23000	9200	1 PIECE	0.9	For All				
1382	IS 7378	Bed, Fowler's, Hospital	51000	41000	25500	10200	1 PIECE	2.35	For All				
1383	IS 738	Wrought aluminium alloys, drawn tube for general engineering purposes	52000	42000	26000	10400	1 MT.	130	For All				
1384	IS 7381	Hand Operated Square Drive Socket Wrenches	57000	46000	28500	11400	100 PCS	2.3	For All				
1385	IS 739	Wrought aluminium and aluminium alloy wire for general engineering purposes	95000	76000	47500	19000	1 MT	65.85	For All				
1386	IS 7402	Ceramic Water Purifier Filter Candles - Specification	71000	57000	35500	14200	ONE FILTER	0.36	For All				
1387	IS 7404 : PART 1	Paper Covered Copper Conductors - Part 1 : Round Conductors	109000	88000	54500	21800	1 MT	90	For All				
1388	IS 7408 : PART 3	Blow Moulded Polyolefin Containers - Part 3 : Closed Head Containers Over 60 Litres, up to and Including 250 Litres Capacity	65000	52000	32500	13000	1 NO.	0.1	For All				

1389	IS 745	Textiles Handloom cotton bed sheets Specification	56000	45000	28000	11200	SQ METER	0.15	For All				
1390	IS 7452	Specification for hot-rolled steel sections for doors, windows and ventilators	46000	37000	23000	9200	1 TON	13.9	For All				
1391	IS 7454	Rehabilitation Equipment Wheelchairs, Folding, Adult Size Specification (Second Revision)	46000	37000	23000	9200	1 PIECE	4.35	For All				
1392	IS 7466	Rubber Gasket for Pressure Cooker ½ Specification (Second Revision)	74000	61000	37000	14800	100 GASKETS	1.75	For All				
1393	IS 7483	Cross Recessed Pan Head Screws	117000	94000	58500	23400	1 MT	26	For All				
1394	IS 7485 : PART 1	Countersunk flat head screws (common head style) with type H or Type Z cross Recess - Products Grade A : Part 1 Steel of property class 4.8	117000	94000	58500	23400	1 MT	26	For All				
1395	IS 7485 : PART 2	Countersunk flat head screws (common head style) with type H or Type Z cross recess - Product Grade A : Part 2 Steel of property class 8.8, stainless steel and non-ferrous metals	119000	96000	59500	23800	1 MT	26	For All				
1396	IS 7486	Countersunk raised head screws (common head style) with type H or type Z cross recess - Product Grade A	113000	91000	56500	22600	1 MT	26	For All				

1397	IS 7494	ALLOYS FOR INTERNAL COMBUSTION ENGINE VALVE APPLICATIONS ½ SPECIFICATION (Second Revision)	149000	120000	74500	29800	1 MT	100	For All				
1398	IS 7506	Nickel Powder	66000	53000	33000	13200	1 MT	130.5	For All				
1399	IS 7532	Soft Soap - Specification	70000	56000	35000	14000	1 TONNE	34.6	For All				
1400	IS 7538	Three-phase squirrel cage induction motors for centrifugal pumps for agricultural applications	77000	62000	38500	15400	1 KW	4	For All				
1401	IS 7559	Salicylic Acid, Technical	114000	92000	57000	22800	1 MT	12.3	For All				
1402	IS 7577	Gas Testing Flame Safety Lamps — Specification (Second Revision)	46000	37000	23000	9200	1 PIECE	2.9	For All				
1403	IS 758	MEDICAL TEXTILES ½ COTTON ABSORBENT GAUZE ½ SPECIFICATION (Fifth Revision of IS 758)	47000	38000	23500	9400	100 SQ. METRE	12	For All				
1404	IS 7593 : PART 1	Power-Operated Pneumatic Sprayer-Cum-Duster - Part 1 : Knapsack Type	100000	80000	50000	20000	ONE SPRAYER	7	For All				
1405	IS 7620 : PART 1	Diagnostic Medical X-ray Equipment - Part 1 : General and Safety Requirements	58000	47000	29000	11600	1 PIECE	260	For All				
1406	IS 7620 : PART 2	Diagnostic Medical X-ray Equipment - Part 2 : Performance Requirements	107000	86000	53500	21400	1 NO.	260	For All				
1407	IS 7652	Sphygmomanometer, Aneroid Type	56000	45000	28000	11200	1 PIECE	3.5	For All				
1408	IS 7653	Manual blow pipes for welding and cutting	46000	37000	23000	9200	1 PIECE	1.75	For All				
1409	IS 7686	Specification for 3 (N, N-Diethyl) Aminophenol (First Revision)	81000	65000	40500	16200	1 MT	81	For All				

1410	IS 774	Ceramic vitreous China flushing cisterns for water closets and urinals - Specification	74000	60000	37000	14800	1 PIECE	3.5	For All				
1411	IS 7750	Cashew Kernels - Specification	48000	39000	24000	9600	1 MT	60	For All				
1412	IS 7761	Steel Book Cases	90000	72000	45000	18000	1 PIECE	17	For All				
1413	IS 778	Copper Alloy Gate, Globe and Check Valves for Waterworks Purposes	57000	46000	28500	11400	1 PIECE	0.6	For All				
1414	IS 779	Water Meters (Domestic Type)	130000	104000	65000	26000	1 PIECE	1.75	For All				
1415	IS 7809 : PART 3 : SEC 1	Pressure Sensitive Adhesive Insulating Tapes for Electrical Purposes - Part 3 : Requirements for Individual Materials - Section 1 : Plasticized Polyvinylchloride Tapes with Non-Thermosetting Adhesive	46000	37000	23000	9200	100 ROLL	0.9	5000	0.55	Rest All		
1416	IS 781	Cast Copper Alloy Screw Down Bib Taps And Stop Valves for Water Services	49000	40000	24500	9800	1 PIECE	0.45	For All				
1417	IS 7814	Phosphor bronze sheet, strip AND Foil - Specificat8ion	137000	110000	68500	27400	1 MT	90	For All				
1418	IS 7834 : PART 1	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 1 General requirements	55000	44000	27500	11000	100 PIECE	11	For All				

1419	IS 7834 : PART 2	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 2 Specific requirements for 45 degrees elbows	67000	54000	33500	13400	100 PCS	8.65	For All				
1420	IS 7834 : PART 3	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 3 Specific requirements for 90 degree elbows	57000	46000	28500	11400	100 PIECE	8.65	For All				
1421	IS 7834 : PART 4	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 4 Specific requirements for 90 degree tees	67000	54000	33500	13400	100 PIECE	6	For All				
1422	IS 7834 : PART 5	Injection Moulded PVC Socket Fittings With Solvent Cement Joints for Water Supplies - Part 5 : Specific Requirements for 45 degree Tees	58000	47000	29000	11600	100 PCS	6	For All				
1423	IS 7834 : PART 6	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 6 Specific requirements for sockets	59000	48000	29500	11800	100 PCS	2.95	For All				
1424	IS 7834 : PART 7	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 7 Specific requirements for unions	57000	46000	28500	11400	100 PCS	10.3	For All				

1425	IS 7834 : PART 8	injection moulded PVC socket fittings with solvent cement joints for water supplies: Part 8 Specific requirements for caps	60000	48000	30000	12000	100 PIECE	8.65	For All				
1426	IS 784	PRESTRESSED CONCRETE PIPES (INCLUDING FITTINGS) -	46000	37000	23000	9200	1 TON	8.7	For All				
1427	IS 7867	Textiles ½ Continuous Filament Polyamide (Nylon 6) Yarn ½ Specification (Second revision)	150000	120000	75000	30000	1 MT	21	For All				
1428	IS 7872	Deep Freezers - Specification (Second Revision)	516000	413000	258000	103200	1 LITRE	0.1	For All				
1429	IS 7887	Mild steel wire rods for general engineering purposes	66000	53000	33000	13200	1 TONNE	3	For All				
1430	IS 7898	Manually Operated Chaff Cutter - Specification and Test Code(Third Revision)	47000	38000	23500	9400	1 MACHINE	12	For All				
1431	IS 7902	Aluminium alloy forging stock and forgings for aircraft purposes (Alloy 24345)	121000	97000	60500	24200	1 MT	26.5	For All				
1432	IS 7903	TEXTILES - TARPAULINES MADE FROM HIGH DENSITY POLYETHYLENE WOVEN FABRIC	99000	80000	49500	19800	100 SQ. METRE	7	For All				
1433	IS 7904	HIGH CARBON STEEL WIRE RODS	70000	56000	35000	14000	TONNE	8.1	For All				
1434	IS 7933	Specification for Flexible Polyurethane Foam for Domestic Mattresses First Revision	93000	75000	46500	18600	1 KG	0.54	For All				
1435	IS 7948	Fenthion EC	47000	38000	23500	9400	100 LITRE	200	For All				

1436	IS 797	COMMON SALT FOR CHEMICAL INDUSTRIES SPECIFICATION	54000	44000	27000	10800	1 MT	3.4	For All				
1437	IS 7975 : PART 2	Assembly tools for screws and nuts - Driving parts for hand - Operated square drive socket wrenches: Part 2 dimensions and tests (Second Revision)	51000	41000	25500	10200	1 PIECE	0.3	For All				
1438	IS 798	Orthophosphoric acid	55000	44000	27500	11000	1 MT	4.8	For All				
1439	IS 7983	Toilet Cleaner Liquid	97000	78000	48500	19400	100 LITRES	3.1	For All				
1440	IS 799	AMMONIA LIQUOR SPECIFICATION	59000	48000	29500	11800	100 LITRES	4.2	For All				
1441	IS 8008	Injection Moulded/Machined Polyethylene Fittings for Water Supply iç½ Specification (Second Revision)	92000	74000	46000	18400	1 MT	15	For All				
1442	IS 8008 : PART 1	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - Part 1 : General Requirements for Fittings	92000	74000	46000	18400	1 MT	15	For All				
1443	IS 8008 : PART 2	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - - Part 2 : Specific Requirements for 90° Bends	92000	74000	46000	18400	1 MT	15	For All				

1444	IS 8008 : PART 3	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies -- Part 3 : Specific Requirements for 90° TEES	92000	74000	46000	18400	1 MT	15	For All				
1445	IS 8008 : PART 4	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies -- Part 4 : Specific Requirements for Reducers	92000	74000	46000	18400	1 MT	15	For All				
1446	IS 8008 : PART 5	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies -- Part 5 : Specific Requirements for Ferrule Reducers	92000	74000	46000	18400	1 MT	15	For All				
1447	IS 8008 : PART 6	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies -- Part 6 : Specific Requirements for Pipe Ends	92000	74000	46000	18400	1 MT	15	For All				

1448	IS 8008 : PART 7	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - - Part 7 : Specific Requirements for Sandwich Flanges	92000	74000	46000	18400	1 MT	15	For All				
1449	IS 8008 : PART 8	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - : Part 8 Specific Requirements for Reducing Tees	92000	74000	46000	18400	1 MT	15	For All				
1450	IS 8008 : PART 9	Injection Moulded/Machined High Density Polyethylene (HDPE) Fittings for Potable Water Supplies - : Part 9 Specific Requirements for Ends Caps	92000	74000	46000	18400	1 MT	15	For All				
1451	IS 8025	Monocrotophos, Technical	48000	39000	24000	9600	1 TONNE	34.5	For All				
1452	IS 8028	QUINALPHOS EMULSIFIABLE CONCENTRATE SPECIFICATION second revision	48000	39000	24000	9600	100 LITRE	34.5	For All				
1453	IS 8034	SUBMERSIBLE PUMPSETS - SPECIFICATION	46000	37000	23000	9200	1 PIECE	17.3	For All				
1454	IS 8035	HANDPUMP- SHALLOW WELL SPECIFICATION	46000	37000	23000	9200	1 PIECE	1.75	For All				
1455	IS 8041	Specifcation for rapid hardening Portland cement	75000	60000	37500	15000	1 TON	3	For All				

1456	IS 8042	WHITE PORTLAND CEMENT -	87000	70000	43500	17400	1 TON	3	For All				
1457	IS 8052	STEEL INGOTS,BILLETS AND BLOOMS FOR THE PRODUCTION OF SPRINGS, RIVETS AND SCREWS FOR GENERAL ENGINEERING APPLICATIONS	58000	47000	29000	11600	1 MT	3	For All				
1458	IS 8058	Pyridine - Specification (First Revision)	65000	52000	32500	13000	1 MT	14.45	For All				
1459	IS 8074	Monocrotophos SI	49000	40000	24500	9800	100 LITRE	34.5	For All				
1460	IS 8086	Rehabilitation Equipment — Wheelchairs, Folding, Junior Size — Specification (Second Revision)	46000	37000	23000	9200	1 PIECE	4.35	For All				
1461	IS 8088	Tricycle, Hand Propelled	46000	37000	23000	9200	1 PIECE	6.8	For All				
1462	IS 8110	Well Screens and Slotted Pipes	76000	62000	38000	15200	1 M	1.2	For All				
1463	IS 8130	Conductors for Insulated Electric Cables and Flexible Cords	93000	75000	46500	18600	1 MT	45.1	For All				
1464	IS 814	Covered Electrodes for Manual Metal Arc Welding of Carbon and Carbon Manganese Steel	109000	88000	54500	21800	1000 PIECES	1.8	60000	0.9	Rest All		
1465	IS 8144	MULTIPURPOSE DRY BATTERIES	46000	37000	23000	9200	1000 PIECE	1.75	For All				
1466	IS 8148	DUCTED AND PACKAGE AIR CONDITIONERS	93000	75000	46500	18600	1 kW (Cooling Capacity)	1	For All				
1467	IS 8156	Fasteners for consumer goods-synthetic hook and loop tape - specification	138000	111000	69000	27600	100 M	1.2	For All				

1468	IS 8164	Specification For Hospital Rubber Sheetting Without Reinforcing Fabric First Revision of IS 8164	150000	120000	75000	30000	01 KG.	0.5	For All				
1469	IS 8183	Bonded mineral wool - Specification	184000	148000	92000	36800	1 MT	18.4	For All				
1470	IS 8229	Specification for Oil-well Cement	48000	39000	24000	9600	1 TON	3.4	For All				
1471	IS 8249	Zinc sulphate heptahydrate, agricultural grade	54000	44000	27000	10800	1 TONNE	17.3	For All				
1472	IS 8268	Rhizobium Inoculants - Specification (Third Revision)	96000	77000	48000	19200	1 MT	15.4	For All				
1473	IS 8275	Binocular Eyepieces for Microscope	46000	37000	23000	9200	1 PIECE	5.3	For All				
1474	IS 8291	Phenthoate Emulsifiable Concentrates	47000	38000	23500	9400	100 LITRE	34.5	For All	25.9	Rest All		
1475	IS 8309	Compression type tubular terminal ends for aluminium conductors of insulated cables	58000	47000	29000	11600	1 TON	560	For All				
1476	IS 8329	CENTRIFUGALLY CAST (SPUN) DUCTILE IRON PRESSURE PIPES FOR WATER, GAS AND SEWAGE	136000	109000	68000	27200	ONE TONNE	17.3	For All				
1477	IS 8360	Fabricated Polyethylene Fittings for Water Supply ½ Specification (First Revision)	46000	37000	23000	9200	1 TON	300	For All				
1478	IS 8360 : PART 1	fabricated high density polyethylene (HDPE) fittings for potable water supplies: Part 1 General requirements	46000	37000	23000	9200	1 TON	300	For All				
1479	IS 8391	Rubberized Coil Sheets for Cushioning	82000	66000	41000	16400	1 TONNE	43.2	For All				

1480	IS 8391 : PART 3	Rubberized coir sheets for cushioning – Specification Part 3 Sandwiched (third revision)	96000	77000	48000	19200	1 MT	133	For All				
1481	IS 8401	Alkyl Benzene Sulphonic Acid (acid Slurry)	88000	71000	44000	17600	100 KG	1.95	For All				
1482	IS 8418	Horizontal Centrifugal Self-priming Pumps	64000	52000	32000	12800	1 PIECE	4	For All				
1483	IS 8419 : PART 1	Requirements for filtration equipment : Part 1 Filtration media - sand and gravel	77000	62000	38500	15400	1 TON	0.9	For All				
1484	IS 8421	Specidification for hydraulic props	46000	37000	23000	9200	1 PIECE	26	For All				
1485	IS 8423	Specification for controlled percolating hose for fire fighting	58000	47000	29000	11600	100 METER	13.9	For All				
1486	IS 8442	Stand Post Type Water and Water-cum-Foam Monitor for Fire Fighting - Specification (Second Revision)	46000	37000	23000	9200	1 PIECE	26	For All				
1487	IS 8446	Pesticide - Carbendazim (MBC) WP	57000	46000	28500	11400	ONE TONNE	285	For All				
1488	IS 8448	Automatic Line Voltage Correctors (Step Type) for Domestic Use	46000	37000	23000	9200	1 PIECE	1.75	For All				
1489	IS 8462	Sterilizer, Portable, Vertical, Pressure Type	88000	71000	44000	17600	1 PIECE	26	For All				
1490	IS 8471	Acetylene Generators - Requirements(Amalgamation of IS 8471(Part 1 to 5)	46000	37000	23000	9200	1 PIECE	2520	For All				
1491	IS 8472	Centrifugal Regenerative Pumps for Clear, Cold Water - Specification	64000	52000	32000	12800	1 PIECE	4.2	For All				

1492	IS 848	Specification for Synthetic Resin Adhesives for Plywood (Phenolic And Aminoplastic) -	46000	37000	23000	9200	1 TON	30	For All				
1493	IS 8481	Oxidation Hair Dyes (Liquid/Gel/Cream)	51000	41000	25500	10200	1 LITRE	0.3	For All				
1494	IS 8498	Temephos Emulsifiable Concentrates (EC)	48000	39000	24000	9600	100 LITRE	38.4	For All				
1495	IS 8521 : PART 1	Eye and Face Protection for Occupational Use Part 1 General Requirements (Second Revision)	51000	41000	25500	10200	1 PIECE	0.4	For All				
1496	IS 8598	Idler and Idler Sets for Belt Conveyor — Specification (Second Revision)	50000	40000	25000	10000	1 TON	8.7	For All				
1497	IS 863	Medical Textiles - Cotton bandage cloth - Specification third revision of IS 863	47000	38000	23500	9400	100 SQ. METRE	16	For All				
1498	IS 8637	H Acid	106000	85000	53000	21200	1 MT	42.5	For All				
1499	IS 8654	Automotive Hydraulic Brake Fluid, Heavy Duty	95000	76000	47500	19000	1 KILO LITRE	86	1000	51.8	Rest All		
1500	IS 868	Sealing wax	58000	47000	29000	11600	100 KG	20.2	For All				
1501	IS 869	Specification for Ethylene Dichloride (Third Revision)	104000	84000	52000	20800	1 MT	2.35	For All				
1502	IS 8698	Specification for Expanded Vinyl Coated Fabrics (Second Revision)	244000	196000	122000	48800	1 METER	0.3	For All				
1503	IS 8699	PVC Coated Fabrics for Footwear Industry	233000	187000	116500	46600	1 METER	0.3	For All				
1504	IS 8707	Mancozeb, Technical - Specification	48000	39000	24000	9600	ONE TONNE	156	For All				
1505	IS 8708	Mancozeb Wettable powder	53000	43000	26500	10600	ONE TONNE	265	For All				

1506	IS 8737	VALVE FITTINGS FOR USE WITH LIQUEFIED PETROLEUM GAS (LPG) CYLINDERS OF MORE THAN 5 LITRE WATER CAPACITY	69000	56000	34500	13800	1 PIECE	0.42	For All				
1507	IS 8749	Biogas Stove	46000	37000	23000	9200	1 PIECE	1.75	For All				
1508	IS 878	Laboratory glassware - Graduated measuring cylinders	56000	45000	28000	11200	100 PIECES	1.1	For All				
1509	IS 8783 : PART 4 : SEC 1	Winding Wires for Submersible Motors - Part 4 : Individual Wires - Section 1 : HR PVC Insulated Wires	75000	60000	37500	15000	100 M	1.5	100000	0.75	Rest All		
1510	IS 8783 : PART 4 : SEC 3	Winding Wires for Submersible Motors - Part 4 : Individual Wires - Section 3 : Polyester and Polypropylene Insulated Winding Wires	74000	60000	37000	14800	100 M	1	10000	0.5	Rest All		
1511	IS 879	Sodium nitrite	82000	66000	41000	16400	1 MT	3.6	For All				
1512	IS 8794	Cast iron detachable joints for use with asbestos cement pressure pipes	56000	45000	28000	11200	1 TONNE	56	For All				
1513	IS 8808	Burners for Oil Pressure Stoves and Oil Pressure Heaters	64000	52000	32000	12800	100 PIECE	12	For All				
1514	IS 8824 : PART 1	Electrical Moisture Meters ½ Specification: Part 1 Food Grains Seeds And Flour (First Revision)	197000	158000	98500	39400	1 NO.	2	For All				
1515	IS 884	Specification for First-Aid Hose-Reel For Fire Fighting	53000	43000	26500	10600	1 PIECE	120	For All				
1516	IS 8856	Hexagon Weld Nuts	144000	115000	72000	28800	1 MT	17.5	For All				

1517	IS 8877	Acetoacetic methyl ester - Specification (Third Revision)	112000	90000	56000	22400	1 MT	10	For All				
1518	IS 8887	BITUMEN EMULSION FOR ROADS (CATIONIC TYPE)	94000	76000	47000	18800	ONE TONNE	8.6	For All				
1519	IS 8931	Copper alloy single taps, combination tap assemblies, stop valves and single lever mixers for water services — Specification (second revision)	53000	43000	26500	10600	1 PIECE	0.5	For All				
1520	IS 8944	Chlorpyrifos Emulsifiable Concentrates	52000	42000	26000	10400	100 LITRE	40	For All				
1521	IS 8951	STEEL CAST BILLET IGNOTS, BILLETS AND BLOOMS FOR PRODUCTION OF HIGH CARBON STEEL WIRE RODS	61000	49000	30500	12200	1 MT	3	For All				
1522	IS 8960	Methyl Parathion Dusting Powders	50000	40000	25000	10000	1 TONNE	50	For All				
1523	IS 8963	Chlorpyrifos, Technical	46000	37000	23000	9200	1 TONNE	173	For All				
1524	IS 8978	Electric instantaneous water heaters	104000	84000	52000	20800	1 PIECE	2.6	For All				
1525	IS 899	TAPIOCA SAGO (SABOODANA) - SPECIFICATION (SECOND REVISION OF IS 899)	72000	58000	36000	14400	ONE TONNE	34.5	For All				
1526	IS 9020	Power Threshers - Safety Requirements	46000	37000	23000	9200	1 THRESHER	25.9	For All				
1527	IS 903	Specification for Fire Hose Delivery Couplings, Branch Pipe, Nozzles And Nozzle Spanner - Specificaion	56000	45000	28000	11200	1 PIECE	1.9	For All				

1528	IS 9079	ELECTRIC MONOSET PUMPS FOR CLEAR, COLD WATER FOR AGRICULTURAL AND WATER SUPPLY PURPOSES	87000	70000	43500	17400	1 PIECE	8.7	For All				
1529	IS 9103	Specification for Concrete Admixtures -	65000	50000	32500	13000	1 KL/1 TON	52	For All				
1530	IS 9131	Rim Locks and Latches (Mechanically Operated) - Specification	177000	142000	88500	35400	1 PIECE	1.2	For All				
1531	IS 9138	Azotobacter Spp. Inoculants - Specification (Third Revision)	92000	74000	46000	18400	1 MT	18.4	For All				
1532	IS 9142 : PART 2	ARTIFICIAL LIGHTWEIGHT AGGREGATE FOR CONCRETE PART 2 SINTERED FLY ASH COARSE AGGREGATE	243000	195000	121500	48600	1 TON	1.4	For All				
1533	IS 915	Laboratory Glassware - One-mark Volumetric Flasks	52000	42000	26000	10400	1 FLASK	1.05	For All				
1534	IS 9157	Sodium nitrate and potassium nitrate for glass compositions	77000	62000	38500	15400	1 MT	4.1	For All				
1535	IS 916	Square Tins for Solid Products	58000	47000	29000	11600	100 TINS	8.7	For All				
1536	IS 9165 : PART 2	Surgical instruments - Needles, suture Part 2 Eyed needles - Sizes, shapes and dimensions	73000	60000	36500	14600	1000 PIECE	43.2	For All				
1537	IS 9167	Ear Protectors	68000	56000	34000	13600	100 PIECE	3.4	For All				
1538	IS 9197	epoxy resin, hardners and epoxy resin compositions for floor topping	193000	155000	96500	38600	1 KG	0.7	For All				
1539	IS 920	Common Salt and Cattle Licks for Animal Consumption	62000	50000	31000	12400	10 pieces	0.5	For All				

1540	IS 9271	Unplasticized Polyvinyl Chloride (UPVC) Single Wall Corrugated Pipes for Drainage -	81000	69000	40500	16200	1 TON	80	For All				
1541	IS 928	Specification For Fire Bells	83000	67000	41500	16600	1 PIECE	62.5	For All				
1542	IS 9281 : PART 1	Electronic Weighing Systems - Part I : Terms and Definitions	61000	49000	30500	12200	1 PIECE	40	For All				
1543	IS 9281 : PART 3	Electronic Weighing Systems - Part 3 Requirements	61000	49000	30500	12200	1 PIECE	40	For All				
1544	IS 9282	Wire Ropes and Strands for Suspension Bridges	54000	44000	27000	10800	1 TON	87	For All				
1545	IS 9283	Motors for Submersible Pumpsets	46000	37000	23000	9200	1 KW	1.75	5000	1.35	10000	0.9	Rest All
1546	IS 9294	COLD-ROLLED STAINLESS STEEL STRIPS FOR RAZOR BLADES - Specification (First Revision)	92000	74000	46000	18400	1 MT	30	For All				
1547	IS 9295	STEEL TUBES FOR IDLERS FOR BELT CONVEYORS - SPECIFICATION (second revision)	61000	49000	30500	12200	ONE TONNE	8.7	For All				
1548	IS 9354	Alachlor Emulsifiable Concentrates	52000	42000	26000	10400	100 LITRES	34.5	For All				
1549	IS 9356	Butachlor Emulsifiable Concentrates	52000	42000	26000	10400	100 LITRE	38	For All				
1550	IS 9359	Pesticide - Phorate G Encapsulated	53000	43000	26500	10600	ONE TONNE	90	For All				
1551	IS 9360	Carbofuran granules, encapsulated - Specification (first revision)	66000	53000	33000	13200	1 TONNE	86.4	For All				
1552	IS 9395	Bed, Intensive Care	51000	41000	25500	10200	1 BED	50	For All				
1553	IS 9396 : PART 1	Round Open Top Sanitary Cans for Foods and Drinks - Part 1 : Tinplate	66000	53000	33000	13200	1 MT	8.25	For All				

1554	IS 9436	PERFORMANCE REQUIREMENTS AND METHODS OF TESTS FOR WHEELS FOR PASSENGER CARS	236000	189000	118000	47200	1 PIECE	0.2	For All				
1555	IS 9438	PERFORMANCE REQUIREMENTS AND METHODS OF TESTS FOR WHEELS/RIMS FOR TRUCKS	282000	226000	141000	56400	1 PIECE	2.6	For All				
1556	IS 9471 : PART 2	Modular Lower Limb Orthotic Components - Part II : Stirrups, Split	46000	37000	23000	9200	1 PIECE	0.03	For All				
1557	IS 9471 : PART 3	Modular Lower Limb Orthotic Components - Part III : Stirrup Plates	46000	37000	23000	9200	1 PIECE	1	For All				
1558	IS 9471 : PART 4	Modular Lower Limb Orthotic Components - Part IV : Joint Unit, Ankle	46000	37000	23000	9200	1 PIECE	0.3	For All				
1559	IS 9471 : PART 5 : SEC 1	Modular Lower Limb Orthotic Components - Part 5 : Joint Unit Section 1 : Knee	46000	37000	23000	9200	1 PIECE	0.5	For All				
1560	IS 9471 : PART 6	Modular Lower Limb Orthotic Components - Part 6 : Orthotic Hip Joint (Joint Unit, Hip Drop Lock)	46000	37000	23000	9200	1 PIECE	1.5	For All				
1561	IS 9471 : PART 7	Modular Lower Limb Orthotic Components - Part 7 : Orthotic Joint Bars, Ankle and Knee (Upper and Lower)	46000	37000	23000	9200	1 PIECE	0.15	For All				
1562	IS 9473	Respiratory Protective Devices - Filtering Half Masks to Protect Against Particles	46000	37000	23000	9200	100 PIECE	17.2	For All				
1563	IS 9516	HEAT RESISTING STEEL	121000	97000	60500	24200	1 MT	25	For All				

1564	IS 9523	DUCTILE IRON FITTINGS FOR PRESSURE PIPES FOR WATER, GAS AND SEWAGE	79000	64000	39500	15800	1 MT.	43.9	For All				
1565	IS 9532	CHAKKA AND SHRIKHAND - SPECIFICATION (First Revision of IS 9532)	51000	41000	25500	10200	ONE TONNE	17.2	For All				
1566	IS 9537 : PART 2	Conduits for electrical installations:Part 2 Rigid steel conduits (superseding IS:1653)	47000	38000	23500	9400	100M	2	For All				
1567	IS 9537 : PART 3	Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS:2509)	51000	41000	25500	10200	100 M	2.2	For All				
1568	IS 9537 : PART 4	Conduits for Electrical Installations - Part 4 : Pliable Self-recovering Conduits of Insulating Materials	65000	53000	32500	13000	100 METRES	5.3	For All				
1569	IS 9550	Bright Steel Bars	83000	67000	41500	16600	1 MT	4.7	For All				
1570	IS 9562	Specification for non-metal helmet for police force	58000	47000	29000	11600	1 PIECE	1.45	For All				
1571	IS 9567	Tin or Tin-lead Coated Copper Wire	132000	106000	66000	26400	1 MT	97	For All				
1572	IS 9573 : PART 1	RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 1 INDUSTRIAL APPLICATION	107000	86000	53500	21400	100 M	13.5	For All				

1573	IS 9573 : PART 2	RUBBER HOSE FOR LIQUEFIED PETROLEUM GAS (LPG) - SPECIFICATION PART 2 DOMESTIC AND COMMERCIAL APPLICATION	100000	80000	50000	20000	100M	13.5	For All				
1574	IS 9585	Lactometers - Specification	47000	38000	23500	9400	1 PIECE	0.16	For All				
1575	IS 9612	Aluminium tubes for refrigeration purposes	118000	95000	59000	23600	1 MT	27.5	For All				
1576	IS 9665	Propoxur Emulsifiable Concentrates	59000	48000	29500	11800	100 LITRE	118	For All				
1577	IS 9666	Blank Granules	96000	77000	48000	19200	1 MT	5	For All				
1578	IS 9738	Polyethylene Bags for General Purposes	46000	37000	23000	9200	1 MT	280	For All				
1579	IS 9755	Textiles - High Density Polyethylene (HDPE) / Polypropylene (pp) Woven Sacks for Packing Fertilizers	120000	96000	60000	24000	1 MT	50	For All				
1580	IS 9758	flush valves and fittings for water closets and urinals	46000	37000	23000	9200	1 PIECE	3.5	For All				
1581	IS 9762	polyethylene floats (spherical) for float valves	56000	45000	28000	11200	100 PIECE	5.4	For All				
1582	IS 9763	Plastics Bib Taps, Pillar Taps, Angle Valves and Stop Valves for Hot and Cold Water Services -	71000	57000	35500	14200	100 PIECE	12.6	For All				
1583	IS 9798	Low Pressure Regulators for Use with Liquefied Petroleum Gas (LPG) Mixtures	46000	37000	23000	9200	1 PIECE	0.44	For All				
1584	IS 9825	Chlorine Tablets	55000	44000	27500	11000	1000 TABLETS	0.72	For All				

1585	IS 9834	Specification for Iso - butyl Alcohol	51000	41000	25500	10200	1 TON	9.3	For All				
1586	IS 9836	Exploders	88000	72000	44000	17600	1 PIECE	7.8	For All				
1587	IS 9842	Preformed fibrous pipe insulation	149000	120000	74500	29800	1 MT	70	For All				
1588	IS 9857	Welding Cables	60000	48000	30000	12000	100 METER	10.8	For All				
1589	IS 9862	Ready mixed paint, brushing, bituminous, black, lead-free, acid, alkali, water and chlorine resisting	72000	58000	36000	14400	1 LITRE	0.25	For All				
1590	IS 9873 : PART 1	SAFETY OF TOYS PART 1 SAFETY ASPECTS RELATED TO MECHANICAL AND PHYSICAL PROPERTIES	98000	79000	49000	19600	1000 PCS	4.5	For All				
1591	IS 9890	General Purpose Ball Valves	56000	45000	28000	11200	1 PIECE	0.7	For All				
1592	IS 9908	Formic Acid	78000	63000	39000	15600	1 MT	3.6	For All				
1593	IS 996	Single-phase a.c. industrial motors for general purpose	49000	40000	24500	9800	1 PIECE	2	For All				
1594	IS 9962	STEEL WIRE FOR NEEDLES	83000	67000	41500	16600	1 MT	10	For All				
1595	IS 9968 : PART 1	Elastomer insulated cables:Part 1 For working voltages upto and including 1 100 V	111000	89000	55500	22200	100 METER	4	For All				
1596	IS 9968 : PART 2	Elastomer-insulated Cables - Part 2 : For Working Voltages from 3.3 kV up to and Including 3 3kV	169000	136000	84500	33800	100 METER	93.9	For All				
1597	IS 9972	Specification for Automatic Sprinkler Heads for Fire Protection Service	46000	37000	23000	9200	1 PIECE	1.2	For All				
1598	IS 9973	Specification for visor for scooter helmets	60000	48000	30000	12000	1 PIECE	0.1	For All				

1599	IS 9974 : PART 1	High pressure sodium vapour lamps :Part 1 General requirements and tests	88000	72000	44000	17600	1 PIECE	1.75	For All				
1600	IS 9997	ALUMINIUM ALLOY REDRAW RODS FOR ELECTRICAL PURPOSES - SPECIFICATION	79000	64000	39500	15800	1 MT	65.85	For All				
1601	IS B3499 : PART 2	Metal Chairs For Office Purposes Specification Part 2 Revolving And Tilting (bi-lingual)	107000	86000	53500	21400	1 PIECE	9	For All				
1602	IS/IEC 60079 : PART 1	Explosive Atmospheres - Part 1 : Equipment Protection by Flameproof Enclosures (d)	46000	37000	23000	9200	1 PIECE	1.75	For All				
1603	IS/IEC 60079 : PART 11	Explosive atmospheres : Part 11 Equipment protection by intrinsic safety (I)	46000	37000	23000	9200	1 PIECE	17.3	For All				
1604	IS/IEC 60269 : PART 2	LOW-VOLTAGE FUSES PART 2 SUPPLEMENTARY REQUIREMENTS FOR FUSES FOR USE BY AUTHORIZED PERSONS (FUSES MAINLY FOR INDUSTRIAL APPLICATION) EXAMPLES OF STANDARDIZED SYSTEMS OF FUSES A TO K	65000	53000	32500	13000	100 PIECES	5.3	For All				
1605	IS/IEC 60730 : PART 2 : SEC 9	AUTOMATIC ELECTRICAL CONTROLS FOR HOUSEHOLD AND SIMILAR USE PART 2 PARTICULAR REQUIREMENTS SECTION 9 TEMPERATURE SENSING CONTROLS	90000	72000	45000	18000	1 PIECE	0.55	For All				

1606	IS/IEC 60898 : PART 1	ELECTRICAL ACCESSORIES - CIRCUIT-BREAKERS FOR OVERCURRENT PROTECTION FOR HOUSEHOLD AND SIMILAR INSTALLATIONS : PART 1 CIRCUIT-BREAKERS FOR AC OPERATION	130000	104000	65000	26000	1 PIECE	0.27	For All				
1607	IS/IEC 60947 : PART 2	Low - Voltage switchgear and controlgear: Part 2 circuit - Breakers (First Revision)	75000	60000	37500	15000	-	0	For All				
1608	IS/IEC 60947 : PART 3	Low-Voltage Switchgear and Controlgear: Part 3 Switches Disconnectors Switch- Disconnectors and Fuse- Combination Units	58000	47000	29000	11600	1 PIECE	0.9	For All				
1609	IS/IEC 60947 : PART 3 X	Scheme - X IS/IEC 60947-3 Low - Voltage switchgear and controlgear Part 3 switches, disconnectors, switch disconnectors and fuse - Combination units	75000	60000	37500	15000	-	0	For All				
1610	IS/IEC 60947 : PART 4 : SEC 1	Low-Voltage switchgear and controlgear : Part 4-1 Contactors and motor starters electromechanical contactors and motor- Starters	58000	47000	29000	11600	1 PIECE	0.27	For All				

1611	IS/IEC 60947 : PART 4 : SEC 1 X	Scheme - X IS/IEC 60947-4-1 Low - Voltage switchgear and controlgear Part 4 contactors and motor - Starters Sec 1 electromechanical contactors and motor - Starters	75000	60000	37500	15000	-	0	For All				
1612	IS/IEC 60947 : PART 5 : SEC 1	Low-Voltage Switchgear And Control Gear : Part 5-1 Control Circuit Devices And Switching Elements Electromechanical Control Circuit Devices	58000	47000	29000	11600	1 PIECE	0.42	For All				
1613	IS/IEC 60947 : PART 5 : SEC 1 X	Scheme - X IS/IEC 60947-5-1 Low - Voltage switchgear and controlgear Part 5 control circuit devices and switching elements Sec 1 electromechanical control circuit devices	75000	60000	37500	15000	-	0	For All				
1614	IS/IEC 61331 : PART 3	PROTECTIVE DEVICES AGAINST DIAGNOSTIC MEDICAL X-RADIATION PART 3: PROTECTIVE CLOTHING, EYEWEAR AND PROTECTIVE PATIENT SHIELDS	85000	68000	42500	17000	1 PIECE	6	For All				
1615	IS/IEC 61537	Cable Management - Cable Tray System and Cable Ladder System	355000	284000	177500	71000	100 M	47.35	For All				

1616	IS/IEC 80601 : PART 2 : SEC 30	MEDICAL ELECTRICAL EQUIPMENT PART 2-30 PARTICULAR REQUIREMENTS FOR BASIC SAFETY AND ESSENTIAL PERFORMANCE OF AUTOMATED NON- INVASIVE SPHYGMOMANOMETERS	370000	296000	185000	74000	1 PIECE	1.6	For All				
1617	IS/IEC 80601 : PART 2 : SEC 49	Medical electrical equipment Part 2- Particular requirements for basic safety and essential performance- Sec 49 Multifunction patient monitors	222000	178000	111000	44400	1 PIECE	160	For All				
1618	IS/IEC 80601 : PART 2 : SEC 58	Medical electrical equipment Part 2 Particular requirements for the basic safety and essential performance Section 58 Lens removal devices and vitrectomy devices for ophthalmic surgery	232000	186000	116000	46400	1 PIECE	430	For All				
1619	IS/ISO 10342	Ophthalmic Instruments - Eye Refractometers	245000	196000	122500	49000	1 PIECE	142	For All				
1620	IS/ISO 11951	Cold - Reduced tinmill products - Blackplate (First Revision)	98000	79000	49000	19600	1 MT	6.5	For All				
1621	IS/ISO 15197	In vitro Diagnostic Test Systems - Requirements for Blood-Glucose Monitoring System for Self-Testing in Managing Diabetes Mellitus	267000	214000	133500	53400	1 PIECE	1.05	For All				

1622	IS/ISO 15883 : PART 2	Washer - Disinfectors: Part 2 requirements and tests for washer - Disinfectors employing thermal disinfection for surgical instruments, anaesthetic equipment, bowls, dishes, receivers, utensils, glassware, etc	285000	228000	142500	57000	1 PIECE	2475	For All				
1623	IS/ISO 17746	Steel Wire Ring Net Panels â€” Definitions and Specifications	184000	148000	92000	36800	1 SQ M	0.65	For All				
1624	IS/ISO 22702	Utility lighters Safety specifications First Revision	121000	97000	60500	24200	100 PIECES	1.5	For All				
1625	IS/ISO 3077	Short link chain for lifting purposes - Grade T (Types T, DAT and DT), fine-tolerance hoist chain	185000	148000	92500	37000	1 MT	51.4	For All				
1626	IS/ISO 3183	Petroleum and Natural Gas Industries Steel Pipe for Pipeline Transportation Systems (Second Revision)	110000	88000	55000	22000	1 TONNE	8.7	For All				
1627	IS/ISO 3826 : PART 1	Plastics collapsible containers for human blood and blood components Part 1 Conventional containers First Revision	227000	182000	113500	45400	100 BAGS	1.8	For All				
1628	IS/ISO 6742 : PART 2	Cycles - Lighting and retro- reflective devices- Part 2 Retro-reflective devices	166000	133000	83000	33200	100 PIECES	0.85	For All				

1629	IS/ISO 80601 : PART 2 : SEC 61	Medical electrical equipment Part 2-61: Particular requirements for basic safety and essential performance of pulse oximeter equipment	318000	255000	159000	63600	1 PIECE	16	For All				
1630	IS/ISO 8612	Ophthalmic Instruments Tonometers	245000	196000	122500	49000	1 PIECE	10.2	For All				
1631	IS/ISO 9994	Lighters Safety specifications First Revision	118000	95000	59000	23600	100 PIECES	0.5	For All				